



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 1 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1	Alarmna sirena (zvučnik) tip: LH3-UC25XS fab.br.: 405221385930100275, 405221395310100069, 405221395310100067, 405221395310100066, 405221385930100285, 405221395310100070, 405221395310100068, 405221395310100072, 405221385930100292, 405211385930100071.	BOSCH / DNH AS, Gruveveien 2/6, 3770 Kragør, Norveška	Smart Building Technologies d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0001/21X	04.01.2021		po tački 3.1 priloga 13. Pravilnika
2	Transmitter pritiska tip: PCE-28 fab.br.: 12200218, 12200219, 12200220, 12200221, 12200222, 12200223, 12200224, 12200225, 12200226, 12200227, 12200228, 12200229, 12200230, 12200214, 12200215, 12200216, 12200217, 12200245, 12200246.	Aplisens S.A., Morelowa 7, 03-192 Warszawa, POLJSKA	"WIG" d.o.o., Bulevar Arsenija Čarnojevića br. 26, 11070 Novi Beograd, BEOGRAD	IPSTP 0002/21X	04.01.2021		po tački 3.1 priloga 13. Pravilnika
3	Presostat tip: EX-DGM525 fab.br.: 2050/0305, 2050/0306, 2050/0307	Honeywell- FEMA, Boblinger Str. 17, 71101 Schonaich, Nemačka	"UNICOM" d.o.o., Borivoja Stevanovića 25, 11 000, Beograd	IPSTP 0003/21	04.01.2021		po tački 3.1 priloga 13. Pravilnika
4	Reset prekidač tip: 07-2211-2320 fab.br.:	BARTEC GmbH, Max-Eyth-Strasse 16, 97980 Bad Mergentheim, Nemačka	"TEHNOPEPETROL" d.o.o., Topionički put bb, 18000, NIŠ	IPSTP 0004/21X	04.01.2021		po tački 3.1 priloga 13. Pravilnika
5	Elektromotor tip: ADPE V90TC2PR fab.br.: 642581	RAEL motori elettrici S.r.l., Via per Retorto 7/1 I-15077 Predosa(Al), ITALIJA	"TEHNOPEPETROL" d.o.o., Topionički put bb, 18000, NIŠ	IPSTP 0005/21X	04.01.2021		po tački 3.1 priloga 13. Pravilnika
6	Elektromagnetni ventil model: EM5 fab.br.: ZP20080461 (2kom), ZP20100668 (1kom)	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, POLJSKA	"TEHNOPEPETROL" d.o.o., Topionički put bb, 18000, NIŠ	IPSTP 0006/21X	04.01.2021		po tački 3.1 priloga 13. Pravilnika
7	Davač impulsa tip: MPL fab.br.: 2020DG50983, 2020DG50990	Dover Fueling Solutions(TOKHEIM) UK Ltd., West Pittkero Industrial Estate, Dundee, Velika Britanija	"TEHNOPEPETROL" d.o.o., Topionički put bb, 18 000, NIŠ	IPSTP 0007/21X	04.01.2021		po tački 3.1 priloga 13. Pravilnika
8	Sprava za merenje zapremine tečnih goriva tip: Quantum 210 fab.br.: D2048197	Dover Fueling Solutions UK Ltd., 3 Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RTUK, UK	"TEHNOPEPETROL" d.o.o., Topionički put bb, 18000, NIŠ	IPSTP 0008/21X	04.01.2021		po tački 3.1 priloga 13. Pravilnika
9	Ex Elektromotor tip: AB30r 160L 4 fab.br.: n2017401778y20; n2017401779y20;	Cemp S.r.l., 20030 SENAGO (Milan), Via Piemonte 16, Italija	"BEOTECHNOCLIMA" d.o.o., Bulevar Zorana Đinđića 80, 11070, Novi Beograd	IPSTP 0009/21X	04.01.2021		po tački 3.1 priloga 13. Pravilnika
10	Priključni pribor tip: DXN25C fab.br.:	MARECHAL ELECTRIC, 5 Avenue de Presles, 94417 SAINT MAURICE CEDEX, Francuska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0010/21X	04.01.2021		po tački 3.1 priloga 13. Pravilnika
11	Upravljačka kombinacija tip: SKX 12/33 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 0011/21X	04.01.2021		po tački 3.1 priloga 13. Pravilnika
12	Ex Razvodna kutija tip: SKX 15/E fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0012/21	04.01.2021		po tački 3.1 priloga 13. Pravilnika
13	Upravljačka kombinacija tip: SKX 12/34 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 0013/21X	04.01.2021		po tački 3.1 priloga 13. Pravilnika
14	Ex Kutija razvodna tip: SKX 18/E fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0014/21	04.01.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 2 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
15	Transmitter diferencijalnog pritiska tip: IDP10S-T22B05AA-M1L1 fab.br.: 20450127, 20450128	Invensys Systems Inc., 38 Neponset Avenue, 02035 Foxboro, MA, USA	" MSK " AD, Bečejski put br. 3, 23300, Kikinda	IPSTP 0015/21X	04.01.2021		po tački 3.1 priloga 13. Pravilnika
16	Transmitter diferencijalnog pritiska tip: IDP10S-TS1B05AA-M1L1 fab.br.: 20450125, 20450126	Invensys Systems Inc., 38 Neponset Avenue, 02035 Foxboro, MA, USA	" MSK " AD, Bečejski put br. 3, 23300, Kikinda	IPSTP 0016/21X	04.01.2021		po tački 3.1 priloga 13. Pravilnika
17	Transmitter pritiska tip: IGP10S-T22E5AA-L1G fab.br.: 20450056, 20450057	Invensys Systems Inc., 38 Neponset Avenue, 02035 Foxboro, MA, USA	" MSK " AD, Bečejski put br. 3, 23300, Kikinda	IPSTP 0017/21X	04.01.2021		po tački 3.1 priloga 13. Pravilnika
18	Ex Elektromotor tip: DCEX 200 LH/4 K fab.br.: 202079043	HEW GmbH & Co. KG, Goebenstraße 106, D-32008 Herford, Nemačka	"PEPO ENERGY" d.o.o., Južna industrijska zona 14, 23273, Novo Miloševo	IPSTP 0018/21X	11.01.2021		po tački 3.1 priloga 13. Pravilnika
19	Elektromotor tip: EeDA 56L/2 -101494 fab.br.: 8512087, 8512101, 8512084, 8512092.	Emod motoren GmbH, Zur Kupe 1, D-36364 Bad Salzschlirf, Nemačka	"PEPO ENERGY" d.o.o., Južna industrijska zona 14, 23273, Novo Miloševo	IPSTP 0019/21	11.01.2021		po tački 3.1 priloga 13. Pravilnika
20	Ex Svetiljka tip: USL07-Ex fab.br.: 35714/20, 35710/20	F.H. Papenmeier GmbH & Co.KG, 58239 Talweg 2, Schwerte, Nemačka	"PEPO ENERGY" d.o.o., Južna industrijska zona 14, 23273, Novo Miloševo	IPSTP 0020/21	11.01.2021		po tački 3.1 priloga 13. Pravilnika
21	Ex Magnetna sonda za detekciju gasa tip: TK-307/0 M fab.br.:	E.L.B. FÜLLSTANDSGERÄTE, Bundschuh GmbH & Co.KG, 64625 An der Hartbrücke 6, Bensheim, Nemačka	"PEPO ENERGY" d.o.o., Južna industrijska zona 14, 23273, Novo Miloševo	IPSTP 0021/21X	11.01.2021		po tački 3.1 priloga 13. Pravilnika
22	Senzor nivoa tip: 11375Z-PXG1A1A4 fab.br.: R6000901086, R6000801086	Endress+Hauser GmbH+Co.KG, D-79689 Maulburg, Hauptstraße 1, Nemačka	"PEPO ENERGY" d.o.o., Južna industrijska zona 14, 23273, Novo Miloševo	IPSTP 0022/21X	11.01.2021		po tački 3.1 priloga 13. Pravilnika
23	Ex Senzor maksimalnog nivoa tip: LKL-P1-G53D-P1NAN-NA.2000 fab.br.: R802490103E, R601C40103E	Pepperl+Fuchs GmbH, Königsberger Allee 87, D-68307 Mannheim, Nemačka	"PEPO ENERGY" d.o.o., Južna industrijska zona 14, 23273, Novo Miloševo	IPSTP 0023/21	11.01.2021		po tački 3.1 priloga 13. Pravilnika
24	Ex Radarski merač nivoa serije VEGAPULS WL 61 tip: PSWL61.CXBBDHKAX fab.br.: 49028985	VEGA Grieshaber GmbH, Am Hohenstein 113, D-77761 SCHILTACH, Nemačka	"PEPO ENERGY" d.o.o., Južna industrijska zona 14, 23273, Novo Miloševo	IPSTP 0024/21X	11.01.2021		po tački 3.1 priloga 13. Pravilnika
25	Ex Transmitter pritiska serije 2600T tip: 266HSHEBSA7 VAENLSR1B6 fab.br.: 3K646619024505; 3K646619024506;	ABB SpA, Via Statale 113, Lenno (Como) 22016, Italija	"PEPO ENERGY" d.o.o., Južna industrijska zona 14, 23273, Novo Miloševo	IPSTP 0025/21X	11.01.2021		po tački 3.1 priloga 13. Pravilnika
26	Ex Potapajuća pumpa tip: US 103 D.Ex fab.br.: 19090348, 19090357	PENTAIR JUNG PUMPEN, Industriestrasse 4-6, 33803 Steinhagen, Nemačka	"PEPO ENERGY" d.o.o., Južna industrijska zona 14, 23273, Novo Miloševo	IPSTP 0026/21	11.01.2021		po tački 3.1 priloga 13. Pravilnika
27	Elektromotor tip: M3GP 90SLB 2 fab.br.: 3G1P203001300	ABB OY Motors, Strömberg Puistotie 5A, 65 100 VAASA, Finska	Comel d.o.o., Pere Velimirovića 8A; 11090, BEOGRAD	IPSTP 0031/21X	11.01.2021		po tački 3.1 priloga 13. Pravilnika
28	Elektromotor tip: M3GP 225SMB 4 fab.br.: 3G1F2042712296	ABB OY Motors, Strömberg Puistotie 5A, 65 100 VAASA, Finska	Comel d.o.o., Pere Velimirovića 8A; 11090, BEOGRAD	IPSTP 0032/21X	11.01.2021		po tački 3.1 priloga 13. Pravilnika
29	Elektromotor tip: M3GP 250SMA 6 fab.br.: 3G1F2042712295	ABB OY Motors, Strömberg Puistotie 5A, 65 100 VAASA, Finska	Comel d.o.o., Pere Velimirovića 8A; 11090, BEOGRAD	IPSTP 0033/21X	11.01.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 3 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
30	Elektromotor tip: M3GP 132SMF 6 fab.br.: 3G1F2043714256	ABB OY Motors, Strömberg Puistotie 5A, 65 100 VAASA, Finska	Comel d.o.o., Pere Velimirovića 8A; 11090, BEOGRAD	IPSTP 0034/21X	11.01.2021		po tački 3.1 priloga 13. Pravilnika
31	Elektromotor tip: M3GP 132SME 4 fab.br.: 3G1F2043714257	ABB OY Motors, Strömberg Puistotie 5A, 65 100 VAASA, Finska	Comel d.o.o., Pere Velimirovića 8A; 11090, BEOGRAD	IPSTP 0035/21X	11.01.2021		po tački 3.1 priloga 13. Pravilnika
32	Elektromotor tip: M3GP 160MLB 4 fab.br.: 3G1F2042714260	ABB OY Motors, Strömberg Puistotie 5A, 65 100 VAASA, Finska	Comel d.o.o., Pere Velimirovića 8A; 11090, BEOGRAD	IPSTP 0036/21X	11.01.2021		po tački 3.1 priloga 13. Pravilnika
33	Elektromotor tip: M3GP 132SMB 4 fab.br.: 3G1F2043714262	ABB OY Motors, Strömberg Puistotie 5A, 65 100 VAASA, Finska	Comel d.o.o., Pere Velimirovića 8A; 11090, BEOGRAD	IPSTP 0037/21X	11.01.2021		po tački 3.1 priloga 13. Pravilnika
34	Vibro viljuška SITRANS LVL200 7ML5746-2DA02-3BA0 tip: LVL200E.DANBVTURX fab.br.: 50347138	Siemens Canada Limited PD PA PI LW, 1954 Technology Drive P.O. Box 4225, Peterborough , ON, K9J 7B1, KANADA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, BEOGRAD	IPSTP 0038/21X	11.01.2021		po tački 3.1 priloga 13. Pravilnika
35	Senzor temperature SITRANS TS 500 tip: 7MC7512-1JA05-1HA2-Z E03+T30+Y01+Y44 fab.br.: N1M07742;	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 0039/21X	11.01.2021		po tački 3.1 priloga 13. Pravilnika
36	Nepropaljivo tablet kućište tip: Tab-Ex 01 DZ1 WiFi fab.br.: R52J91272SH	ECOM Instruments GmbH, Industriestrasse 2,97959 Assamstadt, Nemačka	KEYING d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 0042/21X	11.01.2021		po tački 3.1 priloga 13. Pravilnika
37	IR3 Detektor plamena serije Dräger 2500 tip: FTR 0004-111SC fab.br.: 0009185; 0009195.	Dräger Safety AS & Co.KGaA, Revelstraße 1 , 23560 Lübeck, Nemačka	Smart Building Technologies d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0043/21X	12.01.2021		po tački 3.1 priloga 13. Pravilnika
38	Multisenzorski detektor požara tip: FDOOT241-A9-Ex fab.br.: 59EC768	Siemens Switzerland Ltd., Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 0044/21X	12.01.2021		po tački 3.1 priloga 13. Pravilnika
39	ELEKTROMOTOR tip: EX Sg 132S 4-2G T3 fab.br.: AM 077555	CELMA INDUKTA S.A., ul.3 Maja 19, 43-400 Cieszyn, Poljska	GAS INSTALATION d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 0045/21X	14.01.2021		po tački 3.1 priloga 13. Pravilnika
40	Merilo protoka tip: DELTA SE (G40 DN50 PN16) fab.br.: 3404165831	ITRON GmbH, Hardeckstrasse 2, D-76185 Karlsruhe, Nemačka	"CIM GAS " d.o.o., Jovana Mikića 56, 24000, SUBOTICA	IPSTP 0046/21X	15.01.2021		po tački 3.1 priloga 13. Pravilnika
41	Transmitter pritiska tip: LD292M fab.br.: 068808-2020; 068809-2020;	SMAR Equipamentos Industriais Ltda., Av.Dr.Antonio Furlan Jr.1028, 14170-480 Sertaozinho-SP, BRAZIL	" WIG" d.o.o., Bulevar Arsenija Čarnojevića br. 26, 11070 Novi Beograd, BEOGRAD	IPSTP 0047/21	15.01.2021		po tački 3.1 priloga 13. Pravilnika
42	Ex Senzor maksimalnog nivoa tip: LKL-P1-G53D-P1NAN-NA.2000 fab.br.:	Pepperl+Fuchs GmbH, Königsberger Allee 87, D-68307 Mannheim, Nemačka	"PEPO ENERGY" d.o.o., Južna industrijska zona 14, 23273, Novo Miloševo	IPSTP 0048/21	15.01.2021		po tački 3.1 priloga 13. Pravilnika
43	Elektromotor tip: FLSD132S fab.br.: 832378 G19 003	LEROY SOMER, Boulevard Marcellin Leroy, F-16915 Angoulême, Francuska	"SM ENERGY" d.o.o., Palanka 95, 22000, Sremska Mitrovica	IPSTP 0049/21X	18.01.2021		po tački 3.1 priloga 13. Pravilnika
44	Pozicioner tip: LY302 fab.br.: 081321-2020;	SMAR Equipamentos Industriais Ltda., Av.Dr.Antonio Furlan Jr.1028, 14170-480 Sertaozinho-SP, BRAZIL	" WIG" d.o.o., Bulevar Arsenija Čarnojevića br. 26, 11070 Novi Beograd, BEOGRAD	IPSTP 0067/21	18.01.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 4 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
45	Elektronski korektor zapremine tip: EK280 sa integrisanim radio modemom fab.br.: od 4530147 do 4530166	Elster GmbH, Steiner Strasse 19-21, 55252 Mainz –Kastel, Nemačka	"KONVEX - gasna i vodo tehnika" d.o.o., Batajnički Drum 299, sprat 1, 11080, Zemun-Beograd	IPSTP 0068/21X	19.01.2021		po tački 3.1 priloga 13. Pravilnika
46	Transmitter pritiska Cerabar S tip: PMC71-3BA1MKRDATU+P2Z1 fab.br.: RC09850109C; RC09820109C; RC09830109C; RC09840109C;	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, 79689 Maulburg, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0076/21	20.01.2021		po tački 3.1 priloga 13. Pravilnika
47	Transmitter pritiska Cerabar S tip: PMC71-3BA1SKRDATU+P2Z1 fab.br.: RC056A0109C; RC056B0109C; RC05690109C; RC05680109C;	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, 79689 Maulburg, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0077/21	20.01.2021		po tački 3.1 priloga 13. Pravilnika
48	Transmitter diferencijalnog pritiska Deltabar S tip: PMD75-3BA7HK1DAQA+P3Z1 fab.br.: RC01160109D; RC01170109D;	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, 79689 Maulburg, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0078/21	20.01.2021		po tački 3.1 priloga 13. Pravilnika
49	Termometar tip: TR10-BFA1CDS1M3003 fab.br.: RC046814152; RC046714152;	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0079/21X	20.01.2021		po tački 3.1 priloga 13. Pravilnika
50	Termometar tip: TR10-BFA1CDSXM3003 fab.br.: RC046614152; RC045E14152; RC046114152; RC045D14152; RC046014152; RC046514152; RC045F14152; RC046414152; RC046314152; RC046214152;	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0080/21X	20.01.2021		po tački 3.1 priloga 13. Pravilnika
51	Termometar tip: TR10-BFD1BGSDM3003 fab.br.: RC046914152; RC046A14152; RC046B14152; RC046C14152.	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0081/21X	20.01.2021		po tački 3.1 priloga 13. Pravilnika
52	Vibraciona viljuška za detekciju nivoa Liquiphant M tip: FTL51-KYY9BB4G5A+Z1 fab.br.: RC043801027; RC043901027.	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0082/21	20.01.2021		po tački 3.1 priloga 13. Pravilnika
53	Vibraciona viljuška za detekciju nivoa Liquiphant M tip: FTL50-KGM2AA4G5A+Z1 fab.br.: RC022301026; RC022501026; RC022201026; RC022401026;	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0083/21	20.01.2021		po tački 3.1 priloga 13. Pravilnika
54	Transmitter temperature iTEMP tip: TMT82-BAA3CB3A1A1A2+F1LAZ1 fab.br.: RC04610426C; RC04640426C; RC04620426C; RC04650426C; RC04630426C; RC04660426C.	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0084/21X	20.01.2021		po tački 3.1 priloga 13. Pravilnika
55	Senzor tempetarure tip: TST310-21A1A3C8C1G fab.br.: RC040E14175, RC040A14175; RC040F14175; RC041014175; RC040B14175; RC040C14175; RC040D14175; RC041114175; RC041314175; RC041214175.	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	MERIS d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0085/21X	20.01.2021		po tački 3.1 priloga 13. Pravilnika
56	Rotacioni detektor nivoa NIVOROTA E-700, tip: EKL-730-5/Ex fab.br.: U015055	NIVELCO Ipari Elektronika Zrt., Dugonics utca 11, Budapest H-1043, MAĐARSKA	"INDAS" d.o.o., Heroja Pinkija 95, 21000, Novi Sad	IPSTP 0089/21X	21.01.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 5 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
57	Senzor nivoa VEGAFLEX 81 tip:FX81.AUETBDHXKMAX fab.br.: 51130383	VEGA Grieshaber KG, Am Hohenstein 113, 77761 Schitach, Nemačka	"Ogranak Yokogawa Europe Branches" d.o.o., Đorđa Stanojevića 12, 11070 Novi Beograd, Beograd	IPSTP 0090/21X	21.01.2021		po tački 3.1 priloga 13. Pravilnika
58	Pretvarač sa displejem za napajanje senzora nivoa VEGAMET 391 tip:MET391.CXHXX fab.br.: 51130384, 51130385	VEGA Grieshaber KG, Am Hohenstein 113, 77761 Schitach, Nemačka	"Ogranak Yokogawa Europe Branches" d.o.o., Đorđa Stanojevića 12, 11070 Novi Beograd, Beograd	IPSTP 0091/21	21.01.2021		po tački 3.1 priloga 13. Pravilnika
59	Analogna ulazna izolovana Ex barijera tip: KFD2-STC5-EX1 fab.br.: 40000107543623; 40000107543615; 40000107543467; 40000107543551; 40000107543480;	Pepperl + Fuchs GmbH, Lillienthalstrasse 200, 68307 Mannheim, Nemačka	"Momentum" d.o.o., Fruškogorska 55, 22000, Sremska Mitrovica	IPSTP 0092/21X	21.01.2021		po tački 3.1 priloga 13. Pravilnika
60	Detektor gasa tip: 47K-PRP fab.br.: 09/19-57577, 09/19-67839, 09/19-67580, 09/19-67666, 09/19-67820, 09/19-68028, 09/19-67753, 09/19-67755.	MSA AUER GmbH, Thiemannstr 1, 12059 BERLIN, Nemačka	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0095/21	22.01.2021		po tački 3.1 priloga 13. Pravilnika
61	Razvodna kutija detektora gasa tip: S47k fab.br.: 10/19-31787, 10/19-31783, 10/19-31579, 10/19-31790, 10/19-31590, 10/19-31604, 10/19-31811, 10/19-31813	MSA AUER GmbH, Thiemannstrasse 1, 12059 Berlin, Nemačka	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, Beograd	IPSTP 0096/21X	22.01.2021		po tački 3.1 priloga 13. Pravilnika
62	Ručni javljač požara tip: FDM223-Ex fab.br.: 5588038	Siemens Schweiz AG, Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 0097/21X	22.01.2021		po tački 3.1 priloga 13. Pravilnika
63	Multisenzorski detektor požara tip: FDOOT241-A9-Ex fab.br.: 5BC8411; 5BBF742; 5BBF734; 5BBF747; 5BC83FA; 5BC83F0.	Siemens Switzerland Ltd., Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 0098/21X	22.01.2021		po tački 3.1 priloga 13. Pravilnika
64	Ex Elektromotor tip: MAK 90 L-2 fab.br.: 2311050	EUROMOTORI S.r.l., Via Cavour 20846 Macherio (MI), Italija	"Tapflo" d.o.o., Braće Ribnikar 56/308, 21000, Novi Sad	IPSTP 0099/21X	22.01.2021		po tački 3.1 priloga 13. Pravilnika
65	Dimnooptički detektor tip: SLR-E-IS fab.br.: 003400621, 003400622, 003400623, 003400624, 003400625	HOCHIKI EUROPE, Gillingham, Kent, ME8 0SA, UK	"SECTRON " d.o.o., Jurija Gagarina 11b, 11000, BEOGRAD	IPSTP 0100/21X	22.01.2021		po tački 3.1 priloga 13. Pravilnika
66	Priključni pribor tip: DXN1 fab.br.:	MARECHAL ELECTRIC, 5 Avenue de Presles, 94417 SAINT MAURICE CEDEX, Francuska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0101/21X	22.01.2021		po tački 3.1 priloga 13. Pravilnika
67	Priključni pribor tip: DXN3 fab.br.:	MARECHAL ELECTRIC, 5 Avenue de Presles, 94417 SAINT MAURICE CEDEX, Francuska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0102/21X	22.01.2021		po tački 3.1 priloga 13. Pravilnika
68	Granični prekidač nivoa (vibraciona viljuška) tip: 2120D0DK111XM0095QT fab.br.: JBE1315450	Rosemount Measurement / Mobrey Ltd., 158 Edinburgh Ave, Slough SL1 4UE, UK	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, BEOGRAD	IPSTP 0105/21X	25.01.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 6 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
69	Temperaturni transmiter tip: 644HANAXAM5Q4 integrisan u glavi senzora tip: 0065201F0110D0115T46E1XA fab.br.: Senzor: 20WETB5397921 ; Transmitter: 20WETD6130644	Rosemount Inc, 6021 Innovation Blvd., Shakopee, MN 55379-9795, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0107/21X	25.01.2021		po tački 3.1 priloga 13. Pravilnika
70	Temperaturni transmiter tip: 644HANAXAM5Q4 integrisan u glavi senzora tip: 0065201F0110D0450F34E1Q8R01XA fab.br.: Senzor: 20WETB5397920 ; Transmitter: 20WETD6130643	Rosemount Inc, 6021 Innovation Blvd., Shakopee, MN 55379-9795, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0109/21X	25.01.2021		po tački 3.1 priloga 13. Pravilnika
71	Temperaturni transmiter tip: 644HANAXAM5Q4 integrisan u glavi senzora tip: 0065201F0110D0450F52E1Q8R01R07XA fab.br.: Senzor: 20WETB5397918, 20WETB5397519 ; Transmitter: 20WETD6130640, 20WETD6130641	Rosemount Inc, 6021 Innovation Blvd., Shakopee, MN 55379-9795, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0110/21X	25.01.2021		po tački 3.1 priloga 13. Pravilnika
72	Temperaturni transmiter tip: 644HANAXAM5Q4 integrisan u glavi senzora tip: 0065201Z0105Y2200L32E1Q8R01XA fab.br.: Senzor: 20WETB5397917 ; Transmitter: 20WETD6130642	Rosemount Inc, 6021 Innovation Blvd., Shakopee, MN 55379-9795, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0111/21X	25.01.2021		po tački 3.1 priloga 13. Pravilnika
73	Zener barijera tip: MTL7755ac fab.br.:	Eaton Electric Limited, Graet Marlings, Butterfield,Luton, Bedfordshire, LU2 8DL, UK	"IvDam Process Control" d.o.o., Koste Abraševića 15, 11000, Beograd	IPSTP 0112/21	25.01.2021		po tački 3.1 priloga 13. Pravilnika
74	Transmitter korolis merila protoka tip: 2700R11ACZEZWW fab.br.: 3471341, 3471019	MICRO MOTION, 7070 Winchester Circle, Boulder, Co.80301 Etats Unis, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0114/21X	25.01.2021		po tački 3.1 priloga 13. Pravilnika
75	Centralna jedinica za procesuiranje podataka tip: 700 fab.br.: 33898147	MICRO MOTION Inc., 7070 Winchester Circle, Boulder, Co.80301 Etats Unis, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0115/21U	25.01.2021		po tački 3.1 priloga 13. Pravilnika
76	Transmitter pritiska tip:3051TG4F2B21A1M5T1Q4 fab.br.: 20WEPG0849622	ROSEMOUNT Inc., 8200 Market Boulevard, Chanhassen, Minnesota 55317, USA	"IvDam Process Control" d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0120/21X	26.01.2021		po tački 3.1 priloga 13. Pravilnika
77	Multivarijabilni transmiter pritiska tip: 3051SMV3M13G3R2E11A1BC221H5M5Q4 fab.br.: 20WEFF1504771	Rosemount Inc, 8200 Market Boulevard, Chanhassen, Minnesota 55317, USA	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0121/21X	26.01.2021		po tački 3.1 priloga 13. Pravilnika
78	Transmitter pritiska tip: 3051S2TG3A2A11A1AB4K1M5Q4T1 fab.br.: 20WEPE0254442, 20WEPE0254443	Rosemount Inc., 6021 Innovation Blvd., Shakopee, MN 55379-9795, USA	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, BEOGRAD	IPSTP 0122/21X	26.01.2021		po tački 3.1 priloga 13. Pravilnika
79	Transmitter pritiska tip:2088G4S22A1M5D4B4K1T1Q4S5 fab.br.: 20WEPJ00656552, 20WEPJ0656553	Rosemount Inc., 8200 Market Boulevard, Chanhsssen, MN 55317, USA	" IvDam Process Control " d.o.o., Koste Abraševića 15. 11000, Beograd	IPSTP 0123/21X	26.01.2021		po tački 3.1 priloga 13. Pravilnika
80	Transmitter pritiska tip:2088G3S22A1M5D4B4K1T1Q4S5 fab.br.: 20WEPJ0656556, 20WEPJ0656554, 20WEPJ0656555	Rosemount Inc., 8200 Market Boulevard, Chanhsssen, MN 55317, USA	" IvDam Process Control " d.o.o., Koste Abraševića 15. 11000, Beograd	IPSTP 0124/21X	26.01.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 7 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
81	Pretvarač temperature/mA tip: 9113BB fab.br.: 201657249; 201657251;	PR electronics A/S, Lerbakken 10, 8410 Rende, Danska	"Compact MM Trade" d.o.o., Dimitrija Tucovića 146/III/20, 11000, Beograd	IPSTP 0125/21X	26.01.2021		po tački 3.1 priloga 13. Pravilnika
82	Ex Zaštitni prekidač tip: GHG 261 0005 R0009 fab.br.: 2510	EATON - COOPER CROUSE HINDS GmbH, Neuer Weg Nord 49, DE - 69412, Eberbach, NEMAČKA	"SOBEL" d.o.o., Ustanička 125-i, 11050, BEOGRAD	IPSTP 0129/21	27.01.2021		po tački 3.1 priloga 13. Pravilnika
83	Ex Konektor tip: CU 200 II fab.br.:	MIRETTI S.p.A, Via Marconi 31, I-20051 LIMBIATE(MI), Italija	"BB Elektronik" d.o.o., Rumska 161, 22429, Voganj	IPSTP 0130/21X	27.01.2021		po tački 3.1 priloga 13. Pravilnika
84	Ex Trakciona baterija tip: 3 PzS 240 fab.br.: 7590349001	Enersys s.r.o., Nadražni 555, 26724 Hostimice pod Brdy, Češka Republika	"BB Elektronik" d.o.o., Rumska 161, 22429, Voganj	IPSTP 0131/21X	27.01.2021		po tački 3.1 priloga 13. Pravilnika
85	Ex Kutija razvodna tip: RK 01/544 E fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0132/21X	28.01.2021		po tački 3.1 priloga 13. Pravilnika
86	Ex Zidna svetiljka tip: 0403.24/10 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0133/21X	28.01.2021		po tački 3.1 priloga 13. Pravilnika
87	Ex sigurnosna led svetiljka tip: FLXE 118 LED-N 2 / fab.br.:	TEP-Ex d.o.o., Medarska 69, Zagreb, Hrvatska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0134/21	28.01.2021		po tački 3.1 priloga 13. Pravilnika
88	Ex LED Svetiljka tip: PSF 52 LED / 1 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0135/21	28.01.2021		po tački 3.1 priloga 13. Pravilnika
89	LED Svetiljka viseća tip: PLFS-N 100 LED-4/3 fab.br.:	TEP-Ex d.o.o., Medarska 69, Zagreb, Hrvatska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0136/21	28.01.2021		po tački 3.1 priloga 13. Pravilnika
90	Ex Kutija razvodna tip: SKX 15/E fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0137/21	28.01.2021		po tački 3.1 priloga 13. Pravilnika
91	Upravljačka kombinacija tip: SKX 13/30 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 0138/21X	28.01.2021		po tački 3.1 priloga 13. Pravilnika
92	Upravljačka kombinacija tip: SKX 12/21 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 0139/21X	28.01.2021		po tački 3.1 priloga 13. Pravilnika
93	Termostat tip: exTHERM-AT 605055/0002-6 fab.br.: 0281782801020370009	JUMO GmbH & Co.KG, Moritz-Juchheim-Str.1, 36039 Fulda, Nemačka	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0140/21	28.01.2021		po tački 3.1 priloga 13. Pravilnika
94	Transmiter pritiska Cerabar M tip: PMC51-BA31JA1PBGJCJA fab.br.: RC092A01128; RC092901128; RC092701128; RC092801128; RC092C01128; RC092B01128	Endress+Hauser GmbH+Co. KG, Hauptstrasse 1, 79689 Maulburg, NEMAČKA	„MERIS“ d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0141/21	28.01.2021		po tački 3.1 priloga 13. Pravilnika
95	Merilo protoka Promass 200 tip: 8E2C25-BBGCCASAD2SHA1 fab.br.: S1017202000; S1017002000; S1016E02000; S1016F02000; S1017102000; S1017302000.	Endress+Hauser Flowtec AG, Kagenstrasse 7, 4153 Reinach BL 1, Švajcarska	„MERIS“ d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0142/21	28.01.2021		po tački 3.1 priloga 13. Pravilnika
96	Transmiter pritiska SITRANS P420 tip: 7MF0400-1TF01-SCM2-Z A01+C11+E20+H01 fab.br.: N1MN1710157618, N1MN2010157696	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 0143/21X	28.01.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 8 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
97	Transmitter pritiska SITRANS P420 tip: 7MF0400-1QF01-5CM2-Z A01+C11+E20+H01 fab.br.: N1MN1710157622	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 0144/21X	29.01.2021		po tački 3.1 priloga 13. Pravilnika
98	Transmitter diferencijalnog pritiska SITRANS P420 tip: 7MF0440-1ML01-5CM2-Z A01+C11+E20+H01+U02 fab.br.: N1MN1710157619; N1MN1710157620; N1MN1710157621.	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 0145/21X	28.01.2021		po tački 3.1 priloga 13. Pravilnika
99	Transmitter temperature TS 500 tip: 7MC7500-1JB06-8HA3-Z E03+T30+Y01+Y44 fab.br.: N1MN5113, N1MN5114	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 0146/21X	28.01.2021		po tački 3.1 priloga 13. Pravilnika
100	Centrifugalni ventilator u EX izvedbi tip: RVK-EX 315D4 fab.br.: 12246	SYSTEMAIR GmbH, Seehöfer Strasse 45, 97944 Boxberg, NEMAČKA	"Systemair " d.o.o., Bul. Zorana Đinđića 95/I/2, 11070, Beograd	IPSTP 0147/21X	29.01.2021		po tački 3.1 priloga 13. Pravilnika
101	Merilo temperature u više tačaka PROTHERMO tip: NMT539-B110D1C4AC fab.br.: RC02151311A, RC02141311A	Endress+Hauser Yamanashi Co.Ltd., 862-1 Mitsukungi Sakaigawa-cho, Fuefuki-shi, Yamanashi Pref.406-0846, JAPAN	„MERIS“ d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0148/21X	29.01.2021		po tački 3.1 priloga 13. Pravilnika
102	Napojna jedinica tip: RN221N-B1 fab.br.: S104E10411F; S104EA0411F; S104E70411F; S104E20411F; S104DC0411F; S104DA0411F; S104D90411F; S104E00411F; S104E30411F; S104EC0411F; S104DB0411F; S104DE0411F; S104D70411F; S104E60411F; S104DF0411F; S104ED0411F; S104D80411F; S104E40411F; S104E50411F; S104EB0411F; S104E90411F; S104DD0411F; S104E80411F.	Endress+Hauser Wetzer GmbH+Co.KG, Obere Wank 1, 87484 Nesselwang, Nemačka	MERIS d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0149/21	29.01.2021		po tački 3.1 priloga 13. Pravilnika
103	Ex Svetiljka tip: KRATEX HE 1200 40-840 ET PC fab.br.: 8 436003 825081 (kat.10169107)	ZALUX S.A., Avda, De Aragon 54, 50230 Zaragoza, Španija	IBF RASVETNI SISTEMI d.o.o., Bulevar Zorana Đinđića 85. 11070, Novi Beograd	IPSTP 0150/21X	29.01.2021		po tački 3.1 priloga 13. Pravilnika
104	Ex Svetiljka tip: KRATEX HE 1200 40-840 ET PC EB3 fab.br.: 8 436003 828259 (kat.10169111)	ZALUX S.A., Avda, De Aragon 54, 50230 Zaragoza, Španija	IBF RASVETNI SISTEMI d.o.o., Bulevar Zorana Đinđića 85. 11070, Novi Beograd	IPSTP 0151/21X	29.01.2021		po tački 3.1 priloga 13. Pravilnika
105	Ex Svetiljka tip: KRATEX HE 600 20-840 ET PC EB3 fab.br.: 8 436003 825029 (kat.10169105)	ZALUX S.A., Avda, De Aragon 54, 50230 Zaragoza, Španija	IBF RASVETNI SISTEMI d.o.o., Bulevar Zorana Đinđića 85. 11070, Novi Beograd	IPSTP 0152/21X	29.01.2021		po tački 3.1 priloga 13. Pravilnika
106	Elektromotor ventilatora tip: MK 106-4DB.07.Y fab.br.: 32599366;	Ziehl-Abegg AG, Heinc-Ziehl-Straße, 74653 Kunzelsau, NEMAČKA	"Systemair " d.o.o., Bul. Zorana Đinđića 95/I/2, 11070, Beograd	IPSTP 0153/21	01.02.2021		po tački 3.1 priloga 13. Pravilnika
107	Elektronski transmitter pritiska serije FCX-AII tip: FKCW36V5-2KABY-AU fab.br.: ALA1179F	Fuji Electric Co. Ltd., 1, Fuji-machi, Hino-City, Tokyo 191-8502, Japan	"Compact MM Trade" d.o.o., Dimitrija Tucovića 146/III/20, 11000, Beograd	IPSTP 0154/21X	02.02.2021		po tački 3.1 priloga 13. Pravilnika
108	Prenosni detektor gasa tip: EX-TEC HS 680 (064) fab.br.: 064 01 007014	Hermann Severin GmbH, Robert Bosch Strasse 3, 33334 Gutersloh, Nemačka	"MINAL " d.o.o., Kedrova 8, 11 030, Beograd	IPSTP 0155/21X	02.02.2021		po tački 3.1 priloga 13. Pravilnika
109	Prenosni detektor gasa tip: EX-TEC PM SNOOPER 4 (061 11) fab.br.: od 061 11 003095 do 061 11 003101	Hermann Severin GmbH, Robert Bosch Strasse 3, 33334 Gutersloh, Nemačka	"MINAL " d.o.o., Kedrova 8, 11 030, Beograd	IPSTP 0156/21X	02.02.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 9 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
110	Prenosni detektor gasa tip: EX-TEC PM 580 fab.br.: od 050 30 002252 do 050 30 002258	Hermann Severin GmbH, Robert Bosch Strasse 3, 33334 Gutersloh, Nemačka	" MINAL " d.o.o., Kedrova 8, 11 030, Beograd	IPSTP 0157/21X	02.02.2021		po tački 3.1 priloga 13. Pravilnika
111	Elektronski sistem merenja protoka tip: TEX fab.br.: 2003832-03, 2003832-08	S.A.M.P.I. S.p.A., Via. A Vespucci, 1 55011 Altopascio(LU), Italija	"TEHNOPETROL" d.o.o., Toponički put bb, 18000, NIŠ	IPSTP 0158/21X	04.02.2021		po tački 3.1 priloga 13. Pravilnika
112	Davač impulsa tip: POD fab.br.: 2003818-03F, 2003818-04F	S.A.M.P.I. S.p.A., Via. A Vespucci, 1 55011 Altopascio(LU), Italija	"TEHNOPETROL" d.o.o., Toponički put bb, 18000, NIŠ	IPSTP 0159/21X	04.02.2021		po tački 3.1 priloga 13. Pravilnika
113	Elektromotor W22Xdb tip: 112M-04 fab.br.: 1053996606, 1053996607	WEG Equipamentos Electricos S.A., Av. Prefeito Waldemar Grubba, 3000 Jaragua do Sul, SC, Brazil	"TEHNOPETROL" d.o.o., Toponički put bb, 18000, NIŠ	IPSTP 0160/21X	04.02.2021		po tački 3.1 priloga 13. Pravilnika
114	Termometar tip: TCL fab.br.: 652820-010/01, 652820-010/02	TERMICS S.r.l., Via. S.Predengo,29, 26022 Castelveverde (CR), Italija	"TEHNOPETROL" d.o.o., Toponički put bb, 18000, NIŠ	IPSTP 0161/21X	04.02.2021		po tački 3.1 priloga 13. Pravilnika
115	SOLENOID elektromagnetnog ventila tip: AC10-U3-6 PX23 fab.br.: 21623, 21639	Bürkert Werke GmbH & Co. KG, Werk 10 Christian-Bürkert-Straße 13-17 74653 Ingelfingen, Nemačka	"TEHNOPETROL" d.o.o., Toponički put bb, 18000, NIŠ	IPSTP 0162/21X	04.02.2021		po tački 3.1 priloga 13. Pravilnika
116	SOLENOID elektromagnetnog ventila tip: AC10-U3-6 PX58 JA13 fab.br.: 1013,1248	Bürkert Werke GmbH & Co. KG, Werk 10 Christian-Bürkert-Straße 13-17 74653 Ingelfingen, Nemačka	"TEHNOPETROL" d.o.o., Toponički put bb, 18000, NIŠ	IPSTP 0163/21X	04.02.2021		po tački 3.1 priloga 13. Pravilnika
117	SOLENOID elektromagnetnog ventila tip: AC10-U3-6 PX58 JJ04 JW10 fab.br.: 3947,3938	Bürkert Werke GmbH & Co. KG, Werk 10 Christian-Bürkert-Straße 13-17 74653 Ingelfingen, Nemačka	"TEHNOPETROL" d.o.o., Toponički put bb, 18000, NIŠ	IPSTP 0164/21X	04.02.2021		po tački 3.1 priloga 13. Pravilnika
118	Aksijalni ventilator u EX izvedbi tip: EX 140A-4 fab.br.: 135277/1005724388-014/20201211, 135277/1005724388-015/20201211	SYSTEMAIR SVERIGE AB, Industriv 3, SE 739 30, Skinnskatteberg, ŠVEDSKA	"SYSTEMAIR" d.o.o., Bulevar Zorana Đinđića 95 I/2, 11070 Novi Beograd, Beograd	IPSTP 0166/21X	05.02.2021		po tački 3.1 priloga 13. Pravilnika
119	Elektromotor ventilatora tip: 0F063B4Q2305P4U fab.br.: 20032398056, 20007539013	ORANGE1 Electric Motors, Via Mantova 93 ,43122 PARMA, ITALIJA	SYSTEMAIR d.o.o., Bulevar Zorana Đinđića 95 I/2, 11070 Novi Beograd, Beograd	IPSTP 0167/21X	05.02.2021		po tački 3.1 priloga 13. Pravilnika
120	Aksijalni ventilator u EX izvedbi tip: EX 180A-4 fab.br.: 135279/1005724366-035/20201211	SYSTEMAIR SVERIGE AB, Industriv 3, SE 739 30, Skinnskatteberg, ŠVEDSKA	"SYSTEMAIR" d.o.o., Bulevar Zorana Đinđića 95 I/2, 11070 Novi Beograd, Beograd	IPSTP 0168/21X	05.02.2021		po tački 3.1 priloga 13. Pravilnika
121	Elektromotor ventilatora tip: 0F063B4Q2305P4U fab.br.: 20032398045	ORANGE1 Electric Motors, Via Mantova 93 ,43122 PARMA, ITALIJA	SYSTEMAIR d.o.o., Bulevar Zorana Đinđića 95 I/2, 11070 Novi Beograd, Beograd	IPSTP 0169/21X	05.02.2021		po tački 3.1 priloga 13. Pravilnika
122	Transmiter pritiska tip: EJX 530A EBSWN-019NN/KU22/D3/N4 fab.br.: 91WC24781	Yokogawa Electric Corporation, 2-9-32 Naka-cho, Musashino-shi Tokyo 180-8750, Japan	„Ogranak Yokogawa Europe Branches Beograd “ d.o.o., Đorđa Stanojevića 12, 11070 Novi Beograd, Beograd	IPSTP 0170/21X	08.02.2021		po tački 3.1 priloga 13. Pravilnika
123	Solenoidni kalem elektromagnetnog ventila FPJB tip: III-24V-AC/DC-37-FR-H-01 fab.br.: 19066809-161, 19066809-70	ROTEX Automation Limited, 987/11, GIDC, Makarpura - Vadodara 390010 - Gujarat, Indija	" WIG" d.o.o., Bulevar Arsenija Čarnojevića br. 26, 11070 Novi Beograd, BEOGRAD	IPSTP 0171/21	08.02.2021		po tački 3.1 priloga 13. Pravilnika
124	Merač protoka rotametar tip: DK37/M8E fab.br.: D200000001033450	KROHNE Messtechnik GmbH, Ludwig-Krohne-Strasse 5, 47058 Duisburg, Nemačka	" WIG" d.o.o., Bulevar Arsenija Čarnojevića br. 26, 11070 Novi Beograd, BEOGRAD	IPSTP 0172/21X	08.02.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 10 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
125	Elektromotor tip: E7 ATA 225S-4DT/T4 fab.br.: 961079, 961080	KONČAR-MES d.d., Fallerovo šetalište 22 ,10 000 Zagreb, Hrvatska	"ELEKTRON" d.o.o., Novosadski put 156, 21000, Novi Sad	IPSTP 0173/21X	08.02.2021		po tački 3.1 priloga 13. Pravilnika
126	Elektromotor tip: E7 ATA 315S-6DT/T4 fab.br.: 961081	KONČAR-MES d.d., Fallerovo šetalište 22 ,10 000 Zagreb, Hrvatska	"ELEKTRON" d.o.o., Novosadski put 156, 21000, Novi Sad	IPSTP 0174/21X	08.02.2021		po tački 3.1 priloga 13. Pravilnika
127	Razvodna kutija tip: XD-JB85 fab.br.:	LIMATHERM S.A., ul.Tarnowska 1, 34-600 Limanowa, Poljska	"BS PROJEKT 2009 " d.o.o., Donja Grabovica br.132, Valjevo	IPSTP 0175/21U	09.02.2021		po tački 3.1 priloga 13. Pravilnika
128	Senzor detektora gasa tip: NET224CDSNP17SH fab.br.: JO1567/20, JO1659/20, JO1658/20, JO1657/20	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"BS PROJEKT 2009" d.o.o., Donja Grabovica br.132, Valjevo	IPSTP 0176/21U	09.02.2021		po tački 3.1 priloga 13. Pravilnika
129	Detektor gasa SMART 3G tip: ST / L / E3 / S2 fab.br.: N.JO1567; N.JO1657; N.JO1659; N.JO1658.	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"BS PROJEKT 2009" d.o.o., Donja Grabovica br.132, Valjevo	IPSTP 0177/21X	09.02.2021		po tački 3.1 priloga 13. Pravilnika
130	Razvodna kutija tip: XD-JB85 fab.br.:	LIMATHERM S.A., ul.Tarnowska 1, 34-600 Limanowa, Poljska	"BS PROJEKT 2009 " d.o.o., Donja Grabovica br.132, Valjevo	IPSTP 0178/21U	09.02.2021		po tački 3.1 priloga 13. Pravilnika
131	Senzor detektora gasa tip: NET224CDSNP17SH fab.br.: JO1656/20, JO1653/20, JO1655/20, JO1654/20	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"BS PROJEKT 2009" d.o.o., Donja Grabovica br.132, Valjevo	IPSTP 0179/21U	09.02.2021		po tački 3.1 priloga 13. Pravilnika
132	Detektor gasa SMART 3G tip: ST / L / E3 / S2 fab.br.: N.JO1654; N.JO1655; N.JO1656; N.JO1653.	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"BS PROJEKT 2009" d.o.o., Donja Grabovica br.132, Valjevo	IPSTP 0180/21X	09.02.2021		po tački 3.1 priloga 13. Pravilnika
133	Detektor plamena tip: DF1101-Ex fab.br.: 5166750001 02	Siemens Building Technologies AG, Alte Landstrasse 411, 8708 Mannedorf, Švajcarska	" BS PROJEKT 2009 " d.o.o., Donja Grabovica br.132, Valjevo	IPSTP 0181/21	09.02.2021		po tački 3.1 priloga 13. Pravilnika
134	Detektor plamena tip: 40/40LB-111SC fab.br.: 20SHYA0125819, 20SHYA0125820, 20SHYA0125816, 20SHYA0125817, 20SHYA0125811, 20SHYA0125813, 20SHYA0125818, 20SHYA0125814, 20SHYA0125821, 20SHYA0125810, 20SHYA0125822, 20SHYA0125809, 20SHYA0125808, 20SHYA0125812, 20SHYA0125815, 20SHYA0125874, 20SHYA0125872, 20SHYA0125879, 20SHYA0125883, 20SHYA0125884, 20SHYA0125875, 20SHYA0125881, 20SHYA0125882, 20SHYA0125880, 20SHYA0125877, 20SHYA0125878, 20SHYA0125876, 20SHYA0125873.	SPECTREX Ltd., 218 Little Falls Road , Cedar Grove, NJ 07009, USA	"Dräger Tehnika" d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0182/21X	09.02.2021		po tački 3.1 priloga 13. Pravilnika
135	Detektor gasa PEX 3000 tip: XTR 0000 fab.br.: ARNH-0030, ARNH-0039, ARNH-0058, ARNH-0062	Dräger Safety AG & Co. KgaA, Revalstrasse 1, 23560 Lubeck, Nemačka	"Dräger Tehnika" d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0183/21X	09.02.2021		po tački 3.1 priloga 13. Pravilnika
136	Ručni javljač požara tip: FDM223-Ex fab.br.: 599E81F; 599E82A	Siemens Schweiz AG, Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 0184/21X	10.02.2021		po tački 3.1 priloga 13. Pravilnika
137	LF impulsni davač tip: IN-S10/IN-S11 fab.br.: 83052618; 83052617; 10528434;	Elster GmbH, Steinern Strasse 19-21, 55252 Mainz –Kastel, Nemačka	"KONVEX-GASNA I VODO TEHNIKA" d.o.o., Batajnički drum 299, sprat 1, 11080 Zemun, Beograd	IPSTP 0185/21	10.02.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 11 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
138	Induktivni prekidač položaja (HF impulsni davač tip A1K) tip: N95000 fab.br.: 10528434	ifm electronic GmbH, Friedrichstraße 1, 45128 Essen, Nemačka	"KONVEX-GASNA I VODO TEHNIKA" d.o.o., Batajnički drum 299, sprat 1, 11080, Zemun-Beograd	IPSTP 0186/21	10.02.2021		po tački 3.1 priloga 13. Pravilnika
139	Granični prekidač nivoa (vibraciona viljuška) tip: 2130NA2MS1NNGM060011QT fab.br.: 20GOBE0003461, 20GOBE0003462, 20GOBE0003459, 20GOBE0003460	Rosemount Measurement / Solartron Mobrey Ltd., 158 Edinburgh Ave, Slough SL1 4UE, UK	"IvDam Process Control" d.o.o., Koste Abraševića 15, 11050, BEOGRAD	IPSTP 0187/21X	10.02.2021		po tački 3.1 priloga 13. Pravilnika
140	Strujno kontrolisani modul, tip: UNICONT PKK-312-8Ex fab.br.: T480318, T480312	Nivelco Process Control Co., Dugonics utca 11, Budapest H-1043, Mađarska	"INDAS" d.o.o., Heroja Pinkija 95, 21000, Novi Sad	IPSTP 0188/21	11.02.2021		po tački 3.1 priloga 13. Pravilnika
141	Detektor nivoa (vibroviljuška), tip: RCM-403-8Ex fab.br.: U035551, U035550	Nivelco Process Control Co., Dugonics utca 11, Budapest H-1043, MAĐARSKA	"INDAS" d.o.o., Heroja Pinkija 95, 21000, Novi Sad	IPSTP 0189/21X	11.02.2021		po tački 3.1 priloga 13. Pravilnika
142	Ultrazvučno merilo nivoa EasyTREK tip: SPB-370-8 fab.br.: U045183, U045185	Nivelco Process Control Co., Dugonics utca 11, Budapest H-1043, MAĐARSKA	"INDAS" d.o.o., Heroja Pinkija 95, 21000, Novi Sad	IPSTP 0190/21X	11.02.2021		po tački 3.1 priloga 13. Pravilnika
143	Ultrazvučno merilo nivoa EasyTREK tip: SPB-380-8 fab.br.: U045189, U045188	Nivelco Process Control Co., Dugonics utca 11, Budapest H-1043, MAĐARSKA	"INDAS" d.o.o., Heroja Pinkija 95, 21000, Novi Sad	IPSTP 0191/21X	11.02.2021		po tački 3.1 priloga 13. Pravilnika
144	Ex Prenosna baterijska lampa tip: AccuLux HL 11 Ex fab.br.:	Witte + Sutor GmbH, Steinberger Str.6, D-71540 Murrhardt, Nemačka	"EMSITIM" d.o.o., Kosmajaska 33, 11461 Beljina, Barajevo, Beograd	IPSTP 0192/21	12.02.2021		po tački 3.1 priloga 13. Pravilnika
145	Elektromotor ventilatora tip: MK 106-6DB.14.Y fab.br.: 32739177	Ziehl-Abegg AG, Heinc-Ziehl-Straße, 74653 Kunzelsau, NEMAČKA	"Systemair" d.o.o., Bul. Zorana Đinđića 95/1/2, 11070, Beograd	IPSTP 0193/21	12.02.2021		po tački 3.1 priloga 13. Pravilnika
146	Ex Telemetrijski modul tip: CMB-03U fab.br.: 190102-190403; 202804-202604; 203108-203009; 203103-203003; 202803-203002; 203104-203006; 203109-202609; 202805-203007; 202808-203005;	Common S.A., ul.Aleksandrowska 67/93, 91205 Łódź, POLJSKA	"TIPEX AS" d.o.o., Vase Stajića 34, 21000, NOVI SAD	IPSTP 0194/21	17.02.2021		po tački 3.1 priloga 13. Pravilnika
147	Ex Upravljačka jedinica sa prekidačem tip: LCP1.N1OX.F.1 fab.br.: 40000091854883	Pepperl + Fuchs GmbH, Lillienthalstrasse 200, 68307 Mannheim, Nemačka	"Momentum" d.o.o., Fruškogorska 55, 22000, Sremska Mitrovica	IPSTP 0195/21X	17.02.2021		po tački 3.1 priloga 13. Pravilnika
148	Ex Digitalna ulazna izolovana BARIJERA tip: KFD2-SR2-Ex1.W fab.br.: 40000092506166	Pepperl + Fuchs GmbH, Lilienthalstraße 200, 68307 Mannheim, Nemačka	MOMENTUM d.o.o., Fruškogorska 55, 22000, Sremska Mitrovica	IPSTP 0196/21	17.02.2021		po tački 3.1 priloga 13. Pravilnika
149	Elektromotor tip: RL71B 2 (RL0005) fab.br.: 110202	RAEL srl, Via Sper Retorto 7/1, I-15077 Predosa, Italija	"AIRCO" d.o.o., Milovana Glišića br.7, lokal br.2, 21000, NOVI SAD	IPSTP 0197/21X	17.02.2021		po tački 3.1 priloga 13. Pravilnika
150	Elektromotor tip: RL80B 2 (RL0007) fab.br.: 130953	RAEL srl, Via Sper Retorto 7/1, I-15077 Predosa, Italija	"AIRCO" d.o.o., Milovana Glišića br.7, lokal br.2, 21000, NOVI SAD	IPSTP 0198/21X	17.02.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 12 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
151	Multisenzorski detektor požara tip: FDOOT241-A9-Ex fab.br.: 5E29793, 5E2978E, 5E29791, 5E29788, 5E2978F, 5E1F8EF, 5E1F8EB, 5E1F8F7, 5E1F8F8, 5E1F8FB, 5E1F8EA, 5E1F8E9, 5E1F8E7, 5E1F8FD, 5E1F8F9, 5E1F8F1, 5E1F8FE, 5E1F8FC, 5E1F8E8, 5E1F8FA, 5E29797.	Siemens Switzerland Ltd., Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 0199/21X	17.02.2021		po tački 3.1 priloga 13. Pravilnika
152	Ručni javljač požara tip: GNExCP6A-BG fab.br.: 20/1CP6ABG002533, 20/1CP6ABG002545, 20/1CP6ABG002535, 20/1CP6ABG002544, 20/1CP6ABG002536, 20/1CP6ABG002541, 20/1CP6ABG002537, 20/1CP6ABG002538, 20/1CP6ABG002539, 20/1CP6ABG002532, 20/1CP6ABG002546, 20/1CP6ABG002540, 20/1CP6ABG002543, 20/1CP6ABG002534, 20/1CP6ABG002531, 20/1CP6ABG002542.	European Safety Systems Ltd., Imress House, Mansell Road, Acton, UK	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0208/21X	17.02.2021		po tački 3.1 priloga 13. Pravilnika
153	ALARMNA SIRENA tip: BExS120D fab.br.: 20/1S12001847, 20/1S12001840, 20/1S12001835, 20/1S12001848, 20/1S12001841, 20/1S12001838, 20/1S12001846, 20/1S12001843, 20/1S12001845, 20/1S12001836, 20/1S12001842, 20/1S12001844, 20/1S12001837, 20/1S12001839.	European Safety Systems Ltd., Impress House, Mansell Road, Acton, London, W3 7QH, UK	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080 Zemun, BEOGRAD	IPSTP 0209/21X	17.02.2021		po tački 3.1 priloga 13. Pravilnika
154	Ručni javljač požara tip: FDM223-Ex fab.br.: 599E81A, 599E823, 599E827, 599E824, 599E828, 599E826, 599E825, 599E820, 599E81D, 599E821, 599E829, 599E822, 599E82A, 599E81F.	Siemens Schweiz AG, Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 0200/21X	17.02.2021		po tački 3.1 priloga 13. Pravilnika
155	Ex Linijski adapter tip:FDCL221 fab.br.: 5CABFD1, 5CABFA9, 5CABFB1, 5CABFB0, 58623A5, 58626A5, 57D4D86, 57D5381, 5862398, 5AE6ED8, 5AE6EE1, 5AE6EDC, 5AE6E79, 5AE6ED4, 5AE6EBA, 5AE6EDB.	Siemens Schweiz AG, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0201/21	17.02.2021		po tački 3.1 priloga 13. Pravilnika
156	Detektor gasa tip: PrimaX P fab.br.: a-05/20-00241, a-03/20-19968, a-03/20-19974, a-05/20-00245, a-03/20-19979, a-05/20-00247, a-05/20-00242, a-04/20-19826, a-03/20-19973, a-03/20-19970, a-04/20-19828, a-03/20-19971, a-03/20-19977, a-03/20-19978, a-04/20-19827, a-03/20-19965.	MSA AUER GmbH, Thiemannstrasse 1, 12059 Berlin, Nemačka	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080, Zemun, Beograd	IPSTP 0202/21X	17.02.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 13 / 125

157	Infracrveni monitor gasa tip: PrimaX IR fab.br.: 11191194, 11191330, 11191338, 11191392, 2201816, 2201823, 2201829, 2201864, 2201872, 2202005, 2202006, 2202022, 3201385, 3201402, 3201409, 3201533, 3201550, 3201560, 3201619, 3201627, 3201628, 3201631, 3201632, 3201640, 3201641, 3201648, 3201649, 3201650, 3201703, 3201704, 4201002, 4201004, 4201007, 4201008, 4201009, 4201010, 4201011, 4201015, 4201016, 4201017, 4201018, 4201027, 4201138, 4201147, 4201227, 4201231, 4201235, 4201237, 4201239, 4201240, 4201248, 4201263, 4201266, 4201270, 4201271, 4201276, 4201277, 4201307, 4201316, 4201318, 4201319, 4201320, 4201321, 4201322, 4201323, 4201324, 4201325, 4201326, 4201327, 4201329, 4201337, 4201338, 4201363, 4201365, 4201366, 4201372, 4201373, 4201374, 2201887, 2202000, 2202001, 4201384, 4201387, 4201392, 4201394, 4201395, 4201398, 4201399, 4201400, 4201410, 4201416, 4201428, 4201429, 4201441, 4201443, 4201445, 4201446, 4201447, 4201451, 4201452, 4201455, 4201456, 4201460, 4201462, 420143, 4201464, 4201470, 4201473, 4201475, 4201477, 4201478, 4201481, 4201486, 4201487, 4201489, 4201491, 4201503, 5201031, 5201033, 5201035, 5201043, 5201044, 5201049, 5201051, 5201052, 5201055, 5201056, 5201057, 5201058, 5201061, 5201063, 5201064, 5201065, 5201066, 5201067, 5201075, 6201373, 7201437, 7201438, 7201439, 7201440, 7201441, 7201442, 7201455, 7201466, 7201485, 7201492, 7201494, 7201538, 7201539, 7201545, 7201590, 7201595, 7201599, 7201602, 7201603, 7201604, 7201606, 7201607, 7201609, 7201612, 7201615, 7201620, 7201622, 7201625, 7201681, 7201685, 7201687, 7201693, 7201699, 9201014, 9201065, 9201067, 9201148, 2201877, 2201972, 4201390.	MSA Safety Inc, 1000 Cranberry Woods Drive, Cranberry Township, PA 16066, USA	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, Beograd	IPSTP 0203/21X	17.02.2021		po tački 3.1 priloga 13. Pravilnika
-----	---	---	---	----------------	------------	--	--



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 14 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
158	Detektor plamena tip: 40/40LB-111SC fab.br.: 0125810, 0125821, 0125822, 0125814, 0125818, 0125811, 0125820, 0125812, 0125813, 0125815, 0125809, 0125808, 0125819, 0125817, 0125816, 0125882, 0125877, 0125880, 0125878, 0125876, 0125875, 0125879, 0125872, 0125881, 0125874, 0125884, 0125883, 0125873.	SPECTREX Ltd., 218 Little Falls Road, Cedar Grove, NJ 07009, USA	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0204/21X	17.02.2021		po tački 3.1 priloga 13. Pravilnika
159	Prenaponska zaštita tip: MDP-4/D-24-Ex fab.br.: 5098 43 2 (6 komada)	OBO BETTERMANN GmbH & Co.KG, Huingser Ring 52, D-58710 Menden, Nemačka	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, Beograd	IPSTP 0205/21X	17.02.2021		po tački 3.1 priloga 13. Pravilnika
160	Alarmna sirena (zvučnik) tip: LH3-UC25XS fab.br.: 405221407927100002, 405221407927100007, 405221407927100005, 405221407927100012, 405221407927100030, 405221407927100028, 405221407927100021, 405221407927100026, 405221407927100020, 405221407927100015, 405221407927100027, 405221407927100025, 405221407308100026, 405221407308100029, 405221407308100030, 405221407308100016, 405221407308100024, 405221407308100011, 405221407308100027, 405221407308100013, 405221407308100018, 405221407308100006, 405221407308100017, 405221407308100014, 405221407308100021, 405221407308100009.	BOSCH / DNH AS, Gruveveien 2/6, 3770 Kragerø, Norveška	Smart Building Technologies d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0206/21X	17.02.2021		po tački 3.1 priloga 13. Pravilnika
161	Magnetni beskontaktni prekidač tip: CM2-Ex fab.br.: 902104-Ex	IDEM Safety Switches Limited, Unit E9, Moss Industrial Estate, Leigh, Lancashire, WN7 3PT, UK	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0207/21X	17.02.2021		po tački 3.1 priloga 13. Pravilnika
162	RADARSKO MERILO NIVOVA serije VEGAPULS 61 tip: PS61.CMANPHAMAX fab.br.: 51361365	VEGA Grieshaber KG, Am Hohenstein 113, 77761 Schiltach, NEMAČKA	"Ogranak Yokogawa Europe Branches" d.o.o., Đorđa Stanojevića 12, 11070 Novi Beograd, BEOGRAD	IPSTP 0210/21X	18.02.2021		po tački 3.1 priloga 13. Pravilnika
163	INDUKTIVNI SENZOR tip: NI5-M12-Y1X-H1141 * 40103 fab.br.:	HANS TURCK GmbH & Co.KG, Witzlebenstr. 7 D-45472 Mülheim an der Ruhr, Nemačka	"TIPTEH" d.o.o., Moše Pijade 17A, 11224 Vrčin, Beograd	IPSTP 0211/21X	18.02.2021		po tački 3.1 priloga 13. Pravilnika
164	IZOLACIONI POJAČAVAČ tip: IMX12-FI01-1SF-111R- C0/24VDC * 7580205 fab.br.:	HANS TURCK GmbH & Co.KG, Witzlebenstr. 7 D-45472 Mülheim an der Ruhr, Nemačka	"TIPTEH" d.o.o., Moše Pijade 17A, 11224 Vrčin, Beograd	IPSTP 0212/21X	18.02.2021		po tački 3.1 priloga 13. Pravilnika
165	Optički javljač požara tip: Q-803371.EX fab.br.: 039167043636, 039167044244, 039167043315, 039167043643.	Novar GmbH, Dieselstraße 2, 41469 Neuss, Nemačka	Protech Integra d.o.o., Branimira Ćosića 13, 21000, Novi Sad	IPSTP 0213/21	18.02.2021		po tački 3.1 priloga 13. Pravilnika
166	Dvokanalna barijera tip: KFD0 CS EX1.56 fab.br.: 4 000 010 6 236 775; 4 000 010 6 236 777.	Pepperl+Fuchs GmbH, Lilienthalstrasse 200, 68307 Mannheim, Nemačka	Protech Integra d.o.o., Branimira Ćosića 13, 21000, Novi Sad	IPSTP 0214/21	18.02.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 15 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
167	Ručni javljač požara tip: MCP 804924.EX fab.br.: 045167750344.	Novar GmbH, Dieselstraße 2, 41469 Neuss, Nemačka	Protech Integra d.o.o., Branimira Čosića 13, 21000, Novi Sad	IPSTP 0215/21	18.02.2021		po tački 3.1 priloga 13. Pravilnika
168	Transmitter pritiska Cerabar M tip: PMC51-B121JA1EGBGMJA+AAZ1 fab.br.: S1027201128	Endress+Hauser GmbH+Co. KG, Hauptstrasse 1, 79689 Maulburg, NEMAČKA	„MERIS“ d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0216/21	19.02.2021		po tački 3.1 priloga 13. Pravilnika
169	Transmitter temperature tip: TMT71-BAA2AAAA1 fab.br.: S105790449F, S1057A0449F	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0225/21X	22.02.2021		po tački 3.1 priloga 13. Pravilnika
170	Termometar tip: TST310-22A1A4B8C1E fab.br.: S1043114175, S1043014175	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0226/21X	22.02.2021		po tački 3.1 priloga 13. Pravilnika
171	Termometar tip: TR15-B1B1E1C0G300A fab.br.: S1041114154	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0231/21X	22.02.2021		po tački 3.1 priloga 13. Pravilnika
172	Transmitter pritiska Cerabar M tip: PMC51-B121JA1EGBGXJA+AAZ1 fab.br.: S1026F01128	Endress+Hauser GmbH+Co. KG, Hauptstrasse 1, 79689 Maulburg, NEMAČKA	„MERIS“ d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0232/21	22.02.2021		po tački 3.1 priloga 13. Pravilnika
173	Merilo protoka Prosonic Flow B tip: 9B2B1F-BJBCCA1D231+AAZ1 fab.br.: S105A002000; S1059F02000;	Endress+Hauser Flowtec AG, Kagenstrasse 7, 4153 Reinach BL 1, Švajcarska	„MERIS“ d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0233/21	22.02.2021		po tački 3.1 priloga 13. Pravilnika
174	Merilo protoka Prosonic Flow B tip: 9B2B2H-BJBCCA1D231+AAZ1 fab.br.: S105A102000	Endress+Hauser Flowtec AG, Kagenstrasse 7, 4153 Reinach BL 1, Švajcarska	„MERIS“ d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0217/21	19.02.2021		po tački 3.1 priloga 13. Pravilnika
175	Termometar tip: TR88-BB3C1X2G30A0 fab.br.: S103EB14158, S103EC14158	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0218/21X	19.02.2021		po tački 3.1 priloga 13. Pravilnika
176	Transmitter pritiska Cerabar M tip: PMC51-B121JA1EGBGMJA+AAZ1 fab.br.: S1026D01128, S1027001128	Endress+Hauser GmbH+Co. KG, Hauptstrasse 1, 79689 Maulburg, NEMAČKA	„MERIS“ d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0219/21	19.02.2021		po tački 3.1 priloga 13. Pravilnika
177	Transmitter pritiska Cerabar M tip: PMC51-B121JA1HGBGMJA+AAZ1 fab.br.: S1026C01128	Endress+Hauser GmbH+Co. KG, Hauptstrasse 1, 79689 Maulburg, NEMAČKA	„MERIS“ d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0220/21	19.02.2021		po tački 3.1 priloga 13. Pravilnika
178	Termometar tip: TR15-B1B2E1K0G300A fab.br.: S1040C14154, S1040A14154, S1040B14154	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0221/21X	19.02.2021		po tački 3.1 priloga 13. Pravilnika
179	Transmitter pritiska Cerabar M tip: PMC51-B121JA1MGBGVJA+AAQJZ1 fab.br.: S1026B01128	Endress+Hauser GmbH+Co. KG, Hauptstrasse 1, 79689 Maulburg, NEMAČKA	„MERIS“ d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0222/21	19.02.2021		po tački 3.1 priloga 13. Pravilnika
180	Hidrostatička sonda tip: FMX 21-BE221GGB30A+F1POPSZ1 fab.br.: S1019801122	Endress + Hauser GmbH + Co. KG, Hauptstrasse 1, 79689 Maulburg, Nemačka	"MERIS" d.o.o., Narodnih heroja 42, 11070, Novi Beograd	IPSTP 0223/21	22.02.2021		po tački 3.1 priloga 13. Pravilnika
181	Hidrostatička sonda tip: FMX21-BE221KGB31A+F1POPSZ1 fab.br.: S1019B01122, S1019C01122, S101A001122, S101A101122, S1019A01122	Endress + Hauser GmbH + Co. KG, Hauptstrasse 1, 79689 Maulburg, Nemačka	"MERIS" d.o.o., Narodnih heroja 42, 11070, Novi Beograd	IPSTP 0224/21	22.02.2021		po tački 3.1 priloga 13. Pravilnika



REGISTAR

**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 16 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
182	Modul interfejsa inteligentnog senzora za toksični gas tip: TS4000(H) fab.br.: 0238858; 0238859	General Monitors Inc., 26776 Simpatica Circle, Lake Forest, California 92630, USA	"Smart Building Technologies " d.o.o., Radoja Dakića 7,11080 Zemun, Beograd	IPSTP 0227/21U	22.02.2021		po tački 3.1 priloga 13. Pravilnika
183	ZENER barijera tip: Z728 fab.br.: 40000101926432, 40000101962725	PEPPERL+FUCHS GmbH, Lillienthalstrasse 200 , 68307 Mannheim, NEMAČKA	"MOMENTUM" d.o.o., Fruškogorska 55, 22000, Sremska Mitrovica	IPSTP 0228/21	22.02.2021		po tački 3.1 priloga 13. Pravilnika
184	Elektromotor tip: RL80 A4 (RL0014) fab.br.: 140092	RAEL srl, Via Sper Retorto 7/1, I-15077 Predosa, Italija	"AIRCO " d.o.o., Milovana Glišića br.7, lokal br.2, 21000, NOVI SAD	IPSTP 0229/21X	22.02.2021		po tački 3.1 priloga 13. Pravilnika
185	Elektromotor ventilatora tip: MK 106-4DB.07.Y fab.br.: 32781696	Ziehl-Abegg AG, Heinc-Ziehl-Straße, 74653 Kunzelsau, NEMAČKA	" Systemair " d.o.o., Bul. Zorana Đinđića 95/I/2, 11070, Beograd	IPSTP 0230/21	22.02.2021		po tački 3.1 priloga 13. Pravilnika
186	Cilindrični transmiter pritiska tip: 165855-15 fab.br.: 5678938, 5678944, 5607069	Bently Nevada Inc, 1631 Bentley Parkway South , Minden NV, USA	"NIS" a.d., Narodnog fronta 12, 21000, Novi Sad	IPSTP 0234/21	23.02.2021		po tački 3.1 priloga 13. Pravilnika
187	Cilindrični transmiter pritiska tip: 165855-14 fab.br.: 5450420; 5664226; 5480483;	Bently Nevada Inc, 1631 Bentley Parkway South , Minden NV, USA	"NIS" a.d., Narodnog fronta 12, 21000, Novi Sad	IPSTP 0237/21X	23.02.2021		po tački 3.1 priloga 13. Pravilnika
188	Cilindrični transmiter pritiska tip: 165855-04 fab.br.: 5561375; 5561363; 5561359;	Bently Nevada Inc, 1631 Bentley Parkway South , Minden NV, USA	"NIS" a.d., Narodnog fronta 12, 21000, Novi Sad	IPSTP 0238/21X	23.02.2021		po tački 3.1 priloga 13. Pravilnika
189	Elektromotor tip: 4KTC 132 S-8 fab.br.: 202090742	BARTEC VARNOST, Cesta 9. Avgusta 59, 1410 Zagorje ob Savi, SLOVENIJA	SYSTEMAIR d.o.o., Bulevar Zorana Đinđića 95/I/2, 11070, Novi Beograd	IPSTP 0235/21X	23.02.2021		po tački 3.1 priloga 13. Pravilnika
190	Barijera tip: P/N 3600663 fab.br.: 201046631, 201358523	MICRO MOTION Inc., 7070 Winchester Circle, Boulder, Co.80301 Etats Unis, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0236/21X	23.02.2021		po tački 3.1 priloga 13. Pravilnika
191	Radarsko merilo nivoa tip: 3301HA2S1V3AM0200HBI1Q4 fab.br.: 552994	SAAB MARINE ELECTRONICS AB, Box 13045, S-402, 51B Goteburg, Švedska	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0239/21X	24.02.2021		po tački 3.1 priloga 13. Pravilnika
192	Simulator plamena tip: FTR0012 UV/IR fab.br.: 0011961	Dräger Safety AG & Co. KGaA, Revalstraße 1, 23560 Lübeck, Nemačka	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 0240/21X	24.02.2021		po tački 3.1 priloga 13. Pravilnika
193	Priključna glava model: XE-DANA fab.br.:	LIMATHERM COMPONENTS Sp. z.o.o., ul.Želazna 5, 41-506 Chrozow, POLJSKA	"TERMOTEHNA Šušić" d.o.o., Potez Jezdinsko polje 58, 32000, ČAČAK	IPSTP 0241/21U	24.02.2021		po tački 3.1 priloga 13. Pravilnika
194	Transmiter temperature model: PR5333D fab.br.: 201252053	PR electronics A/S, Lerbakken 10, 8410 Ronde, DANSKA	"TERMOTEHNA Šušić" d.o.o., Potez Jezdinsko polje 58, 32000, ČAČAK	IPSTP 0242/21X	24.02.2021		po tački 3.1 priloga 13. Pravilnika
195	Otporni termometar 1xPt100 model: T5-1411 fab.br.: T5-1411/262	"TERMOTEHNA Šušić" d.o.o., Potez Jezdinsko polje 58, 32000, ČAČAK	"TERMOTEHNA Šušić" d.o.o., Potez Jezdinsko polje 58, 32000, ČAČAK	IPSTP 0243/21X	24.02.2021		po tački 3.1 priloga 13. Pravilnika
196	Razvodna kutija tip: XD-JB85 fab.br.: ZP/19/3175/0011 012	LIMATHERM S.A., ul.Tarnowska 1, 34-600 Limanowa, Poljska	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 0244/21U	24.02.2021		po tački 3.1 priloga 13. Pravilnika
197	Senzor detektora gasa tip: NET224CDSNP17SH fab.br.: D00071/20, D00095/20, D00096/20, D00097/20, D00098/20.	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 0245/21U	24.02.2021		po tački 3.1 priloga 13. Pravilnika



REGISTAR

**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 17 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
198	Detektor gasa SMART 3G tip: ST / L / E3 /S2 fab.br.: N.D 00071, N.D 00095, N.D 00096, N.D 00097, N.D 00098.	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 0246/21X	24.02.2021		po tački 3.1 priloga 13. Pravilnika
199	Merna čelija tip: AZLI fab.br.: VA142991; VA143016, VA143015, UA050638, UA156299, UA152418	LAUMAS ELETTRONICA srl, Via I Maggio, 6 - 43022, Montechiarugolo (PR), Italija	“UNIMER” d.o.o., Jasički put 57, 37000, Kruševac	IPSTP 0250/21	25.02.2021		po tački 3.1 priloga 13. Pravilnika
200	Transmitter nivoa serije AID 421 tip: 244LD-SS3R2RNMMH1C4-ML2 fab.br.: 18/900610	Foxboro Eckardt GmbH, Pragstrasse 82, 70376 Sttutgat, Nemačka	" MSK " AD, Bečejski put br. 3, 23300, Kikinda	IPSTP 0252/21X	25.02.2021		po tački 3.1 priloga 13. Pravilnika
201	MAGNETNOSTRIKTIVNA SONTDA tip: 924B fab.br.: 2010141021, 2010141017, 2010152003, 2010142000	OPW – Fuel Managment Systems, 6900 Santa Fe Drive Hodgikins , IL 60525, USA	"TEHNOPEIROL" d.o.o., Toponički put bb,18000, NIŠ	IPSTP 0254/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
202	Ex barijera tip: ACT20X-2HDI-2SDO-RNO-S fab.br.: 201874008, 161694170, 201874020, 2018742009, 201874089, 201874079	WEIDMULLER Interface GmbH, Klingenbergstrasse 16, 32758 Detmold, Nemačka	"TELA ELEKTRIK " d.o.o., Surčinska 189 ž, 11070, Novi Beograd	IPSTP 0255/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
203	Upravljačka kombinacija tip: SKX 12/21 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 0256/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
204	Svetiljka fluo tip: PSF 218 fab.br.:	TEP-Ex, Medarska 69, Zagreb, Hrvatska	„BEL-ELEKTRO“ d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0257/21	26.02.2021		po tački 3.1 priloga 13. Pravilnika
205	Sklopka upravljačka tip: SKX 13/80 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 0258/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
206	Ex Kutija razvodna tip: SKX 15/E fab.br.:	TEP Ex d.o.o., Medarska 69 , 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0259/21	26.02.2021		po tački 3.1 priloga 13. Pravilnika
207	Ex Kutija razvodna tip: RK 01/744 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0260/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
208	Upravljačka kombinacija tip: SKX 17/SRU-1311.163 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0261/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
209	Elektronski korektor zapremine tip: Explorer MINI fab.br.: 19F058635	PIETRO FIORENTINI S.p.A., Strada Provinciale 33, km 0,6, 20080 Vernate(MI), ITALIJA	" TIPEX AS " d.o.o., Vase Stajića 34 , 21000, NOVI SAD	IPSTP 0263/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
210	Ex Centrifugalni ventilator tip: ILT/4-250 EEXe II T3 fab.br.: 1006692002	SOLER Y PALAU S.A., 17500 Ripoll (Gerona), Španija	BEOTECHNOCLIMA d.o.o., Bulevar Zorana Đinđića 80, 11070 Novi Beograd, Beograd	IPSTP 0264/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
211	LF impulsni davač tip: IN-S10/IN-S11 fab.br.: 83054794	Elster GmbH, Steinern Strasse 19-21, 55252 Mainz –Kastel, Nemačka	"KONVEX-GASNA I VODO TEHNIKA" d.o.o., Batajnički drum 299, sprat 1, 11080 Zemun, Beograd	IPSTP 0265/21	26.02.2021		po tački 3.1 priloga 13. Pravilnika
212	Red Jacket potapajuća pumpa LPG-21 / elektromotor V4L307 sklop tip: P300V17-21 fab.br.: 11874	Veeder-Root Company, 2709 Rute 764, Duncansville, PA 16635, USA	“GAS INSTALATION ” d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 0270/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 18 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
213	Upravljačka kombinacija tip: 07-3103-2552/5012 fab.br.: 054554/16, 054557/16, 054568/16, 054567/16, 054556/16, 054566/16, 054560/16, 054555/16, 054565/16, 054564/16, 054553/16, 054562/16, 054563/16, 054559/16, 054558/16, 054561/16.	BARTEC Varnost d.o.o., Cesta 9.Avgusta 59, 1410 Zagorje ob Savi, SLOVENIJA	Barry Callebaut South East Europe d.o.o., Jurija Gagarina 32, 11070 Novi Beograd, Beograd	IPSTP 0271/21	26.02.2021		po tački 3.1 priloga 13. Pravilnika
214	Mikroprekidač Ex AZ16 10/1S tip: Ex 13 fab.br.: 1172494	STEUTE Schaltgeräte GmbH & Co KG, Brückenstr.91, 32584 Löhne, Nemačka	Barry Callebaut South East Europe d.o.o., Jurija Gagarina 32, 11070 Novi Beograd, Beograd	IPSTP 0280/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
215	ELEKTROMOTOR tip: EDRS71M4 fab.br.: 90.7871453801.0012.20; 90.7871453801.0017.20;	SEW EURODRIVE GmbH & Co. KG, Ernst-Blickle-Str. 42, 76646 Bruchsal, Nemačka	Barry Callebaut South East Europe d.o.o., Jurija Gagarina 32, 11070 Novi Beograd, Beograd	IPSTP 0281/21	26.02.2021		po tački 3.1 priloga 13. Pravilnika
216	Transmiter pritiska Vegabar 82 tip: B82.AJDADO64SZXAOKM fab.br.: 47905595	VEGA Grieshaber KG, Am Hohenstein 113, 77761 Schiltach, Nemačka	Barry Callebaut South East Europe d.o.o., Jurija Gagarina 32, 11070 Novi Beograd, Beograd	IPSTP 0282/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
217	Razvodna kutija tip: 07-5103 fab.br.: SI 021222/20; SI 021194/20; SI 021221/20; SI 021216/20; SI 021196/20; SI 021220/20; SI 021219/20; SI 021197/20; SI 021189/20;	BARTEC Varnost d.o.o., Cesta 9.Avgusta 59, 1410 Zagorje ob Savi, SLOVENIJA	Barry Callebaut South East Europe d.o.o., Jurija Gagarina 32, 11070 Novi Beograd, Beograd	IPSTP 0272/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
218	Kontrolni panel tip: BARTEC-D-P221209 fab.br.: NL 3905627-10-25; NL 3944476-10-31.	BARTEC Group, Boelewerf 25, 2987 VD Ridderkerk, HOLANDIJA	Barry Callebaut South East Europe d.o.o., Jurija Gagarina 32, 11070 Novi Beograd, Beograd	IPSTP 0273/21	26.02.2021		po tački 3.1 priloga 13. Pravilnika
219	Prekidač nivoa ROTONIVO tip: RN 3001 AW11XA7B7A fab.br.: 0100001601, 0100001614, 0100001597, 0100001612, 0100001615, 0100001619, 0100001617, 0100001600, 0100001620, 0100001603, 0100001616, 0100001595, 0100625048, 0100625049, 0100001596, 0100001613, 0100001599, 0100001621, 0100001624.	UWT GmbH, 87488 Betzigau, NEMAČKA	Barry Callebaut South East Europe d.o.o., Jurija Gagarina 32, 11070 Novi Beograd, Beograd	IPSTP 0274/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
220	Prekidač nivoa ROTONIVO tip: RN 3001/SG29 AW11XA7B7A fab.br.: 0200489695, 0200489697, 0200489712, 0200489699, 0200489713, 0200489691, 0200601626.	UWT GmbH, 87488 Betzigau, NEMAČKA	Barry Callebaut South East Europe d.o.o., Jurija Gagarina 32, 11070 Novi Beograd, Beograd	IPSTP 0275/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
221	Prekidač nivoa ROTONIVO tip: RN 6004 AW11XA7B7A fab.br.: 0100625048	UWT GmbH, 87488 Betzigau, NEMAČKA	Barry Callebaut South East Europe d.o.o., Jurija Gagarina 32, 11070 Novi Beograd, Beograd	IPSTP 0276/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
222	Ex Sigurnosni prekidač tip: GHG 262 2301 R0001 fab.br.:	Cooper Crouse-Hinds GmbH, Neuer Weg-Nord 49, 69412 Eberbach, NEMAČKA	Barry Callebaut South East Europe d.o.o., Jurija Gagarina 32, 11070 Novi Beograd, Beograd	IPSTP 0277/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
223	Ex Upravljačka jedinica tip: SWH 5202-021ex fab.br.: 3328091, 3328090, 3328084, 3328088, 3328087, 3328085, 3328089, 3328083, 3328082, 3328086.	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	Barry Callebaut South East Europe d.o.o., Jurija Gagarina 32, 11070 Novi Beograd, Beograd	IPSTP 0278/21	26.02.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 19 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
224	Ex Zaštitni sistem za uzemljenje tip: Securiterre 640 fab.br.: 4337/2019	ALMA/ENRAF B.V., P.O.Box 812, 2600 AV Delft, HOLANDIJA	Barry Callebaut South East Europe d.o.o., Jurija Gagarina 32, 11070 Novi Beograd, Beograd	IPSTP 0279/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
225	Radarski merač nivoa serije 5300 tip: 5301HA1S1E4AM00140AAE1M1P1C4Q4Q8T1 fab.br.: 552208	Rosemount Tank Radar AB, Layoutvägen 1, 43533 Mölnlycke, Švedska	Comita d.d. Ogranak Comita Beograd, Bul. JNA 121A, Jajinci 11222, Beograd	IPSTP 0290/21X	01.03.2021		po tački 3.1 priloga 13. Pravilnika
226	Radarski merač nivoa serije 5300 tip: 5301HA1S1E4AM00220AAE1M1P1C4Q4Q8T1 fab.br.: 552209, 552210, 552211, 552212	Rosemount Tank Radar AB, Layoutvägen 1, 43533 Mölnlycke, Švedska	Comita d.d. Ogranak Comita Beograd, Bul. JNA 121A, Jajinci 11222, Beograd	IPSTP 0291/21X	01.03.2021		po tački 3.1 priloga 13. Pravilnika
227	Radarski merač nivoa serije 5300 tip: 5301HA1S1E4AM00230AAE1M1P1C4Q4Q8T1 fab.br.: 552213	Rosemount Tank Radar AB, Layoutvägen 1, 43533 Mölnlycke, Švedska	Comita d.d. Ogranak Comita Beograd, Bul. JNA 121A, Jajinci 11222, Beograd	IPSTP 0292/21X	01.03.2021		po tački 3.1 priloga 13. Pravilnika
228	IZOLACIONI DVOKANALNI POJAČAVAČ tip: IM1-22Ex-R fab.br.:	HANS TURCK GmbH & Co.KG, Witzlebenstraße 7, D-45472 Mülheim an der Ruhr, Nemačka	MESSER TEHNOGAS AD, Banjički put 62, 11090, Beograd	IPSTP 0293/21	02.03.2021		po tački 3.1 priloga 13. Pravilnika
229	Ex Cilindrični induktivni senzor tip: NCB2-12GM35-N0-V1 fab.br.:	Pepperl & Fuchs GmbH, Lilienthalstraße 200, 68307 Mannheim, Nemačka	MESSER TEHNOGAS AD, Banjički put 62, 11090, Beograd	IPSTP 0294/21X	02.03.2021		po tački 3.1 priloga 13. Pravilnika
230	Prekidač nivoa (vibro viljuška) VEGAVIB 63 tip: VB63.GXAEFTAMX fab.br.: 51473210, 51473212	VEGA Grieshaber KG, Am Hohenstein 113, 77761 Schiltach, NEMAČKA	"Ogranak Yokogawa Europe Branches" d.o.o., Đorđa Stanojevića 12, 11070, NOVI BEOGRAD	IPSTP 0296/21X	02.03.2021		po tački 3.1 priloga 13. Pravilnika
231	Pozicioner SIPART PS2 HART tip: 6DR5210-0EG90-0AA1-Z fab.br.: od NIN2117511368 do NIN2117511379.	SIEMENS AG Industry Sector, Industry Automation Division, 76181 Karlsruhe, Nemačka	"MSK" a.d., Bečejski put br. 3, 23300, Kikinda	IPSTP 0313/21X	03.03.2021		po tački 3.1 priloga 13. Pravilnika
232	Pozicioner SIPART PS2 HART tip: 6DR5220-0EG90-0AA2-Z fab.br.: NIN2117511380; NIN2117511381; NIN2117511382;	SIEMENS AG Industry Sector, Industry Automation Division, 76181 Karlsruhe, Nemačka	"MSK" a.d., Bečejski put br. 3, 23300, Kikinda	IPSTP 0314/21X	03.03.2021		po tački 3.1 priloga 13. Pravilnika
233	Ex BARIJERA tip: MACX MCR-EX-SL-RPSSI-I fab.br.: 1364757686; 1364757682; 1364757663; 1364757666; 1364757734; 1364757642; 1364757701; 1364814795; 1364757677; 1364757691; 1364757632.	Phoenix Contact GmbH, Flachmarktstr. 8, 32825 Blomberg, Nemačka	ELEKTROMATERIJAL d.o.o., Novosadskog sajma 54, 21000, Novi Sad	IPSTP 0315/21X	03.03.2021		po tački 3.1 priloga 13. Pravilnika
234	Mikroprekidač tip: GXE51A1B fab.br.:	Honeywell Control Systems Ltd, Newhouse Industrial Estate. Motherwell, Lanarkshire, ML1 5SB, UK	UNICOM d.o.o., Borivoja Stevanovića 25, sprat 2, 11050, Beograd	IPSTP 0316/21X	03.03.2021		po tački 3.1 priloga 13. Pravilnika
235	ASINHRONI ELEKTROMOTOR tip: FLSE132SM fab.br.: D99486 19 020	LEROI SOMER, Usine de Rabion, CS 10015, 16915, ANGOULEME, Francuska	"GiA Technology" d.o.o., Primorska 8, 21000, Novi Sad	IPSTP 0317/21X	03.03.2021		po tački 3.1 priloga 13. Pravilnika
236	Vortex merač protoka model: OPTISWIRL 4200C i = Ex fab.br.: D210000001040511, D210000001040510.	KROHNE Messtechnik GmbH, Ludwig-Krohne-Strasse 5, 47058 Duisburg, NEMAČKA	"WIG" d.o.o., Bulevar Arsenija Čarnojevića br. 26, 11070, Novi Beograd	IPSTP 0318/21X	03.03.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 20 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
237	Ex Transmitter temperature tip: TT302 fab.br.: 026218-2021, 026219-2021	Nova Smar S/A, Av.Dr.Antonio Furlan Jr., 1028, 14170-480 Sertaozinho-SP, Brazil	"WIG" d.o.o., Bulevar Arsenija Čarnojevića 26, 11070, Beograd	IPSTP 0319/21	03.03.2021		po tački 3.1 priloga 13. Pravilnika
238	Zaštitno iskrište tip: EXFS 100 fab.br.: sa istim brojem 923 100	DEHN + SÖHNE Gmbh + Co.KG., Hans-Dehn-Straße 1, D-92318 Neumarkt/Opf., NEMAČKA	"ENING" d.o.o., Marije Vojnić Tošinice br.22/a, 24000, SUBOTICA	IPSTP 0320/21X	04.03.2021		po tački 3.1 priloga 13. Pravilnika
239	Elektromotor tip: 7AT 160M-4E/T4 fab.br.: 960158; 960157.	KONČAR-MES d.d., Fallerovo šetalište 22 ,10 000 Zagreb, Hrvatska	Elektro Motorni Pogoni d.o.o., ul. Đorđa Stanojevića 11g/16, Belville - Ruža, 11070, Novi Beograd	IPSTP 0321/21X	04.03.2021		po tački 3.1 priloga 13. Pravilnika
240	Napojna jedinica tip: RN221N-B1 fab.br.: S108250411F, S108260411F.	Endress+Hauser Wetzler GmbH+Co.KG, Obere Wank 1, 87484 Nesselwang, Nemačka	MERIS d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0322/21	04.03.2021		po tački 3.1 priloga 13. Pravilnika
241	Transmitter nivoa Liquiphant M tip: FTL51-GGR2BB6G5A+HD fab.br.: S201A601027	Endress & Hauser GmbH, Hauptstr. 1, 79689 Maulburg, Nemačka	MERIS d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0323/21X	04.03.2021		po tački 3.1 priloga 13. Pravilnika
242	Kontrolni uređaj – nivotester tip: FTL325N-H1A1 fab.br.: S1032001093	Endress+Hauser GmbH+Co. KG, Hauptstrasse 1, Maulburg, Nemačka	MERIS d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0324/21X	04.03.2021		po tački 3.1 priloga 13. Pravilnika
243	Elektromotor tip: 7AT 180M-4E/T4 fab.br.: 960860; 961861.	KONČAR-MES d.d., Fallerovo šetalište 22 ,10 000 Zagreb, Hrvatska	MZT Pumpe d.o.o., Bulevar Arsenija Čarnojevića 99d, 11070 Novi Beograd, Beograd	IPSTP 0325/21X	04.03.2021		po tački 3.1 priloga 13. Pravilnika
244	Transmitter temperature sa HART komunikacijom tip: 5335D fab.br.: 180951681, 180951682, 180951683, 180951684, 200951111, 200951110, 200951109, 200951108, 180964135, 210905037	PR electronics A/S, Lerbakken 10, DK-8410 Ronde, DANSKA	Compact MM Trade d.o.o., Dimitrija Tucovića 146/III/20, Beograd	IPSTP 0326/21	04.03.2021		po tački 3.1 priloga 13. Pravilnika
245	Optički detektor dima tip: SOC-E-IS(WHT) fab.br.: 0084000071, 0084000072, 0084000073, 0084000074, 0084000075, 0084000076, 0084000077, 0084000078, 0084000079. 0084000080	HOCHIKI EUROPE, Grosvenor Road, Gillingham Business Park, Gillingham, Kent, ME8 0SA, UK	Unipelektra d.o.o., Radovana Miloševića 12, 11000, BEOGRAD	IPSTP 0327/21X	05.03.2021		po tački 3.1 priloga 13. Pravilnika
246	Multisenzorski detektor požara tip: FDOOT241-A9-Ex fab.br.: 5BBF741, 5BBF730, 53F8904, 57AOAC9, 59EC76D, 59EC774, 5BBF733, 5BBF72F, 5BBF749, 5BC83EC, 5BC8401, 5BBF69D, 5BC840A, 5BC8402.	Siemens Switzerland Ltd., Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 0328/21X	05.03.2021		po tački 3.1 priloga 13. Pravilnika
247	Detektor gasa tip: 47K-PRP fab.br.: 09/19-67849, 09/19-67827, 09/19-67647, 09/19-67852, 09/19-68075, 09/19-67676, 09/19-67643, 09/19-67996, 09/19-67800, 09/19-68017, 09/19-68013, 09/19-68066, 09/19-67846, 09/19-67874, 09/19-67612, 09/19-67829, 09/19-67831, 09/19-68025, 09/19-68016, 09/19-68005, 09/19-67815, 09/19-68053, 09/19-67832, 09/19-67657, 09/19-67875, 09/19-67858, 09/19-67816, 09/19-67850, 09/19-67993, 09/19-67631, 09/19-67835, 09/19-68035, 09/19-67998, 09/19-68051, 09/19-67603, 09/19-67591, 09/19-67771, 09/19-67716, 09/19-67710, 09/19-67730.	MSA AUER GmbH, Thiemannstr 1, 12059 BERLIN, Nemačka	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0329/21	05.03.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 21 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
248	Razvodna kutija detektora gasa tip: S47k fab.br.: 10/19-31840, 10/19-31832, 10/19-31836, 10/19-31838, 10/19-31843, 10/19-31844, 10/19-31878, 10/19-31846, 10/19-31799, 10/19-31779	MSA AUER GmbH, Thiemannstrasse 1, 12059 Berlin, Nemačka	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, Beograd	IPSTP 0330/21X	05.03.2021		po tački 3.1 priloga 13. Pravilnika
249	Ručni javljač požara tip: FDM223-Ex fab.br.: 5588036, 558803D, 558808E, 558802E, 558803C, 5588030, 5588089, 5588027, 5588026.	Siemens Schweiz AG, Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 0331/21X	05.03.2021		po tački 3.1 priloga 13. Pravilnika
250	Detektor gasa tip: PrimaX P fab.br.: a-05/19-18211, a-05/19-18210, a-05/19-18205, a-05/19-18230	MSA AUER GmbH, Thiemannstrasse 1, 12059 Berlin, Nemačka	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, Beograd	IPSTP 0332/21X	05.03.2021		po tački 3.1 priloga 13. Pravilnika
251	Detektor plamena tip: 40/40I-112AC fab.br.: 54942, 54938.	SPECTREX Ltd., 218 Little Falls Road, Cedar Grove, NJ 07009, USA	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0333/21X	05.03.2021		po tački 3.1 priloga 13. Pravilnika
252	Red Jacket potapajuća pumpa LPG-21 / elektromotor V4L307 sklop tip: P300V17-21 fab.br.: 12026	Veeder-Root Company, 2709 Rute 764, Duncansville, PA 16635, USA	Gilbarco Acis d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 0334/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
253	Signalna bljeskalica (blicer) tip: XB15 fab.br.: 6888783501, 6888783502, 6888783503.	Eaton Cooper MEDC Limited, Colliery Road, Pinxton, Nottingham, NG16 6JF, UK	TVI d.o.o., Stojana Matića 44, 11000, Beograd	IPSTP 0335/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
254	Upravljački orman tip: EJB - 4 fab.br.: I/19/015404, I/19/015405	TECHNOR ITALSMEA, Via Italia 33, 20060 Gessate (MI), Italija	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0342/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
255	Presostat tip: 8411-PL1-V-EXI fab.br.: KJ12260.1/001; KJ12260.1/002;	BARKSDALE GmbH, Dorn-Assenheimer Str.27, D-61203 Reichelsheim, Nemačka	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0351/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
256	Elektromotor tip: RL63B 4 (RL0011) fab.br.: 127597; 143243	RAEL srl, Via Sper Retorto 7/1, I-15077 Predosa, Italija	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0352/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
257	Transmiter pritiska tip: IS-3 fab.br.: 110DVE11; 110DVE12.	WIKA Alexander Wiegand SE&Co. KG, Alexander-Wiegand-Strasse 30, 63911 Klingenberg, Nemačka	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0353/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
258	Izolacioni pretvarač tip: D1064S fab.br.: 19457002; 19457004	G.M. International srl, Via G. Mameli, 53-55, I-20852 Villasanta (MB), Italija	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0354/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
259	Izolacioni pretvarač tip: D1130S fab.br.: 191190054; 193530086	G.M. International srl, Via G. Mameli, 53-55, I-20852 Villasanta (MB), Italija	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0355/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
260	Priključna kutija tip: CSX 201514 fab.br.: 20.04.63; 20.04.64; 20.04.65; 20.04.70; 20.04.70	AD Vigano srl, Via Torquato Tasso, 50, 20863 Concorezzo (MI), ITALIJA	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0343/21	08.03.2021		po tački 3.1 priloga 13. Pravilnika
261	Kućište tip: AS 22 fab.br.: 18/2077.1.31; 18/2077.1.35	NUOVA ASP, Via De Gasperi 26, I-20090 Pantigliate (MI), Italija	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0344/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika



REGISTAR

**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 22 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
262	Merna ćelija tip: AZLI (AIN 30 kg) fab.br.: NUW018834, NUW018839	LAUMAS ELETTRONICA srl, Via I Maggio, 6 - 43022, Montechiarugolo (PR), Italija	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0345/21	08.03.2021		po tački 3.1 priloga 13. Pravilnika
263	Elektromagnetni ventil tip: 495905C2 fab.br.:	PARKER Lucifer S.A., 16 Ch Faubourg de Cruseilles , 1227 Carouge, ŠVAJCARSKA	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0346/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
264	ELEKTRIČNI GREJAČ tip: CP VARITHERM DPA 300 T3 TS40 fab.br.: 20-06019	Intertec Hess GmbH, Raffinerienstrasse 8, 93333 Neustadt/Donau, Nemačka	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40. 21000, NOVI SAD	IPSTP 0347/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
265	Termostat tip: TS40 fab.br.:	Intertec Hess GmbH, Raffinerienstrasse 8, 93333 Neustadt/Donau, Nemačka	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0348/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
266	Termostat tip: TAE10 fab.br.:	Intertec Hess GmbH, Raffinerienstrasse 8, 93333 Neustadt/Donau, Nemačka	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0349/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
267	Samoregulišući grejni kabl tip: BSX 8-2-0J fab.br.: 602000057, 602000058	Thermon Europe B. V., Boezemweg 25, PO Box 205 2640 AE Pijnacker, Holandija	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0350/21	08.03.2021		po tački 3.1 priloga 13. Pravilnika
268	ELEKTROMOTOR tip: EX Sg 112M 4-2G T3 fab.br.: AL116770	CELMA INDUKTA S.A., ul.3 Maja 19, 43-400 Cieszyn, Poljska	"NiZ FENIX" d.o.o., Stara pruga b.b. 32212, Čačak	IPSTP 0356/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
269	Upravljačka jedinica tip: 07-3511 fab.br.:	BARTEC GmbH, Max-Eyth-Straße16, 97980 Bas Mergentheim,, Nemačka	"NiZ FENIX" d.o.o., Stara pruga b.b. 32212, Čačak	IPSTP 0357/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
270	Elektromagnetni ventil, tip: EMXX fab.br.: 160634768	ASCO Controls B.V., Neonstraat 3, 6718 WX Ed, Holandija	"NiZ FENIX" d.o.o., Stara pruga b.b., 32212, Čačak	IPSTP 0358/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
271	KONZOLA tip: Site Sentinel NANO fab.br.: 2227988, 2227952, 2227956, 2227953.	OPW – Fuel Managment Systems, 6900 Santa Fe Drive Hodgikins , IL 60525, SAD	GIA TECHNOLOGY d.o.o., Primorska 86, 21000, Novi Sad	IPSTP 0362/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
272	Vapor senzor tip: 30-0235-V fab.br.: 022220; 022213; 030399.	OPW – Fuel Managment Systems, 6900 Santa Fe Drive Hodgikins , IL 60525, SAD	GIA TECHNOLOGY d.o.o., Primorska 86, 21000, Novi Sad	IPSTP 0363/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
273	MAGNETNOSTRIKTIVNA SONDA tip: 924B fab.br.: 2010052004; 2010022027; 2010052003; 2010022019; 2010021019; 2010022021; 2010051005; 2010052000; 2010152013; 2010151007; 2010141003; 2101131023; 2101132017; 2101131024; 2101141002; 2010061002; 2010142024; 2009241007; 2010121002; 2010122014; 2010122002; 2010011002;	OPW – Fuel Managment Systems, 6900 Santa Fe Drive Hodgikins , IL 60525, USA	GIA TECHNOLOGY d.o.o., Primorske 86, 21000, NOVI SAD	IPSTP 0364/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
274	Signalna bljeskalica tip: XB11 fab.br.: 219011020/40/1; 219011020/40/2.	Eaton MEDC Limited, Colliery Road, Pinxton, Nottingham, NG16 6JF, UK	"Smart Building Technologies" d.o.o., Radoja Đakića 7, 11080 Zemun, Beograd	IPSTP 0365/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 23 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
275	Signalna bljeskalica tip: XB15 fab.br.: 219011020/20/1; 219011020/20/2; 219011020/20/3; 219011020/20/4; 219011020/20/5; 219011020/20/6; 219011020/20/7; 219011020/20/8; 219011020/20/9; 219011020/20/10; 219011020/20/11; 219011020/20/12; 219011020/20/13; 219011020/20/14; 219011020/10/1; 219011020/10/2; 219011020/10/3; 219011020/10/4; 219011020/10/5; 219011020/10/6; 219011020/10/7; 219011020/10/8; 219011020/10/9; 219011020/10/10; 219011020/10/11; 219011020/10/12; 219011020/10/13; 219011020/10/14	Eaton Cooper MEDC Limited, Colliery Road, Pinxton, Nottingham, NG16 6JF, UK	Smart Building Technologies d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0366/21X	08.03.2021		po tački 3.1 priloga 13. Pravilnika
276	Dvopolni instalacijski prekidač tip: 8040/11-V30-033-B fab.br.: 2017251130440059; 2017251130440060.	R.STAHL Schaltgerate GmbH, Am Bahnhof 30, 74 Waldenburg (Wurt.), Nemačka	PUTD Nedeljković d.o.o., Karađorđeva 24, 15215, Provo	IPSTP 0377/21	09.03.2021		po tački 3.1 priloga 13. Pravilnika
277	Ex Solenoidni ventil tip: 8670100.6220 fab.br.:	IMI Buschjost GmbH, Detmolder Str. 256, D-32545 Bad Oeynhausen, Nemačka	PUTD Nedeljković d.o.o., Karađorđeva 24, 15215, Provo	IPSTP 0378/21X	09.03.2021		po tački 3.1 priloga 13. Pravilnika
278	Transmitter za detekciju korozije tip: ET210X111WA3WP6 fab.br.: 00006132, 00006131, 00006130, 00006133 .	Permasense Ltd., Alexandra House, Newton Road, Manor Royal, Crawley, RH10 9TT, UK	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0379/21X	09.03.2021		po tački 3.1 priloga 13. Pravilnika
279	Transmitter za detekciju korozije tip: ET310 WiHART fab.br.:	Permasense Ltd., Alexandra House, Newton Road, Manor Royal, Crawley, RH10 9TT, UK	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0380/21X	09.03.2021		po tački 3.1 priloga 13. Pravilnika
280	ENKODER tip: : ISA 648100110 fab.br.: 2226771	Leine & Linde AB, Box 8, SE-645 21 STRÄNGNÄS, Švedska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0262/21X	26.02.2021		po tački 3.1 priloga 13. Pravilnika
281	LF impulsni davač tip: IN-S11 fab.br.: od 77113103 do 77113106 (4 kom) i od 77113115 do 77113119 (5 kom)	Elster GmbH, Steinern Strasse 19-21, 55252 Mainz –Kastel, Nemačka	"KONVEX-GASNA I VODO TEHNIKA" d.o.o., Batajnički drum 299, sprat 1, 11080 Zemun, Beograd	IPSTP 0381/21	09.03.2021		po tački 3.1 priloga 13. Pravilnika
282	Elektronski korektor zapremine tip: EK280 sa integrisanim radio modemom fab.br.: od 4532519 do 4532538	Elster GmbH, Steiner Strasse 19-21 , 55252 Mainz –Kastel, Nemačka	"KONVEX - gasna i vodo tehnika" d.o.o., Batajnički Drum 299, sprat 1 , 11080, Zemun-Beograd	IPSTP 0382/21X	09.03.2021		po tački 3.1 priloga 13. Pravilnika
283	Elektro- pumpa tip: EX50 12V fab.br.: 1406255; 1406274.	Piusi S.p.a., Via pacinotti 16/A , 46029 Suzzara, Italija	"AGROPARTNER" d.o.o., Mikole Kočiša 32, 21000, Novi Sad	IPSTP 0383/21X	09.03.2021		po tački 3.1 priloga 13. Pravilnika
284	Prekidač tip : SQ025003DEX09 fab.br.:	Giovenzana International B.V., WTC Strawinskylaan, 1105, 1077 xx, Amsterdam, Holandija	MARKONS d.o.o., Nemanjina 33, 11500, Obrenovac	IPSTP 0384/21	09.03.2021		po tački 3.1 priloga 13. Pravilnika
285	Radarsko merilo nivoa Micropilot tip: FMR51-BBACCABBA5RVJ fab.br.: S2005301134	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, Maulburg, Nemačka	" MERIS " d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0386/21X	09.03.2021		po tački 3.1 priloga 13. Pravilnika
286	Napojna jedinica tip: RN221N-B1 fab.br.: S208720411F	Endress+Hauser Wetzer GmbH+Co.KG, Obere Wank 1, 87484 Nesselwang, Nemačka	MERIS d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0387/21	09.03.2021		po tački 3.1 priloga 13. Pravilnika
287	ELEKTROMOTOR tip: EX Sg 112M-M-2G T3 fab.br.: AL116772	CELMA INDUKTA S.A., ul.3 Maja 19, 43-400 Cieszyn, Poljska	"START PUMP" d.o.o., Trg Đačkog Bataljona 12, 15000, Šabac	IPSTP 0397/21X	10.03.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 24 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
288	Upravljačka jedinica tip: 07-3511 fab.br.:	BARTEC GmbH, Max-Eyth-Straße 16, 97980 Bas Mergentheim, Nemačka	"START PUMP" d.o.o., Trg Đačkog Bataljona 12, 15000, Šabac	IPSTP 0398/21X	10.03.2021		po tački 3.1 priloga 13. Pravilnika
289	Prekidač tip: 07-351 fab.br.:	Bartec GmbH, D-97980 Bad Mergentheim, Nemačka	"START PUMP" d.o.o., Trg Đačkog Bataljona 12, 15000, Šabac	IPSTP 0399/21	10.03.2021		po tački 3.1 priloga 13. Pravilnika
290	Grebenasta sklopka tip: 07-3511 fab.br.:	BARTEC GmbH, Max-Eyth-Straße 16, 97980 Bas Mergentheim, Nemačka	"START PUMP" d.o.o., Trg Đačkog Bataljona 12, 15000, Šabac	IPSTP 0400/21X	10.03.2021		po tački 3.1 priloga 13. Pravilnika
291	ASINHRONI ELEKTROMOTOR tip: LSE112MU fab.br.: D04268 B20 045	LEROY SOMER, Usine de Rabion, CS 10015, 16915, ANGOULEME, Francuska	"GAS INSTALATION" d.o.o., Sangajska 91c, 11080 Zemun, Beograd	IPSTP 0417/21X	12.03.2021		po tački 3.1 priloga 13. Pravilnika
292	Priključna kutija tip: 8118/122-199 fab.br.:	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Keying" d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 0418/21	15.03.2021		po tački 3.1 priloga 13. Pravilnika
293	Priključna kutija tip: 8118/222-199 fab.br.:	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Keying" d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 0419/21	15.03.2021		po tački 3.1 priloga 13. Pravilnika
294	Razvodna kutija tip: 8118/132-199 fab.br.:	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Keying" d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 0420/21	15.03.2021		po tački 3.1 priloga 13. Pravilnika
295	Priključna kutija tip: 8118/232-199 fab.br.:	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Keying" d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 0421/21	15.03.2021		po tački 3.1 priloga 13. Pravilnika
296	Uređaj za kontrolu uzemljenja tip: 8150/5-V75 fab.br.: 10002459579-044	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, NEMAČKA	"Keying" d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 0422/21	15.03.2021		po tački 3.1 priloga 13. Pravilnika
297	Fleksibilni kabl sa štipaljkom tip: 70BGS04 fab.br.: N334671/2020	Eltex Elektrostatik Gesellschaft GmbH, Blauenstraße 67-69, 79576 Weil am Rhein, Nemačka	"Keying" d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 0423/21X	15.03.2021		po tački 3.1 priloga 13. Pravilnika
298	Ručna prenosna LED lampa tip: 6148/1111-100 fab.br.:	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Keying" d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 0424/21	15.03.2021		po tački 3.1 priloga 13. Pravilnika
299	Ex elektronski korektor zapremine gasa tip: PTZ-BOX 5.0 fab.br.: 1004056178, 1004077339, 1004077340, 1004077341, 1004077342, 1004077343, 1004077344, 1004077345, 1004077346, 1004077347, 1004077348, 1004077349, 1004077350, 1004077351, 1004077352, 1004077353, 1004169962.	vemm tec Messtechnik GmbH, Gartenstrasse 20, 14482 Potsdam, Nemačka	"ENERGO-SISTEM" d.o.o., Narodnog fronta 1, 21000, Novi Sad	IPSTP 0431/21X	15.03.2021		po tački 3.1 priloga 13. Pravilnika
300	Ex elektronski korektor zapremine gasa tip: PTZ-BOX 5.0 fab.br.: 1004169987.	vemm tec Messtechnik GmbH, Gartenstrasse 20, 14482 Potsdam, Nemačka	"ENERGO-SISTEM" d.o.o., Narodnog fronta 1, 21000, Novi Sad	IPSTP 0432/21X	15.03.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 25 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
301	Kablovski uvodnik tip: KBA U2XSM(M25) fab.br.:	BIMED TEKNİK ALETLER SANAYİ VE TICARET A.Ş., BAKIR VE PİRİNÇ SAN. SİT. LEYLAK CAD. NO:16 BEYLİKDÜZÜ İSTANBUL, TURSKA	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080, Zemun, Beograd	IPSTP 0434/21X	16.03.2021		po tački 3.1 priloga 13. Pravilnika
302	Kablovski uvodnik tip: 8161 (ø 10-17) fab.br.:	R.STAHL Schaltgerate GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080, Zemun, Beograd	IPSTP 0435/21X	16.03.2021		po tački 3.1 priloga 13. Pravilnika
303	Interfejs modul tip: ProTIM-R (200200-06-06-05) fab.br.: 21B0016T, 21B00171, 21B00172, 21B0016W, 21B0016Y	Bently Nevada Inc, 1631 Bentley Parkway South, Minden NV, USA	"NIS" a.d., Narodnog fronta 12, 21000, Novi Sad	IPSTP 0436/21X	16.03.2021		po tački 3.1 priloga 13. Pravilnika
304	Fiksni detektor gasa tip: Sensepoint XRL SPLIF6BAXYMAZZ fab.br.: K0194921035044, K0194921035045, K0194921035046, K0194921035051, K0194921035052, K0194921035054, K0194921035055, K0194921035056, K0194921035059, K0194921035061, K0194921055017, K0194921055018, K0194921055008, K0194921055010, K0194921035062.	Honeywell Analytics Asia Pacific, 7F Sangam IT Tower, 434 Worldcup buro, Mapo-gu, Seoul, 03922, Republika Koreja	"UNICOM" d.o.o., Borivoja Stevanovića 25, 11000, BEOGRAD	IPSTP 0437/21X	17.03.2021		po tački 3.1 priloga 13. Pravilnika
305	Detektor gasa model: XCD SPXCDALMTXF fab.br.: K0183618091099, K0183621041999.	Honeywell Analytics Inc., 405 Barclay Boulevard, Lincolnshire, IL 60069, USA	„UNICOM“ d.o.o., Borivoja Stevanovića 25, Beograd	IPSTP 0438/21	17.03.2021		po tački 3.1 priloga 13. Pravilnika
306	Elektromotor tip: 4KTC 80 A-4 fab.br.: 202087042, 202087046	BARTEC VARNOST, Cesta 9. Avgusta 59, 1410 Zagorje ob Savi, SLOVENIJA	SYSTEMAIR d.o.o., Bulevar Zorana Đinđića 95/I/2, 11070, Novi Beograd	IPSTP 0444/21X	17.03.2021		po tački 3.1 priloga 13. Pravilnika
307	Magnetnostriktivna sonda MAG + tip: 846361-803 fab.br.: 717988	VEEDER-ROOT Company, 2709 Route 764, Duncansville, USA	"GAS INSTALATION" d.o.o., Šangajska 91c, 11273 Batajnica, Zemun	IPSTP 0445/21X	17.03.2021		po tački 3.1 priloga 13. Pravilnika
308	Magnetnostriktivna sonda MAG + tip: 846367-310 fab.br.: 397561, 398709, 398723, 400988.	VEEDER-ROOT Company, 2709 Route 764, Duncansville, USA	"GAS INSTALATION" d.o.o., Šangajska 91c, 11273 Batajnica, Zemun	IPSTP 0446/21X	17.03.2021		po tački 3.1 priloga 13. Pravilnika
309	KONZOLA tip: TLS-450 fab.br.: L09215021010571	VEEDER-ROOT Company, 125 Powder Forest Drive, Simsbury, CT 06070, USA	"GAS INSTALATION" d.o.o., Šangajska 91c, 11273 Batajnica, Zemun	IPSTP 0447/21X	17.03.2021		po tački 3.1 priloga 13. Pravilnika
310	Magnetnostriktivna sonda MAG + tip: 846361-816 fab.br.: 623489, 624639,	VEEDER-ROOT Company, 2709 Route 764, Duncansville, USA	"GAS INSTALATION" d.o.o., Šangajska 91c, 11273 Batajnica, Zemun	IPSTP 0450/21X	17.03.2021		po tački 3.1 priloga 13. Pravilnika
311	Magnetnostriktivna sonda MAG + tip: 846361-814 fab.br.: 617354.	VEEDER-ROOT Company, 2709 Route 764, Duncansville, USA	"GAS INSTALATION" d.o.o., Šangajska 91c, 11273 Batajnica, Zemun	IPSTP 0451/21X	17.01.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 26 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
312	Detektor gasa (senzor) tip: 47K-PRP fab.br.: s-j-12/20-80453, s-j-12/20-80424, s-j-12/20-80428, s-j-12/20-80452	MSA AUER GmbH, Thiemannstr 1, 12059 BERLIN, Nemačka	"EVOKS" d.o.o., Ustanička 189/II/3A, 11050, Beograd	IPSTP 0452/21	17.03.2021		po tački 3.1 priloga 13. Pravilnika
313	Razvodna kutija tip: TB-P6/21447 (QP-0220-0120-905/701732) fab.br.: 119802	QUINTEX GmbH, I-PARK TAUBERFRANKEN 13, 97922 , Lauda-Königshofen, Nemačka	"EVOKS" d.o.o., Ustanička 189/II/3A, 11050, Beograd	IPSTP 0453/21	17.03.2021		po tački 3.1 priloga 13. Pravilnika
314	Ex čep tip: 757 M20x1,5 fab.br.:	CMP Products Ltd, Unit 36 Nelson Way, Nelson Park East; Cramlington, NE23 1WH, UK	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0456/21X	18.03.2021		po tački 3.1 priloga 13. Pravilnika
315	Ex čep tip: 757 M25x1,5 fab.br.:	CMP Products Ltd, Unit 36 Nelson Way, Nelson Park East; Cramlington, NE23 1WH, UK	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0457/21X	18.03.2021		po tački 3.1 priloga 13. Pravilnika
316	Ex čep tip: 757 M40x1,5 fab.br.:	CMP Products Ltd, Unit 36 Nelson Way, Nelson Park East; Cramlington, NE23 1WH, UK	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0458/21X	18.03.2021		po tački 3.1 priloga 13. Pravilnika
317	Ex Uvodnik kablovski tip:A2F M16x1,5 fab.br.:	CMP Products Ltd, Unit 36 Nelson Way, Nelson Park East; Cramlington, NE23 1WH, UK	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0459/21X	18.03.2021		po tački 3.1 priloga 13. Pravilnika
318	Ex Uvodnik kablovski tip: M 20x1,5 fab.br.:	CMP Products Ltd, Unit 36 Nelson Way, Nelson Park East; Cramlington, NE23 1WH, UK	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0460/21X	18.03.2021		po tački 3.1 priloga 13. Pravilnika
319	Ex razvodna kutija tip: RK 01/544 E fab.br.:	TEP Ex, Medarska 69, Zagreb, Hrvatska	"BEL-ELEKTRO " d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0461/21	18.03.2021		po tački 3.1 priloga 13. Pravilnika
320	Ex Prenosna baterijska lampa tip: HL12 Ex Akku fab.br.: 07003813	Witte + Sutor GmbH, Steinberger Str.6, D-71540 Murrhardt, Nemačka	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0462/21X	18.03.2021		po tački 3.1 priloga 13. Pravilnika
321	Ex Prenosna baterijska lampa tip: AccuLux EX SLE 15 fab.br.: 01026132;; 01026133; 01026134;	Witte + Sutor GmbH, Steinberger Str.6, D-71540 Murrhardt, Nemačka	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0463/21X	18.03.2021		po tački 3.1 priloga 13. Pravilnika
322	Elektromotor tip: SK 112MH/4 2D TF fab.br.: 203078706-100 36470076	Getriebebau NORD GmbH &Co. KG, Getriebebau-Nord Str.1, 22941 Bargeheide, Nemačka	"ELEKTRO MOTORNI POGONI" d.o.o., Đorđa Stanojevića 11g/16, 11070 Novi Beograd, Beograd	IPSTP 0465/21	19.03.2021		po tački 3.1 priloga 13. Pravilnika
323	Samoregulišući grejni kabel tip: BSX 8-2-OJ fab.br.: J468-7-1001 , dužina l = 214 m'	Thermon Inc, 100 Thermon Drive San Marcos, Texas 78666, USA	"ELMARK" d.o.o., Milana Rakića 6, 11120, BEOGRAD	IPSTP 0466/21	19.03.2021		po tački 3.1 priloga 13. Pravilnika
324	Priključna kutija tip: TERMINATOR ZP-XP fab.br.: PRD4004397	Thermon Manufacturing Company, 100 Thermon Drive San Marcos, Texas 78666, USA	"ELMARK" d.o.o., Milana Rakića br. 6, 11120, Beograd	IPSTP 0467/21X	19.03.2021		po tački 3.1 priloga 13. Pravilnika
325	Završetak grejnog kabela tip: TERMINATOR ZS-ZE fab.br.:	Thermon Manufacturing Company, 100 Thermon Drive San Marcos, Texas 78666, USA	"ELMARK" d.o.o., Milana Rakića br. 6, 11120, Beograd	IPSTP 0468/21X	19.03.2021		po tački 3.1 priloga 13. Pravilnika
326	Transmitter diferencijalnog pritiska tip: 266DSHFSSB2B1 E1L1B21C1H3 fab.br.: 3K646620026952; 3K646620026954;	ABB S.p.A., Via Statale 113, Lenno (Como) 22016, Italija	Naftagas - tehnički servisi d.o.o., Beogradska 26, 23000, Zrenjanin	IPSTP 0469/21X	19.03.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 27 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
327	Transmitter relativnog pritiska tip: 266HSHPTB1 E1L1B7I2C1H3 fab.br.: 3K646620024131; 3K646620024130;	ABB S.p.A., Via Statale 113, Lenno (Como) 22016, Italija	Naftagas - tehnički servisi d.o.o., Beogradska 26, 23000, Zrenjanin	IPSTP 0470/21X	19.03.2021		po tački 3.1 priloga 13. Pravilnika
328	Senzor masenog merača protoka tip: CNG050S239NWFZIZZ fab.br.: 15014726, 15013889	Micro Motion, Inc., 7070 Winchester Circe, Boulder, Co.80301, USA	"AS PETROL" d.o.o., Jasički put 11A, 37000, Kruševac	IPSTP 0471/21X	22.03.2021		po tački 3.1 priloga 13. Pravilnika
329	Transmitter pritiska model: E-10 fab.br.:	WIKA Alexander Wiegand GmbH, Alexander-Wiegand-Strasse 30, 63911 Klingenberg, Nemačka	"AS PETROL" d.o.o., Jasički put 11A, 37000, Kruševac	IPSTP 0472/21X	22.03.2021		po tački 3.1 priloga 13. Pravilnika
330	Elektromagnetni ventil tip : 257GD30 fab.br.:	ATAM WINDINGS, Via Archimede 7, 20041 Agrate Brianza (MI), ITALIJA	"AS PETROL" d.o.o., Jasički put 11A, 37000, Kruševac	IPSTP 0473/21X	22.03.2021		po tački 3.1 priloga 13. Pravilnika
331	Transmitter pritiska SITRANS P 220 tip: 7MF1567-3DE01-1AA1 fab.br.: SLKKN303408010007, SLKKN303408010002 , SLKKN303408010010, LKKN303408010003	SIEMENS AG, Östliche Rheinbrückerstr.50, 76 187 Karlsruhe, NEMAČKA	"INDAS" d.o.o., Heroja Pinkija 95 , 21000, Novi Sad	IPSTP 0474/21	22.03.2021		po tački 3.1 priloga 13. Pravilnika
332	Transmitter pritiska tip: EJX 430A-JASWJ-919ND/KU22 fab.br.: 91X216515	Yokogawa Electric Corporation, 2-9-32 Naka-cho, Musashino-shi Tokyo 180-8750, Japan	„Ogranak Yokogawa Europe Branches Beograd “ d.o.o., Đorđa Stanojevića 12, 11070 Novi Beograd, Beograd	IPSTP 0475/21X	22.03.2021		po tački 3.1 priloga 13. Pravilnika
333	Radarsko merilo nivoa Micropilot tip: FMR52-B2EACABPCGK+AAF3PB fab.br.: S2015001135	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, Maulburg, Nemačka	"MERIS" d.o.o., Narodnih heroja 42, Novi Beograd	IPSTP 0476/21X	22.03.2021		po tački 3.1 priloga 13. Pravilnika
334	Ultrazvučno merilo protoka gasa tip: Q-Sonic Max fab.br.: 69514004, 69514005, 69514006, 69514007, 69514008, 69514009, 69514010, 69514017, 69514018, 69514019.	Elster-Instromet GmbH, Steinern Strasse 19-21, 55252 Mainz – Kastel, Nemačka	"KONVEX-GASNA I VODO TEHNIKA" d.o.o., Batajnički drum 299, 11080 Zemun, Beograd	IPSTP 0477/21X	22.03.2021		po tački 3.1 priloga 13. Pravilnika
335	ELEKTROMAGNETNI VENTIL tip: EMXX fab.br.: ZP20078739	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"GIA TECHNOLOGY" d.o.o., Primorska br.86, 21000, NOVI SAD	IPSTP 0478/21X	22.03.2021		po tački 3.1 priloga 13. Pravilnika
336	MAGNETNI PREKIDAČtip: MARR3.2-1N0 fab.br.: 09/2020	TATSUNO EUROPE a.s., Pražska 2325/68, Blansko, Češka Republika	GIA TECHNOLOGY d.o.o., Primorska br. 86, 21000, NOVI SAD	IPSTP 0480/21X	22.03.2021		po tački 3.1 priloga 13. Pravilnika
337	Elektromotor tip: J2080B4H2305FZ fab.br.: 2000-6291	ORANGE1 Electric Motors, Via Mantova 93 ,43122 PARMA, ITALIJA	"GIA TECHNOLOGY" d.o.o., Primorska 86, 21000, Novi Sad	IPSTP 0481/21X	22.03.2021		po tački 3.1 priloga 13. Pravilnika
338	RAZVODNA KUTIJA tip: RK 003/6 (K21 EX) fab.br.: 14320/20	TATSUNO EUROPE a.s., Pražska 2325/68, Blansko, Češka Republika	GIA TECHNOLOGY d.o.o., Primorska br. 86, 21000, NOVI SAD	IPSTP 0482/21	22.03.2021		po tački 3.1 priloga 13. Pravilnika
339	SPRAVA ZA MERENJE TEČNNIH GORIVA tip: SHARK BMP 511.SD/H fab.br.: 17585/20	TATSUNO EUROPE, Pražska 2325/68, Blansko, ČEŠKA	GIA TECHNOLOGY d.o.o., Primorska br. 86, 21000, NOVI SAD	IPSTP 0483/21	22.03.2021		po tački 3.1 priloga 13. Pravilnika

REGISTAR

**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 28 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
340	Kablovski uvodnik tip: EBU1MBNC fab.br.:	Bimed Teknik Aletler San ve Tic. A.S. Co.Ltd., S.S Bakır ve Piriñ Sanayi Sitesi Leylak Caddesi No:16 TR-34524 Beylikdüzü - Istanbul, Turska	EVOKS d.o.o., Ustanička 189/II/3A, 11050, Beograd	IPSTP 0484/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
341	Kablovski uvodnik tip: EBU2SMBNC fab.br.:	Bimed Teknik Aletler San ve Tic. A.S. Co.Ltd., S.S Bakır ve Piriñ Sanayi Sitesi Leylak Caddesi No:16 TR-34524 Beylikdüzü - Istanbul, Turska	EVOKS d.o.o., Ustanička 189/II/3A, 11050, Beograd	IPSTP 0485/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
342	Kablovski uvodnik tip: EHBMI-MX2C fab.br.:	Bimed Teknik Aletler San ve Tic. A.S. Co.Ltd., S.S Bakır ve Piriñ Sanayi Sitesi Leylak Caddesi No:16 TR-34524 Beylikdüzü - Istanbul, Turska	EVOKS d.o.o., Ustanička 189/II/3A, 11050, Beograd	IPSTP 0486/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
343	Kablovski uvodnik tip: EHBIM-MX2C fab.br.:	Bimed Teknik Aletler San ve Tic. A.S. Co.Ltd., S.S Bakır ve Piriñ Sanayi Sitesi Leylak Caddesi No:16 TR-34524 Beylikdüzü - Istanbul, Turska	EVOKS d.o.o., Ustanička 189/II/3A, 11050, Beograd	IPSTP 0487/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
344	Kablovski uvodnik tip: KBAU1MBNC fab.br.:	Bimed Teknik Aletler San ve Tic. A.S. Co.Ltd., S.S Bakır ve Piriñ Sanayi Sitesi Leylak Caddesi No:16 TR-34524 Beylikdüzü - Istanbul, Turska	EVOKS d.o.o., Ustanička 189/II/3A, 11050, Beograd	IPSTP 0488/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
345	Kablovski uvodnik tip: KBAU1SMBNC fab.br.:	Bimed Teknik Aletler San ve Tic. A.S. Co.Ltd., S.S Bakır ve Piriñ Sanayi Sitesi Leylak Caddesi No:16 TR-34524 Beylikdüzü - Istanbul, Turska	EVOKS d.o.o., Ustanička 189/II/3A, 11050, Beograd	IPSTP 0489/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
346	Kablovski uvodnik tip: KBAU2SMBNC fab.br.:	Bimed Teknik Aletler San ve Tic. A.S. Co.Ltd., S.S Bakır ve Piriñ Sanayi Sitesi Leylak Caddesi No:16 TR-34524 Beylikdüzü - Istanbul, Turska	EVOKS d.o.o., Ustanička 189/II/3A, 11050, Beograd	IPSTP 0490/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
347	Kablovski uvodnik tip: KBAU2XSMBNC fab.br.:	Bimed Teknik Aletler San ve Tic. A.S. Co.Ltd., S.S Bakır ve Piriñ Sanayi Sitesi Leylak Caddesi No:16 TR-34524 Beylikdüzü - Istanbul, Turska	EVOKS d.o.o., Ustanička 189/II/3A, 11050, Beograd	IPSTP 0491/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
348	Samoregulacioni grejni kabel (Freezestop lite) tip:25FSR2-CF fab.br.:	Heat Trace Limited, Meres Edge Chester Road, Helsbv, UK	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 0492/21	23.03.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 29 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
349	Ex Kućište tip: EJB-1 fab.br.: 19/11483 (kom.4)	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 0501/21	23.03.2021		po tački 3.1 priloga 13. Pravilnika
350	Centrifugalni ventilator u EX izvedbi tip: EX 140A-4C fab.br.: 135260, 135275, 135275, 20190809, 20190607, 20190705	SYSTEMAIR SVERIGE AB, Industriv 3, SE 739 30, Skinnkatteberg, ŠVEDSKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0502/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
351	Ex Grejač tip: 700GB/AH/PL-Ex det2100T1/T450°C/RE fab.br.: 26921001231	Schniewindt GmbH & Co.KG, Schöntaler Weg 46, 58809 Neuenrade, Nemačka	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 0503/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
352	Ex Grejač tip: 700GB/AH/PL-Ex det910T1/T200°C/RE fab.br.: 26909103231, 26921001231	Schniewindt GmbH & Co.KG, Schöntaler Weg 46, 58809 Neuenrade, Nemačka	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 0504/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
353	LED svetiljka tip: FLF-211LEF4 fab.br.: 19/10982 (kom. 6),	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0506/21	23.03.2021		po tački 3.1 priloga 13. Pravilnika
354	Svetiljka LED tip: EVML-50 fab.br.: 19/6272 (kom.6)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0507/21	23.03.2021		po tački 3.1 priloga 13. Pravilnika
355	Grejani regulator pritiska tip: XHS300-IL-S-04-K-2-A-N-028 fab.br.: 76924/1, 76924/3	Pressure Tech Limited, Unit 24 Graphite Way, Hadfield, Glossop, Derbyshire SK13 1QH, UK	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0508/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
356	Hidrokarbon analizator vlažnosti tip: Condumax II fab.br.: 163524, 163525, 164172.	Mitchell Instruments Ltd., Unit 48, Lancaster Way Buisiness Park, Ely, Cambridgeshire, CB6 3NW, UK	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0509/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
357	Samoregulatorni grejni kabel (Freezestop lite) tip:31FSLe-CT fab.br.:	Heat Trace Limited, Meres Edge Chester Road, Helsby, UK	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 0510/21	23.03.2021		po tački 3.1 priloga 13. Pravilnika
358	Ex Kućište tip: EJB-1 fab.br.: 19/14468	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 0493/21	23.03.2021		po tački 3.1 priloga 13. Pravilnika
359	Samoregulatorni grejni kabel (Freezestop lite) tip:31FSLe-CT fab.br.:	Heat Trace Limited, Meres Edge Chester Road, Helsby, UK	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 0511/21	23.03.2021		po tački 3.1 priloga 13. Pravilnika
360	Solenoid ventil tip: AC19-US-K PX38 fab.br.: 00289726, 00289728	Burkert Werke GmbH, Cristian-Burkert-Str. 13-17, 141653 Ingelfingen, Nemačka	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0512/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
361	Ex Priključna kutija tip: ST-26.1N fab.br.: 19/11500 (kom.4), 19/14472 (1 kom)	CORTEM Group, Via Aquileia 10, 34070 Villesse (GO), Italija	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0513/21	23.03.2021		po tački 3.1 priloga 13. Pravilnika
362	Priključna kutija tip: KKVA-K90M2 fab.br.: 191221191429 (6 komada)	"ZAVOD GORELTEX" Co.Ltd., 195176, Saint Petersburg, Revolutsii road, 18, lit.A, Rusija	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0514/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
363	Kontrolna jedinica tip: PKIVA161008 fab.br.: 191214117111 (3 komada), 191220976111 (2 komada)	"ZAVOD GORELTEX" Co.Ltd., 195176, Saint Petersburg, Revolutsii road, 18,, Rusija	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0515/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
364	Prekidač tip: PPG-2125 fab.br.: 191214116110 (6 komada)	"ZAVOD GORELTEX" Co.Ltd., 195176, Saint Petersburg, Revolutsii road, 18,, Rusija	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0516/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 30 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
365	Kablovski uvodnik tip: KOV/KNV fab.br.:	"ZAVOD GORELTEX" Co.Ltd., 195176, Saint Petersburg, Revolutsii road, 18,, Rusija	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0517/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
366	Kablovski adapter/utikač tip: AV/VZN fab.br.:	"ZAVOD GORELTEX" Co.Ltd., 195176, Saint Petersburg, Revolutsii road, 18,, Rusija	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0518/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
367	Jedinica za prolaz kablova tip: Frame G Ex primed fab.br.:	Roxtec International AB, Box 540, SE-371 23 Karlskrona, Švedska	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0519/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
368	Jedinica za prolaz kablova tip: Compression unit Wedge 120 Ex galv. fab.br.:	Roxtec International AB, Box 540, SE-371 23 Karlskrona, Švedska	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0520/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
369	Električni aktuator tip: IQM12 fab.br.: M212200104	Rotork Controls Limited, Brassmil Lane, Bath, BA1 3JQ, UK	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 0494/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
370	Jedinica za prolaz kablova tip: Dividing plate Stayplate 120 Ex galv. fab.br.:	Roxtec International AB, Box 540, SE-371 23 Karlskrona, Švedska	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0521/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
371	Jedinica za prolaz kablova tip:Sealing module with a core RM Ex fab.br.:	Roxtec International AB, Box 540, SE-371 23 Karlskrona, Švedska	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0522/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
372	Ex Kućište tip: EJB-45 fab.br.: 19/11491	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 0524/21	23.03.2021		po tački 3.1 priloga 13. Pravilnika
373	Ex Kućište tip: EJB-2 fab.br.: 19/11487	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 0525/21	23.03.2021		po tački 3.1 priloga 13. Pravilnika
374	Ex Kućište tip: EJB-45 fab.br.: 19/11489	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 0526/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
375	Samoregulacioni grejni kabel (Freezestop lite) tip:25FSR2-CF fab.br.:	Heat Trace Limited, Meres Edge Chester Road, Helsby, UK	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 0495/21	23.03.2021		po tački 3.1 priloga 13. Pravilnika
376	Samoregulacioni grejni kabel (Freezestop lite) tip:25FSR2-CF fab.br.:	Heat Trace Limited, Meres Edge Chester Road, Helsby, UK	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 0496/21	23.03.2021		po tački 3.1 priloga 13. Pravilnika
377	Ex Kućište tip: EJB-1 fab.br.: 19/11485 (kom.6)	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 0497/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
378	Priključna kutija tip: KSRV 111109 fab.br.: 191212675938 (kom. 17)	ZAVOD GORELTEX Co. Ltd., 195176, Saint Petersburg, Revolutsii road, 18, lit. A, Rusija	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 0498/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
379	Grejač tip: CP Multitherm DNA 100 T3 TS10. fab.br.: 19-20932, 19-20919, 19-20922, 19-20916, 19-20924, 19-20918, 19-20930, 19-20921, 19-20920, 19-20931, 19-20928, 19-20915, 19-20934, 19-20927, 19-20917, 19-20933, 19-20914	INTERTEC-Hess GmbH, Raffinerieniesstrase 8, 93333 Neustadt/Donau, Nemačka	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 0499/21X	23.03.2021		po tački 3.1 priloga 13. Pravilnika
380	Transmiter pritiska VEGABAR 82 tip: B82.AHEUFMG4SZXVI2XM fab.br.: 51603675 , 51603676.	VEGA Grieshaber KG, Am Hohenstein 113, 77761 Schiltach, Nemačka	"MARKONS" d.o.o., Nemanjina 33, 11500, Obrenovac	IPSTP 0528/21X	24.03.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 31 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
381	MOTOROLA RUČNA RADIO STANICA tip: DP 4801 Ex fab.br.: 627TXB0571, 627TXD2527, 627TXD2529, 627TXD2537, 627TXD2539 627TXD2540, 627TXD2545, 627TXD2552, 627TXD6484, 627TXD6513	MOTOROLA SOLUTIONS, Am Borsigturm 130, Berlin, Nemačka	TeleGroup d.o.o., Svetozara Miletića 9a, 11000, Beograd	IPSTP 0529/21X	24.03.2021		po tački 3.1 priloga 13. Pravilnika
382	Nepropaljivo kućište transimera temperature tiip: XDA fab.br.: 902003152; 902003153; 902003154; 902003155; 902003157; 902003158; 902003159; 902003162; 902003163; 902003164; 902003165; 902003167; 902003168; 902003169; 902003170; 902003171; 902003172; 902003175; 902003177; 902003180	Yung Chan Metal Industry Co.Ltd, No 30 Keji 1st Road, Tainan Technology Industrial Park, Tainan City 709, Tajvan	"TERMOTEHNA Šušić" d.o.o., Potez jezdinsko polje 58, 32000, Čačak	IPSTP 0530/21U	24.03.2021		po tački 3.1 priloga 13. Pravilnika
383	Priključni blok tip: XE-SBd-B10s-G8Lr-01G fab.br.:	Podhlanska Fabryka Aparatary Pomiarowej LIMATHERM , Sp. z.o.o., ul.Tarnowska 1, 34-600 Limanowa, POLJSKA	"TERMOTEHNA Šušić" d.o.o., Potez Jezdinsko polje 58, 32000, ČAČAK	IPSTP 0531/21U	24.03.2021		po tački 3.1 priloga 13. Pravilnika
384	Otporni termometar 1xPt100 model: T6-1411 fab.br.: T6-1411/645; T6-1411/646; T6-1411/647; T6-1411/648; T6-1411/649; T6-1411/650; T6-1411/651; T6-1411/652; T6-1411/653; T6-1411/654; T6-1411/655; T6-1411/656; T6-1411/657; T6-1411/658; T6-1411/659; T6-1411/660; T6-1411/661; T6-1411/662; T6-1411/663; T6-1411/664.	"TERMOTEHNA Šušić" d.o.o., Potez Jezdinsko polje 58, 32000, ČAČAK	"TERMOTEHNA Šušić" d.o.o., Potez Jezdinsko polje 58, 32000, ČAČAK	IPSTP 0532/21X	24.03.2021		po tački 3.1 priloga 13. Pravilnika
385	ELEKTROMAGNETNI VENTIL tip: EMXX fab.br.: ZP20042166	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"GIA TECHNOLOGY" d.o.o., Primorska br.86, 21000, NOVI SAD	IPSTP 0533/21X	24.03.2021		po tački 3.1 priloga 13. Pravilnika
386	DAVAČ IMPULSA tip: EK 1025.IIB-A fab.br.: 051965	TATSUNO EUROPE, Pražska 2325/68, Blansko, Češka Republika	GIA TECHNOLOGY d.o.o., Primorska br. 86, 21000, NOVI SAD	IPSTP 0479/21X	22.03.2021		po tački 3.1 priloga 13. Pravilnika
387	DAVAČ IMPULSA tip: EK 1025.IIB-A fab.br.: 052202, 051967	TATSUNO EUROPE, Pražska 2325/68, Blansko, Češka Republika	GIA TECHNOLOGY d.o.o., Primorska br. 86, 21000, NOVI SAD	IPSTP 0534/21X	24.03.2021		po tački 3.1 priloga 13. Pravilnika
388	Elektromotor tip: J2080B4H2305FZ fab.br.: 2000-6311, 2000-6335	ORANGE1 Electric Motors, Via Mantova 93 ,43122 PARMA, ITALIJA	"GIA TECHNOLOGY" d.o.o., Primorska 86, 21000, Novi Sad	IPSTP 0535/21X	24.03.2021		po tački 3.1 priloga 13. Pravilnika
389	MAGNETNI PREKIDAČtip: MARR3.2-1N0 fab.br.: 09/2020	TATSUNO EUROPE a.s., Pražska 2325/68, Blansko, Češka Republika	GIA TECHNOLOGY d.o.o., Primorska br. 86, 21000, NOVI SAD	IPSTP 0536/21X	24.03.2021		po tački 3.1 priloga 13. Pravilnika
390	RAZVODNA KUTIJA tip: RK 003/6 (K21 EX) fab.br.: 14290/20	TATSUNO EUROPE a.s., Pražska 2325/68, Blansko, Češka Republika	GIA TECHNOLOGY d.o.o., Primorska br. 86, 21000, NOVI SAD	IPSTP 0537/21	24.03.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 32 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
391	SPRAVA ZA MERENJE TEČNIH GORIVA tip: SHARK BMP 521.SD/UH fab.br.: 17586/20	TATSUNO EUROPE, Pražska 2325/68, Blansko, ČEŠKA	GIA TECHNOLOGY d.o.o., Primorska br. 86, 21000, NOVI SAD	IPSTP 0538/21	24.03.2021		po tački 3.1 priloga 13. Pravilnika
392	Ex Kamera za videonadzor serije D tip: D201-S Q6055-E-BD fab.br.: ACCC8EED1114; ACCC8EED1747; ACCC8EED1119; ACCC8EED126D; ACCC8EEF6F44; ACCC8EEF7046; ACCC8EED173A.	Spectrum Camera Solutions LLC, 8935 Alameda Genoa Road, Houston, TX 77075, USA	"Smart Building Technologies" d.o.o., Radoja Đakića 7, 11080, Zemun, Beograd	IPSTP 0539/21X	24.03.2021		po tački 3.1 priloga 13. Pravilnika
393	LED svetiljka tip: FLF-211L fab.br.: 19/341816	CORTEM S.p.A., Via Aquileia, 10-34070 Villesse (Go), Italija	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0527/21	23.03.2021		po tački 3.1 priloga 13. Pravilnika
394	LF impulsni davač tip: IN-S11 fab.br.: od 80138440 do 80138442 (3 kom); od 77113107 do 77113114 (8 kom); od 77113495 do 77113519 (25 kom)	Elster GmbH, Steinern Strasse 19-21, 55252 Mainz –Kastel, Nemačka	"KONVEX-GASNA I VODO TEHNIKA" d.o.o., Batajnički drum 299, sprat 1, 11080 Zemun, Beograd	IPSTP 0540/21	24.03.2021		po tački 3.1 priloga 13. Pravilnika
395	ELEKTRONSKI KOREKTOR ZAPREMINE GASA tip: EK 220 fab.br.: od 4534904 do 4534923 (kom. 20);	ELSTER GmbH, Steiner Strasse 19-21, 55252 Mainz –Kastel, NEMAČKA	"KONVEX-GASNA I VODO TEHNIKA" d.o.o., Batajnički drum 299, sprat 1, 11080 Zemun, Beograd	IPSTP 0541/21	24.03.2021		po tački 3.1 priloga 13. Pravilnika
396	Elektromagnetni ventil tip: EM5X fab.br.: 100693702	ASCO Controls B.V., Neonstraat 3, 6718 WX Ed, HOLANDIJA	GIA TECHNOLOGY d.o.o., Primorska 86, 21000, Novi Sad	IPSTP 0542/21X	25.03.2021		po tački 3.1 priloga 13. Pravilnika
397	DAVAČ IMPULSA tip: EK-1129(CW) fab.br.:	TATSUNO CORPORATION, 1-1 Kasama 4-chome, Sakae-ku, Yokohama, Japan	GIA TECHNOLOGY d.o.o., Primorska br. 86, 21000, NOVI SAD	IPSTP 0543/21X	25.03.2021		po tački 3.1 priloga 13. Pravilnika
398	Ex Prekidač diferencijalnog pritiska tip: 920.9179.994 EXPD79 fab.br.: 760728-025, 757718-011	Trafag AG, Industrienstrasse 11, 8608 Bubikon, Švajcarska	GIA TECHNOLOGY d.o.o., Primorska 86, 21000, Novi Sad	IPSTP 0544/21X	25.03.2021		po tački 3.1 priloga 13. Pravilnika
399	MODUL ZA MERENJE TEČNOG NAFTNOG GASA tip: OCEAN MOD4012.OED/LPG fab.br.: 3337/20	TATSUNO EUROPE, Pražska 2325/68, Blansko, ČEŠKA	GIA TECHNOLOGY d.o.o., Primorska br. 86, 21000, NOVI SAD	IPSTP 0545/21X	25.03.2021		po tački 3.1 priloga 13. Pravilnika
400	Transmiter pritiska tip: PCE-28/1/2NPT/PD fab.br.: 03210147, 03210148, 03210149, 03210150, 03210151, 03210152, 03210153, 03210154.	Aplisens S.A., Morelowa 7, 03-192 Warszawa, POLJSKA	"WIG" d.o.o., Bulevar Arsenija Čarnojevića br. 26, 11070 Novi Beograd, BEOGRAD	IPSTP 0553/21X	25.03.2021		po tački 3.1 priloga 13. Pravilnika
401	Ex BARIJERA tip: MACX MCR-EX-SL-RPSSI-I fab.br.: 1364844453; 1364844489; 1364844479.	Phoenix Contact GmbH, Flachmarktstr. 8, 32825 Blomberg, Nemačka	ELEKTROMATERIJAL d.o.o., Novosadskog sajma 54, 21000, Novi Sad	IPSTP 0554/21X	25.03.2021		po tački 3.1 priloga 13. Pravilnika
402	Prenaponska zaštita tip: LIT 2x2-24 fab.br.:	Phoenix Contact GmbH, Flachmarktstr. 8, 32825 Blomberg, Nemačka	ELEKTROMATERIJAL d.o.o., Novosadskog sajma 54, 21000, Novi Sad	IPSTP 0555/21X	25.03.2021		po tački 3.1 priloga 13. Pravilnika
403	Ex elektromotor/ventilator serije Compact tip:HCBT/4-315/H-A EXEIII3 fab.br.: 1007622128	SOLER & PALAU Sistemas de Ventilación S.L.U., Ctra.Puigcerda s/n, 17500 Ripoll (Gerona), ŠPANIJA	"HADRIJAN" d.o.o., Antifašističke borbe 15, lokal 25, 11070 Novi Beograd, Beograd	IPSTP 0556/21X	26.03.2021		po tački 3.1 priloga 13. Pravilnika
404	Multivarijabilni transmiter pritiska tip: 3051SMV5M12A3R2000A1BC22I1M5 fab.br.: 21WEFF1505011, 21WEFF1505010, 21WEFF1505012	Rosemount Inc, 8200 Market Boulevard, Chanhassen, Minnesota 55317, USA	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0557/21X	26.03.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 33 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
405	Temperaturni transponder tip: 644HANAXAM5Q4 integrisan u glavi senzora tip: 0065101F0110D0075T46E1XA fab.br.: Senzor: 5401639 ; Transponder: 6135630	Rosemount Inc, 6021 Innovation Blvd., Shakopee, MN 55379-9795, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0558/21X	26.03.2021		po tački 3.1 priloga 13. Pravilnika
406	Temperaturni transponder tip: 644HANAXAM5Q4 integrisan u glavi senzora tip: 0065101F0110D0115T46E1XA fab.br.: Senzor: 20WETB5401634, 20WETB5401636, 20WETB5401635, 20WETB5401642 Transponder: 20WETD6135624, 20WETD6135626, 20WETD6135625, 20WETD6135633	Rosemount Inc, 6021 Innovation Blvd., Shakopee, MN 55379-9795, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0559/21X	26.03.2021		po tački 3.1 priloga 13. Pravilnika
407	Temperaturni transponder tip: 248HANANOXAQ4 integrisan u glavi senzora tip: 0065C01F0110D0115T46E1XA fab.br.: Senzor: 5402938 , Transponder: 5354953	Rosemount Inc, 6021 Innovation Blvd., Shakopee, MN 55379-9795,, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0560/21X	26.03.2021		po tački 3.1 priloga 13. Pravilnika
408	Temperaturni senzor tip: 0065C21F0110D0115T46E1 fab.br.: 20WETB5401643, 20WETB5401644	Rosemount Inc, 6021 Innovation Blvd., Shakopee, MN 55379-9795,, USA	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0561/21X	26.03.2021		po tački 3.1 priloga 13. Pravilnika
409	Transponder pritiska tip: 2088G3S22A2M5EDQ4 fab.br.: 20WEPJ0658544, 20WEPJ0658549, 20WEPJ0658550, 20WEPJ0658545, 20WEPJ0658548	Rosemount Inc., 8200 Market Boulevard, Chanhsssen, MN 55317, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0562/21X	26.03.2021		po tački 3.1 priloga 13. Pravilnika
410	Transponder pritiska tip: 2088G1S22A2M5K1Q4 fab.br.: 20WEPJ0658546	Rosemount Inc., 8200 Market Boulevard, Chanhsssen, MN 55317, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0563/21X	26.03.2021		po tački 3.1 priloga 13. Pravilnika
411	Transponder pritiska tip: 2088G1S22A2K1Q4 fab.br.: 20WEPJ0658543	ROSEMOUNT Inc, 12001 Technology Drive, Eden Prairie, Minnesota 55344-3695, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0564/21X	26.03.2021		po tački 3.1 priloga 13. Pravilnika
412	Granični prekidač nivoa (vibraciona viljuška) tip: 2120D0DH111XM0300Q4 fab.br.: 21GOBE0006312, 21GOBE0006313.	Rosemount Tank Radar AB, Layoutvagen 1, 43533 Molnlycke, Švedska	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, BEOGRAD	IPSTP 0565/21X	26.03.2021		po tački 3.1 priloga 13. Pravilnika
413	Elektromagnetni ventil tip: EMMXX fab.br.: ZP21050231	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	N TRADE d.o.o., Izvorska 54, 11000, Beograd	IPSTP 0566/21X	29.03.2021		po tački 3.1 priloga 13. Pravilnika
414	Transponder diferencijalnog pritiska SITRANS P420 tip: 7MF0440-1ML01-5CM2-Z fab.br.: N1N11110157949, N1N11110157950	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"GBZ Inženjering" d.o.o., Branimira Čosića 12, 21000, Novi Sad	IPSTP 0575/21X	29.03.2021		po tački 3.1 priloga 13. Pravilnika
415	Transponder temperature TS 500 tip: 7MC7500-1JB06-8HA3-Z E03+T30+Y01+ fab.br.: N1N11160240, N1N11160241, N1N11160242	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"GBZ Inženjering" d.o.o., Branimira Čosića 12, 21000, Novi Sad	IPSTP 0574/21X	29.03.2021		po tački 3.1 priloga 13. Pravilnika
416	Transponder pritiska SITRANS P420 tip: 7MF0400-1QF01-5CM2-Z fab.br.: N1N11110157948	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"GBZ Inženjering" d.o.o., Branimira Čosića 12, 21000, Novi Sad	IPSTP 0576/21X	29.03.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 34 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
417	Transmiter pritiska SITRANS P420 tip: 7MF0400-1TF01-5CM2-Z fab.br.: N1N11110157947	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"GBZ Inženjering" d.o.o., Branimira Čosića 12, Novi Sad	IPSTP 0577/21X	29.03.2021		po tački 3.1 priloga 13. Pravilnika
418	Transmiter pritiska SITRANS P420 tip: 7MF0400-1FF01-5CM2-Z fab.br.: N1N11110157946	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"GBZ Inženjering" d.o.o., Branimira Čosića 12, Novi Sad	IPSTP 0578/21X	29.03.2021		po tački 3.1 priloga 13. Pravilnika
419	Alarmna sirena (zvučnik) tip: LH3-UC25XS fab.br.: 405221385930100296, 405221385930100208, 405221395310100073, 405221395310100075, 405221385930100291, 405221395310100088, 405221395310100280, 405221395310100060, 405221395310100057, 405221395310100076.	BOSCH / DNH AS, Gruveveien 2/6, 3770 Kragør, Norveška	Smart Building Technologies d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0579/21X	31.03.2021		po tački 3.1 priloga 13. Pravilnika
420	Vapor senzor tip: 30-0235-V fab.br.: 022824, 022825, 022826, 022829, 031951.	OPW – Fuel Managment Systems, 6900 Santa Fe Drive Hodgikins , IL 60525, SAD	GIA TECHNOLOGY d.o.o., Primorska 86, 21000, Novi Sad	IPSTP 0580/21X	31.03.2021		po tački 3.1 priloga 13. Pravilnika
421	Elektromotor tip: 4KTC 63 B-4 fab.br.: 202087472	BARTEC VARNOST, Cesta 9. Avgusta 59, 1410 Zagorje ob Savi, SLOVENIJA	SYSTEMAIR d.o.o., Bulevar Zorana Đinđića 95/I/2, 11070 Novi Beograd, Beograd	IPSTP 0582/21X	31.03.2021		po tački 3.1 priloga 13. Pravilnika
422	Elektromotor tip: 4KTC 71A-4 fab.br.: 202087338	BARTEC VARNOST, Cesta 9. Avgusta 59, 1410 Zagorje ob Savi, SLOVENIJA	SYSTEMAIR d.o.o., Bulevar Zorana Đinđića 95/I/2, 11070, Novi Beograd	IPSTP 0583/21X	31.03.2021		po tački 3.1 priloga 13. Pravilnika
423	Ex Elektromotor tip: 2/8 A05/505 ex fab.br.: 25210134015030 (4 komada); 7101319 (1 komad)	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0584/21X	31.03.2021		po tački 3.1 priloga 13. Pravilnika
424	Ex Elektromotor tip: 2/12 A4/512 ex fab.br.: 7101319	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0593/21X	31.03.2021		po tački 3.1 priloga 13. Pravilnika
425	Ex Upravljačka jedinica (viseća) tip: SWH 5302-063 ex fab.br.: 7101319	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0585/21	31.03.2021		po tački 3.1 priloga 13. Pravilnika
426	Ex Pozicioner tip: 8070/2-3-D-U fab.br.:	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0586/21X	31.03.2021		po tački 3.1 priloga 13. Pravilnika
427	Razvodni orman tip: GK-323 c ex IIC fab.br.: 9010851;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0587/21	31.03.2021		po tački 3.1 priloga 13. Pravilnika
428	Priključna kutija tip: AK-323 c ex fab.br.: 9010854;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0588/21	31.03.2021		po tački 3.1 priloga 13. Pravilnika
429	Razvodni orman tip: GK-324 c ex IIC fab.br.: 9010852;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0589/21	31.03.2021		po tački 3.1 priloga 13. Pravilnika



REGISTAR

**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 35 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
430	Priključna kutija tip: AK-324 c ex fab.br.: 9010856;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0590/21	31.03.2021		po tački 3.1 priloga 13. Pravilnika
431	Razvodni orman tip: GK-326 c ex IIC fab.br.: 9010776;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0591/21	31.03.2021		po tački 3.1 priloga 13. Pravilnika
432	Priključna kutija tip: AK-366 c ex fab.br.: 9010779;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0592/21	31.03.2021		po tački 3.1 priloga 13. Pravilnika
433	Električni grejač tip: GT812Ex	GasTeh d.o.o Kralja Petra I 22320 Indija	GasTeh d.o.o Kralja Petra I 22320 Indija	IPST 0001/21X	31.03.2021		Modul B-prilog 3 Pravilnika
434	Mikroprekidač tip: F13C21354003 (F13C2.1354.11ZZZZ079DZSZZZZZ.#Z+) fab.br.: 571 072 0	Tecsis GmbH, 63073 Offenbach, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0594/21X	01.04.2021		po tački 3.1 priloga 13. Pravilnika
435	Priključna kutija tip: 8146/1S71 fab.br.: 1916806170350030	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0595/21	01.04.2021		po tački 3.1 priloga 13. Pravilnika
436	Odluka o odobravanju sistema kvaliteta (u skladu sa prilogom 7 (Modul E) Pravilnika) za Električni grejač tip: GT812Ex	GasTeh d.o.o Kralja Petra I 22320 Indija	GasTeh d.o.o Kralja Petra I 22320 Indija	IPSTQ 0001/21Q	02.04.2021		Modul E-prilog 7 Pravilnika
437	Granični prekidač tip: GE-SG 125.02 ex fab.br.: 7101319;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0609/21	02.04.2021		po tački 3.1 priloga 13. Pravilnika
438	Ex Sigurnosni prekidač (grebenasta sklopka) tip: GHG 262 2301 R0002 fab.br.: 2150	Cooper Crouse-Hinds GmbH, Neuer Weg-Nord 49, 69412 Eberbach, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0641/21X	05.04.2021		po tački 3.1 priloga 13. Pravilnika
439	Ex Elektromotor tip: 2/8 A05/505 ex fab.br.: 25210134015030 (4 komada); 7101322 (1 komad)	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0611/21X	02.04.2021		po tački 3.1 priloga 13. Pravilnika
440	Ex Elektromotor tip: 2/12 A4/512 ex fab.br.: 7101322	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0620/21X	02.04.2021		po tački 3.1 priloga 13. Pravilnika
441	Mikroprekidač tip: F13C21354003 (F13C2.1354.11ZZZZ079DZSZZZZZ.#Z+) fab.br.: 571 072 0	Tecsis GmbH, 63073 Offenbach, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0621/21X	02.04.2021		po tački 3.1 priloga 13. Pravilnika
442	Priključna kutija tip: 8146/1S71 fab.br.:	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0622/21	02.04.2021		po tački 3.1 priloga 13. Pravilnika
443	Granični prekidač tip: GE-SG 125.02 ex fab.br.: 7101322;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0623/21	02.04.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 36 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
444	Ex Sigurnosni prekidač (grebenasta sklopka) tip: GHG 262 2301 R0002 fab.br.:	Cooper Crouse-Hinds GmbH, Neuer Weg-Nord 49, 69412 Eberbach, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0643/21X	05.04.2021		po tački 3.1 priloga 13. Pravilnika
445	Ex Upravljačka jedinica (viseća) tip: SWH 5302-063 ex fab.br.: 7101322	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0612/21	02.04.2021		po tački 3.1 priloga 13. Pravilnika
446	Ex Pozicioner tip: 8070/2-3-D-U fab.br.:	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0613/21X	02.04.2021		po tački 3.1 priloga 13. Pravilnika
447	Razvodni orman tip: GK-323 c ex IIC fab.br.: 9010837;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0614/21	02.04.2021		po tački 3.1 priloga 13. Pravilnika
448	Priključna kutija tip: AK-323 c ex fab.br.: 9010835;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0615/21	02.04.2021		po tački 3.1 priloga 13. Pravilnika
449	Razvodni orman tip: GK-324 c ex fab.br.: 9010838;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0616/21	02.04.2021		po tački 3.1 priloga 13. Pravilnika
450	Priključna kutija tip: AK-324 c ex fab.br.: 9010836;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0617/21	02.04.2021		po tački 3.1 priloga 13. Pravilnika
451	Razvodni orman tip: GK-326 c ex IIC fab.br.: 9010786;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0618/21	02.04.2021		po tački 3.1 priloga 13. Pravilnika
452	Priključna kutija tip: AK-366 c ex fab.br.: 9010780;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0619/21	02.04.2021		po tački 3.1 priloga 13. Pravilnika
453	Transmitter temperature SITRANS TR320 tip: 7NG03200YA000NA0-Z VZ6+Y01+Y21 fab.br.: YSNN2221001107, YSNN2221001108, YSNN2221001109, YSNN2221001110, YSNN2221001111, YSNN2221001112, YSNN2221001113, YSNN2221001114, YSNN2221001115, YSNN2221001116, YSNN2221001117, YSNN2221001118, YSNN2221001119, YSNN2221001120, YSNN2221001121, YSNN2221001122.	Siemens AG, D-76181 Karlsruhe, NEMAČKA	SIEMENS d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 0624/21X	02.04.2021		po tački 3.1 priloga 13. Pravilnika
454	Fotometrijski analizator sumpornih gasova tip: 888 fab.br.: 883A192, 883A193	AMETEK Process Instruments, Delaware 455 Corporate Blvd. Newark, DE 19702, USA	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0625/21X	02.04.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 37 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
455	Sistem za detekciju gasa tip: ULTIMA X5000 (ULTIMA X5000 transmitter, ULTIMA X5000 razvodna kutija i ULTIMA XIR Plus senzor) fab.br.: 0001000001420063	MSA Safety Inc, 1000 Cranberry Woods Drive, Cranberry Township, PA 16066, USA	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0626/21X	02.04.2021		po tački 3.1 priloga 13. Pravilnika
456	Svojevredno bezbedan regulator protoka tip: EPV-6000-SS-01 fab.br.:	Pepperl & Fuchs GmbH, Lilienthalstrasse 200, 68307 Mannheim, Nemačka	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0628/21X	02.04.2021		po tački 3.1 priloga 13. Pravilnika
457	Nepropaljivo kućište tip: GUB 3S AP MI fab.br.: 7720, 7721	OFFICINE MECCANICHE MAM, Via Vico Veneto, 32, I - 20090 Fizzonasco di Peve Emanuele (MI), ITALIJA	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0629/21X	02.04.2021		po tački 3.1 priloga 13. Pravilnika
458	Ex Prenosna baterijska lampa tip: AccuLux HL 10 Ex fab.br.:	Witte + Sutor GmbH, Steinberger Str.6, D-71540 Murrhardt, Nemačka	BEL ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0630/21	05.04.2021		po tački 3.1 priloga 13. Pravilnika
459	Priključna kutija, tip: 06121209 fab.br.:	Rose Systemtechnik GmbH, Erbeweg 13-15, 32457 Porta Westfalica, Nemačka	MERA d.o.o., Nikole Pašića 12, PC Mala Varoš II/39, 23000, Zrenjanin	IPSTP 0631/21	05.04.2021		po tački 3.1 priloga 13. Pravilnika
460	Samoregulišući grejni kabel tip: HTSX 6-2-OJ fab.br.: bez serijskog broja, dužina l = 780 m'	Thermon Inc, 100 Thermon Drive San Marcos, Texas 78666, USA	MERA d.o.o., P.C. Mala Varoš, Trg Nikole Pašića 12 II/39, 23000, Zrenjanin	IPSTP 0632/21	05.04.2021		po tački 3.1 priloga 13. Pravilnika
461	Samoregulišući grejni kabel tip: HTSX 3-2-OJ fab.br.: bez serijskog broja, dužina l = 270 m'	Thermon Inc, 100 Thermon Drive San Marcos, Texas 78666, USA	MERA d.o.o., P.C. Mala Varoš, Trg Nikole Pašića 12 II/39, 23000, Zrenjanin	IPSTP 0633/21	05.04.2021		po tački 3.1 priloga 13. Pravilnika
462	Sistem za kontrolu prodiranja i pritiska tip: 6000-DV-S2-UN-WS-AC fab.br.:	Pepperl & Fuchs AG, Lilienthalstrasse 200, 68307 Mannheim, Nemačka	PETROPROCESS SOLUTIONS d.o.o., Bulevar Cara Lazara 40, 21000, NOVI SAD	IPSTP 0627/21X	02.04.2021		po tački 3.1 priloga 13. Pravilnika
463	Grejni kabel tip: HPT 5-2-OJ fab.br.: bez serijskog broja, dužina l = 150 m'	Thermon Europe B.V., Boesemweg 25, 2461 KG Pijnacker, Holandija	MERA d.o.o., P.C. Mala Varoš, Trg Nikole Pašića 12 II/39, 23000, Zrenjanin	IPSTP 0634/21	05.04.2021		po tački 3.1 priloga 13. Pravilnika
464	Procesni displej model: RIA46-B1C1A fab.br.: S303F2043E1	Endress+Hauser, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0635/21	05.04.2021		po tački 3.1 priloga 13. Pravilnika
465	Transmitter pritiska Cerabar S tip: PMP71-1CA2S11GAAAA+P2 fab.br.: S20E600109C	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, 79689 Maulburg, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0636/21	05.04.2021		po tački 3.1 priloga 13. Pravilnika
466	Prekidač nivoa – Nivotester tip: FTW325-C2A1A fab.br.: S3008C010A2	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, 79689 Maulburg, NEMAČKA	"MERIS" d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0637/21X	05.04.2021		po tački 3.1 priloga 13. Pravilnika
467	Transmitter nivoa serije Liquiopint T tip: FTW31-D1A3CA0A fab.br.: S300AC0103E	Endress + Hauser GmbH., 79689 Maulburg, Hauptstr. 1, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0638/21	05.04.2021		po tački 3.1 priloga 13. Pravilnika
468	Nepropaljivo kućište transimera temperature tiip: XDA fab.br.: 0902003144	Yung Chan Metal Industry Co.Ltd, No 30 Keji 1st Road, Tainan Technology Industrial Park, Tainan City 709, Tajvan	"TERMOTEHNA Šušić" d.o.o., Potez jezdinsko polje 58, 32000, Čačak	IPSTP 0639/21U	05.04.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 38 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
469	Detektor plamena tip: 40/40LB-111SC fab.br.: 21SHYA0132594, 21SHYA0132587, 21SHYA0132598, 21SHYA0132597, 21SHYA0132591, 21SHYA0132585, 21SHYA0132588, 21SHYA0132593, 21SHYA0132595, 21SHYA0132590, 21SHYA0132589, 21SHYA0132599, 21SHYA0132592, 21SHYA0132596, 21SHYA0132586.	SPECTREX Ltd., 218 Little Falls Road , Cedar Grove, NJ 07009, USA	"Dräger Tehnika" d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0644/21X	06.04.2021		po tački 3.1 priloga 13. Pravilnika
470	Transmitter rosišta tip: EASYDEW I.S.Dew Point Transmitter fab.br.: 0ED0-058	Michell Instruments Ltd, 48 Lancaster Way Business Park, Ely, Cambridgeshire, CB6 3NW, UK	"UNICOM " d.o.o., Borivoja Stevanovića 25, 11000, Beograd	IPSTP 0645/21X	06.04.2021		po tački 3.1 priloga 13. Pravilnika
471	Ex Otporni termometar tip:LEX25 2xS fab.br.: 210111-01, 210111-02	Thermo-Electra B.V., Weteringweg 10, 2641 KM Pijnacker, Holandija	MSK a.d., Bečejski put 3, 23300, Kikinda	IPSTP 0646/21X	06.04.2021		po tački 3.1 priloga 13. Pravilnika
472	Ex KABLOVSKA UVODNICA tip: V-TEC Ex M25 SW fab.br.:	OBO BETTERMANN, D-58710 Menden, Nemačka	"OBO BETTERMANN " d.o.o., Evropska 2, 22300, Stara Pazova	IPSTP 0647/21X	06.04.2021		po tački 3.1 priloga 13. Pravilnika
473	Ex KABLOVSKA UVODNICA tip: V-TEC Ex M20 SW fab.br.:	OBO BETTERMANN, D-58710 Menden, Nemačka	"OBO BETTERMANN " d.o.o., Evropska 2, 22300, Stara Pazova	IPSTP 0648/21X	06.04.2021		po tački 3.1 priloga 13. Pravilnika
474	Digitalni pozicioner serije SVI™ II AP tip: SVI2-21113121 fab.br.: C5204306061, C320494677	Dresser LLC, 12970 Normandy Blvd, Jacksonville, FL 32221, USA	"ATS Ventili" d.o.o., Zmaj Jovina 5/9, 26000, Pančevo	IPSTP 0649/21X	06.04.2021		po tački 3.1 priloga 13. Pravilnika
475	MI Grejač tip: B/HIQ1M1000/16.0 M/470/87V/1.2MS33A/LW/NPM25/EX fab.br.: 21120100825, dužina 16 m'	Pentair Thermal Management Belgium NV- Raychem, Research Park Haasrode, - Zone 2 , Romeinse Straat 14, B-3001 Leuven, Belgija	"Keying" d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 0650/21X	07.04.2021		po tački 3.1 priloga 13. Pravilnika
476	MI Grejač tip: B/HIQ1M1000/5,5.0 M/163/30V/1.2MS33A/LW/NPM25/EX fab.br.: 211201000824, dužina 5,5 m'	Pentair Thermal Management Belgium NV- Raychem, Research Park Haasrode, - Zone 2 , Romeinse Straat 14, B-3001 Leuven, Belgija	"Keying" d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 0651/21X	08.04.2021		po tački 3.1 priloga 13. Pravilnika
477	Ex Grejač ulja tip: OE212200-000 fab.br.:	HOTSTART Inc., 5723 E. Alki, Spokane, WA 99212, USA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0652/21	07.04.2021		po tački 3.1 priloga 13. Pravilnika
478	Elektromotor tip: 4KTC 90 S-6 fab.br.: 202192513, 202192515	BARTEC VARNOST, Cesta 9. Avgusta 59, 1410 Zagorje ob Savi, SLOVENIJA	SYSTEMAIR d.o.o., Bulevar Zorana Đinđića 95/I/2, 11070, Novi Beograd	IPSTP 0653/21X	07.04.2021		po tački 3.1 priloga 13. Pravilnika
479	Razvodna kutija tip: XD-JB85 fab.br.: ZP/20/2455/002 21	LIMATHERM S.A., ul.Tarnowska 1, 34-600 Limanowa, Poljska	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 0654/21U	08.04.2021		po tački 3.1 priloga 13. Pravilnika
480	Senzor detektora gasa tip: NET224CDSNP17SH fab.br.: D02164/21 D02165/20, D02166/20, D02168/20	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 0655/21U	08.04.2021		po tački 3.1 priloga 13. Pravilnika
481	Detektor gasa SMART 3G tip: ST / L / E3 / S2 fab.br.: N.D02164; N.D02165; N.D02166; N.D02168;	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 0656/21X	08.04.2021		po tački 3.1 priloga 13. Pravilnika
482	Kablovska uvodnica tip: KIT.RAD25.I25.EP.ON fab.br.:	RCN s.r.l., Regione Torame, Via Crevacuore I-13011 BORGOSIESA (VC), Italija	EVOKS d.o.o., Ustanička 189/II/3A, 11050, Beograd	IPSTP 0657/21X	08.04.2021		po tački 3.1 priloga 13. Pravilnika



REGISTAR

**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 39 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	POD NOSILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
483	Kablovski čep tip: B-TS2MBNC fab.br.:	Bimed Teknik Aletler Sanayi Ve Ticaret A.S., S.S. Bakir ve Pirinc Sanayi Sitesi, Caddesi No: 16, TR-34524 Beylikdüzü - Istabil, Turska	EVOKS d.o.o., Ustanička 189/II/3A, 11050, Beograd	IPSTP 0658/21X	08.04.2021		po tački 3.1 priloga 13. Pravilnika
484	Radarski merač nivoa SITRANS LR250 tip: 7ML54310GA201BG0-Z fab.br.: N1N3198302391, N1N3198302392	Siemens Canada Ltd. – Miltronics Process Instruments, 1954 Technology Drive, Peterborough, Ontario, K9J 6X7, Kanada	"SIEMENS" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 0659/21X	08.04.2021		po tački 3.1 priloga 13. Pravilnika
485	Analogna ulazna izolovana Ex barijera tip: KFD2-STC5-Ex1 fab.br.: 40000104754412, 40000104754059, 40000104983076, 40000104983195, 40000104754027 40000100196531, 40000107543604, 40000107544531, 40000107543530, 40000104754283	Pepperl + Fuchs GmbH, Lillienthalstrasse 200 , 68307 Mannheim, Nemačka	"Momentum" d.o.o., Fruškogorska 55, 22000, Sremska Mitrovica	IPSTP 0660/21X	09.04.2021		po tački 3.1 priloga 13. Pravilnika
486	Prenosni gas detektor tip: PS211 (LEL) fab.br.: od 386075 do 386089	GMI Gas Measurement Instruments Ltd., Inchinnan Business Park, Renfrew, PA4 9RG, Scotland, UK	"PACIFIC LINK" d.o.o., Španskih boraca 40/1, 11070, NOVI BEOGRAD	IPSTP 0667/21	12.04.2021		po tački 3.1 priloga 13. Pravilnika
487	Ex elektronska vaga tip: SIWXSBBP-3-6-H fab.br.: 34603086	Sartorius Industrial Scales GmbH & Co.KG, Leinetal 2, 37120 Bovenden, Nemačka	" VAGA-LIBELA " d.o.o., Jug Bogdanova 50, 36000, Kraljevo	IPSTP 0669/21X	12.04.2021		po tački 3.1 priloga 13. Pravilnika
488	Ex napajanje vage model: YPSC01-X fab.br.: 34666357	Sartorius Industrial Scales GmbH&Co.KG, Leinetal 2, 37120 Bovenden, Nemačka	" VAGA-LIBELA " d.o.o., Jug Bogdanova 50, 36000, Kraljevo	IPSTP 0670/21	12.04.2021		po tački 3.1 priloga 13. Pravilnika
489	Ex Zidna svetiljka tip: 0403.24/10 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0671/21X	12.04.2021		po tački 3.1 priloga 13. Pravilnika
490	Ex Zidna svetiljka tip: 0403.24/LED fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0672/21	12.04.2021		po tački 3.1 priloga 13. Pravilnika
491	Ex sigurnosna led svetiljka tip: FLXE 118 LED 3 2 / . fab.br.:	TEP-Ex d.o.o., Medarska 69, Zagreb, Hrvatska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0673/21	12.04.2021		po tački 3.1 priloga 13. Pravilnika
492	LED Svetiljka viseća tip: PLFS-N 100 LED-3/3 fab.br.:	TEP-Ex d.o.o., Medarska 69, Zagreb, Hrvatska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0674/21	12.04.2021		po tački 3.1 priloga 13. Pravilnika
493	Svetiljka fluo tip: PSF 236 fab.br.:	TEP-Ex, Medarska 69, 10090 Zagreb, Hrvatska	„BEL-ELEKTRO“ d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0675/21	12.04.2021		po tački 3.1 priloga 13. Pravilnika
494	Ex razvodna kutija tip: RK 01/516 fab.br.:	TEP Ex, Medarska 69, Zagreb, Hrvatska	"BEL-ELEKTRO " d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0676/21X	12.04.2021		po tački 3.1 priloga 13. Pravilnika
495	Sklopka upravljačka tip: SKX 14/MSRU-1311.166 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 0677/21X	12.04.2021		po tački 3.1 priloga 13. Pravilnika
496	Upravljačka kombinacija tip: SKX 17/SRU fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0678/21X	12.04.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 40 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
497	Detektor plamena tip: 40/40LB-111SC fab.br.: 21SHYA0132584, 21SHYA0132582, 21SHYA0132579, 21SHYA0132577, 21SHYA0132571, 21SHYA0132580, 21SHYA0132581, 21SHYA0132574, 21SHYA0132570, 21SHYA0132576, 21SHYA0132572, 21SHYA0132573, 21SHYA0132575, 21SHYA0132578, 21SHYA0132583.	SPECTREX Ltd., 218 Little Falls Road, Cedar Grove, NJ 07009, USA	"Dräger Tehnika" d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0679/21X	12.04.2021		po tački 3.1 priloga 13. Pravilnika
498	Elektromotor tip: 0E071B2Q2305P4U fab.br.: 18042618012, 1804261810	ORANGE1 Electric Motors, Via Mantova 93, 43122 PARMA, ITALIJA	SYSTEMAIR d.o.o., Bulevar Zorana Đinđića 95 I/2, 11070 Novi Beograd, Beograd	IPSTP 0680/21X	13.04.2021		po tački 3.1 priloga 13. Pravilnika
499	Aksijalni ventilator u EX izvedbi tip: EX 140A-2 fab.br.: 135276/1005944816-032/20210323, 135276/1005944816-027/20210323	SYSTEMAIR SVERIGE AB, Industriv 3, SE 739 30, Skinnkatteberg, ŠVEDSKA	"SYSTEMAIR" d.o.o., Bulevar Zorana Đinđića 95 I/2, 11070 Novi Beograd, Beograd	IPSTP 0681/21X	13.04.2021		po tački 3.1 priloga 13. Pravilnika
500	Kontrolni uređaj – nivotester tip: FTC325-C1A11 fab.br.: S20039010A1, S20037010A1, S20038010A1	Endress+Hauser GmbH+Co. KG, Hauptstrasse 1, Maulburg, Nemačka	MERIS d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0682/21	14.04.2021		po tački 3.1 priloga 13. Pravilnika
501	Merilo protoka Prosonic Flow B tip: 9B2B1F-BJCCA2D211 fab.br.: S218E602000	Endress+Hauser Flowtec AG, Kagenstrasse 7, 4153 Reinach BL 1, Švajcarska	„MERIS“ d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0683/21	14.04.2021		po tački 3.1 priloga 13. Pravilnika
502	Transmiter pritiska Cerabar M tip: PMC51-BA22IA1CGJGCJL fab.br.: S207C901128, S207C801128	Endress+Hauser GmbH+Co. KG, Hauptstrasse 1, 79689 Maulburg, NEMAČKA	„MERIS“ d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0684/21	14.04.2021		po tački 3.1 priloga 13. Pravilnika
503	Ultrazvučni transmiter nivoa PROSONIC M tip: FMU41-1RB2A2 fab.br.: S2024A0109A	Endress+Hauser SE+Co. KG, Hauptstrasse 1, 79689 Maulburg, Nemačka	„MERIS“ d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0685/21X	14.04.2021		po tački 3.1 priloga 13. Pravilnika
504	Sonda za merenje nivoa Liquicap M tip: FTI51-H1A1TJJ73A1A fab.br.: S20136010F9, S20138010F9, S20137010F9	Endress & Hauser GmbH, Hauptstr. 1, 79689 Maulburg, Nemačka	MERIS d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0686/21X	14.04.2021		po tački 3.1 priloga 13. Pravilnika
505	Radarsko merilo nivoa Micropilot tip: FMR53-BBACAACBCFJ fab.br.: S2001D01136	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, Maulburg, Nemačka	"MERIS"d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0687/21X	14.04.2021		po tački 3.1 priloga 13. Pravilnika
506	Prekidač nivoa – Nivotester tip: FTW325-C2A1A fab.br.: S20468010A2, S20467010A2	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, 79689 Maulburg, NEMAČKA	"MERIS" d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0689/21X	14.04.2021		po tački 3.1 priloga 13. Pravilnika
507	Ex barijera tip: 9170/11-12-11 C2304 fab.br.: 1024792000103086, 1027492000103087, 1024792000103088, 1027492000103089, 1024792000103090, 1027492000103091, 1024792000103092, 1027492000103093, 1024792000103094, 1027492000103095, 1024792000103096, 1027492000103097, 1027492000103098, 1027492000103099	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0690/21X	14.04.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 41 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
508	LF impulsni davač tip: IN-S11 fab.br.: 77114152, 77114153, 83055179, 80140005, 80140055	Elster GmbH, Steinern Strasse 19-21, 55252 Mainz –Kastel, Nemačka	"KONVEX-GASNA I VODO TEHNIKA" d.o.o., Batajnički Drum 299, sprat 1, 11080 Zemun, Beograd	IPSTP 0692/21	14.04.2021		po tački 3.1 priloga 13. Pravilnika
509	Razvodna kutija tip: 07-5101-1221/2090 fab.br.: SI 036060/18, SI 036062/18, SI 036063/18, SI 036064/18, SI 036065/18, SI 036066/18, SI 036067/18, SI 036071/18, SI 036072/18, SI 036073/18, SI 036061/18, SI 036068/18, SI 036069/18, SI 036070/18, SI 036074/18, SI 036075/18, SI 036076/18, SI 036077/18, SI 036078/18, SI 036079/18,	BARTEC VARNOST, Cesta 9, Avgusta 59, SL-1410 Zagorje ob Savi, Slovenija	„INTELUS“ d.o.o., Pigova 4/28, 32000, Čačak	IPSTP 0693/21X	15.04.2021		po tački 3.1 priloga 13. Pravilnika
510	Pretvarač frekvencije tip: KFU8-UFC-Ex1D fab.br.: 40000110357092	Pepperl + Fuchs GmbH, Lillienthalstrasse 200 , 68307 Mannheim, Nemačka	"KONVEX ELECTRIC" d.o.o., Autoput za Novi Sad 110 B, 11080, BEOGRAD - ZEMUN	IPSTP 0694/21	15.04.2021		po tački 3.1 priloga 13. Pravilnika
511	Transmiter diferencijalnog pritiska tip: DPT-10-AF-R1BHT fab.br.: 46132673; 46132674; 46132669; 4613270; 46132666; 46132667; 46132668; 46132671; 46132672.	WIKA Alexander Wiegand SE&Co. KG, Alexander-Wiegand-Strasse 30, 63911 Klingenberg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0695/21X	16.04.2021		po tački 3.1 priloga 13. Pravilnika
512	Kontrolni modul tip: SI4-SR fab.br.: RS580701/02, RS580702/02, RS580701/01, RS580701/06, RS580701/03, RS580701/04, RS580701/05, RS580702/01.	Rotork (UK) Ltd., 9 Brown Lane West, UK	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 0704/21X	16.04.2021		po tački 3.1 priloga 13. Pravilnika
513	Električni aktuator tip: IQM12 fab.br.: M2122002 01; M2122002 02; M2122001 01; M2122001 02; M2122001 03; M2122001 04;	Rotork Controls Limited, Brassmil Lane, Bath, BA1 3JQ, UK	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 0705/21X	16.04.2021		po tački 3.1 priloga 13. Pravilnika
514	Radarski merač nivoa serije 5300 tip: 5301HS1P1N4AM00147BCE1Q8 fab.br.: 541837; 541835; ostali brojevi nisu čitljivi	Rosemount Tank Radar AB, Layoutvägen 1, 43533 Mölnlycke, Švedska	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 0706/21X	16.04.2021		po tački 3.1 priloga 13. Pravilnika
515	Zidna svetiljka tip:0403.24/10 fab.br.:	"TEP Ex" d.o.o., Medarska 69 , 10090 Zagreb, Hrvatska	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 0713/21X	19.04.2021		po tački 3.1 priloga 13. Pravilnika
516	Elektronski termostat tip: ETS-05-L2-EP fab.br.: 2119 327, 2119 322, 2119 325, 1119 314, 2119 329, 3620 023, 3620 009, 2119 331, nije čitljiv.	Pentair Thermal Management Belgium NV- Raychem, B-3001 Leuven, Belgija	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0696/21	16.04.2021		po tački 3.1 priloga 13. Pravilnika



REGISTAR

**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 42 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
517	Priključna kutija (za sisteme za prateće grejanje Raychem serija BTV, QTVR, XTV, KTV i VPL) tip: JBS-100-EP fab.br.:	Raychem / nVent Thermal Controls LLC, 307 Constitution Drive , CA 94025 Menio Park, USA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0697/21U	16.04.2021		po tački 3.1 priloga 13. Pravilnika
518	Ex priključna kutija tip: S-TB-T fab.br.: MAF5532-19; MAF5533-19; MAF5534-19; MAF5536-19; MAF5535-19; MAF5538-19; MAF5530-19; MAF5527-19; MAF5525-19; MAF5526-19; MAF5528-19; MAF5529-19; MAF5531-19; MAF5537-19; nije čitljiv.	Cooper Crouse-Hinds GmbH, Neuer Weg-Nord 49, 69412 Eberbach, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0698/21X	16.04.2021		po tački 3.1 priloga 13. Pravilnika
519	Samoregulacioni grejni kabel tip: 20QTVR2-CT fab.br.: bez serijskog broja, l = 258 m'	Tyco Thermal Controls LLC, 2415 Bay Road, Redwood City, California 94063, USA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0699/21X	16.04.2021		po tački 3.1 priloga 13. Pravilnika
520	Samoregulacioni grejni kabel tip: 5BTV2-CT fab.br.: bez serijskog broja, l = 270 m'	Penthair Thermal Management LLC, 2415 Bay Road, Redwood City, California 94063, USA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0700/21X	16.04.2021		po tački 3.1 priloga 13. Pravilnika
521	Elektromotor ventilatora tip: 0F063B4Q2305P4U fab.br.: 19024974003; nije čitljiv;	ORANGE1 Electric Motors, Via Mantova 93 ,43122 PARMA, ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 0701/21X	16.04.2021		po tački 3.1 priloga 13. Pravilnika
522	Centifugalni ventilator u EX izvedbi tip: EX 140A-4C fab.br.: 135275-055 ; 135275-058.	SYSTEMAIR SVERIGE AB, Industriv 3, SE 739 30, Skinnskatteberg, ŠVEDSKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 0702/21X	16.04.2021		po tački 3.1 priloga 13. Pravilnika
523	Centrifugalni ventilator u EX izvedbi tip: RVK-EX 315D4 fab.br.: 11703, nije čitljiv ;	SYSTEMAIR GmbH, Seehöfer Strasse 45, 97944 Boxberg, NEMAČKA	" Infrastructure Development and Construction " d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 0703/21X	16.04.2021		po tački 3.1 priloga 13. Pravilnika
524	Elektromotor tip: E7 AT 180 M-4E/T4 fab.br.: 966016 , 966017	KONČAR-MES d.d., Fallerovo šetaliste 22 ,10 000 Zagreb, Hrvatska	"ELEKTRON" d.o.o., Novosadski put 156, 21000, Novi Sad	IPSTP 0707/21X	19.04.2021		po tački 3.1 priloga 13. Pravilnika
525	KAPACITIVNI SENZOR NAMUR tip: KI5030 fab.br.:	IFM ELECTRONIC GMBH, Friedrichstraße 1, 45128 Essen, Nemačka	"Agrokons" d.o.o., Glavna 109, 24321, Mali Idoš	IPSTP 0712/21	19.04.2021		po tački 3.1 priloga 13. Pravilnika
526	Transmitter radarskog merila nivoa model: 5408A1SHA2E17R3DBSAA3Q4 fab.br.: 21GORH0022438	Rosemount Tank Radar AB, Layoutvägen 1, Molnlycke 43533, Švedska	IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0715/21X	19.04.2021		po tački 3.1 priloga 13. Pravilnika
527	Digitalni kontroler nivoa tip: DLC3100 fab.br.: F002982161	FISHER CONTROLS International LLC., 205 South Center St, Marshalltown , Iowa 50158, USA	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0716/21X	19.04.2021		po tački 3.1 priloga 13. Pravilnika
528	Multivarijabilni transmitter pritiska tip: 3051SMV3M12G3R2E11A1BC2211M5Q4 fab.br.: 21WEFF1505070. 21WEFF1505071. 21WEFF1505068	Rosemount Inc, 8200 Market Boulevard, Chanhassen, Minnesota 55317, USA	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 0717/21X	19.04.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 43 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
529	Elektromagnetni ventil tip: EMMXX fab.br.: ZP21071952	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	N TRADE d.o.o., Izvorska 54, 11000, Beograd	IPSTP 0732/21X	21.04.2021		po tački 3.1 priloga 13. Pravilnika
530	Elektromotor tip: RL71A 4 (RL0012) fab.br.: 78996, 76851	RAEL srl, Via Sper Retorto 7/1, I-15077 Predosa, Italija	"AIRCO " d.o.o., Milovana Glišića br.7, lokal br.2, 21000, NOVI SAD	IPSTP 0733/21X	21.04.2021		po tački 3.1 priloga 13. Pravilnika
531	Transmitter pritiska tip: EJX430A-JAS5G-919N/KS21/D3/M01/T01/N4 fab.br.: 91X322068	Yokogawa Electric Corporation, 2-9-32 Naka-cho, Musashino-shi Tokyo 180-8750, Japan	„Ogranak Yokogawa Europe Branches Beograd “ d.o.o., Đorđa Stanojevića 12, 11070 Novi Beograd, Beograd	IPSTP 0734/21X	21.04.2021		po tački 3.1 priloga 13. Pravilnika
532	Ex Elektromotor tip: 2/8 A05/505 ex fab.br.: 25210134015030 (4 komada); 7101320 (1 komad)	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0742/21X	21.04.2021		po tački 3.1 priloga 13. Pravilnika
533	Ex Elektromotor tip: 2/12 A4/512 ex fab.br.: 7101320	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0751/21X	21.04.2021		po tački 3.1 priloga 13. Pravilnika
534	Mikroprekidač tip: F13C21354003 (F13C2.1354.11ZZZZ079DZSZZZZZ.#Z+) fab.br.: 571 072 0	Tecsis GmbH, 63073 Offenbach, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0752/21X	21.04.2021		po tački 3.1 priloga 13. Pravilnika
535	Priključna kutija tip: 8146/1S71 fab.br.: 252 10-134015 040	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0753/21	21.04.2021		po tački 3.1 priloga 13. Pravilnika
536	Granični prekidač tip: GE-SG 125.02 ex fab.br.: 7101320;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0754/21	21.04.2021		po tački 3.1 priloga 13. Pravilnika
537	Ex Sigurnosni prekidač (grebenasta sklopka) tip: GHG 262 2301 R0002 fab.br.:	Cooper Crouse-Hinds GmbH, Neuer Weg-Nord 49, 69412 Eberbach, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0755/21X	21.04.2021		po tački 3.1 priloga 13. Pravilnika
538	Ex Upravljačka jedinica (viseća) tip: SWH 5302-063 ex fab.br.: 7101320	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0743/21	21.04.2021		po tački 3.1 priloga 13. Pravilnika
539	Ex Pozicioner tip: 8070/2-3-D-U fab.br.:	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0744/21X	21.04.2021		po tački 3.1 priloga 13. Pravilnika
540	Razvodni orman tip: GK-323 c ex IIC fab.br.: 9010845 ;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0745/21	21.04.2021		po tački 3.1 priloga 13. Pravilnika
541	Priključna kutija tip: AK-323 c ex fab.br.: 9010847;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0746/21	21.04.2021		po tački 3.1 priloga 13. Pravilnika
542	Razvodni orman tip: GK-324 c ex IIC fab.br.: 9010846	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0747/21	21.04.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 44 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
543	Priključna kutija tip: AK-324 c ex fab.br.: 9010849	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0748/21	21.04.2021		po tački 3.1 priloga 13. Pravilnika
544	Razvodni orman tip: GK-326 c ex IIC fab.br.: 9010777;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0749/21	21.04.2021		po tački 3.1 priloga 13. Pravilnika
545	Priključna kutija tip: AK-366 c ex fab.br.: 9010780;	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	PIONIRGAS d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 0750/21	21.04.2021		po tački 3.1 priloga 13. Pravilnika
546	Magnetni beskontaktni prekidač tip: CM2-Ex fab.br.: 902104-Ex	IDEM Safety Switches Limited, Unit E9, Moss Industrial Estate, Leigh, Lancashire, WN7 3PT, UK	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0761/21X	22.04.2021		po tački 3.1 priloga 13. Pravilnika
547	Razvodna kutija tip: EAB fab.br.:	Cooper Crouse-Hinds, Wolf and 7th North Street, Syracuse, New York, 13221, USA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0770/21	23.04.2021		po tački 3.1 priloga 13. Pravilnika
548	Isparivački ventil tip: KEV fab.br.:	SWAGELOK LIMITED, Tromode, Isle of Man, IM4 4HT, UK	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0771/21X	23.04.2021		po tački 3.1 priloga 13. Pravilnika
549	Ex Termostat tip: TS10 fab.br.: 19-20930; 19-20918; 19-20928; 19-20931; 19-20913; 19-20920; 19-20923; 19-20925; 19-20926.	Intertec-Hess GmbH, Raffineriestrasse 8, 93333 Neustadt/Donau, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0772/21X	23.04.2021		po tački 3.1 priloga 13. Pravilnika
550	Okretni aktuator tip: Ex Max-15-SF fab.br.:	Schischek Explosionsschutz GmbH, 90579 Langenzenn, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0773/21X	23.04.2021		po tački 3.1 priloga 13. Pravilnika
551	Ex Razvodni orman tip: EJB-4B fab.br.: 19/11497 (kom.2)	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0774/21X	23.04.2021		po tački 3.1 priloga 13. Pravilnika
552	Ex Kućište tip: EJB-01 fab.br.: 19/11483 (kom.5)	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0762/21	22.04.2021		po tački 3.1 priloga 13. Pravilnika
553	Transmitter pritiska tip: 3051TA1A2B21JB4E8M4DOT1Q4Y2Q15 fab.br.: 0530098, 0530095, - ,	ROSEMOUNT Inc., 8200 Market Boulevard, Chanhassen, Minnesota 55317, USA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0763/21X	22.04.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 45 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
554	Elektromotor tip: 0E071B2Q2305P4U fab.br.: 19021627004	ELPROMTECH S.r.l., Via Mantova 93, 43122 PARMA, ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0764/21X	22.04.2021		po tački 3.1 priloga 13. Pravilnika
555	Transmiter pritiska tip: 3051TG4A2B21JB4E8M4DOT1Q4S5Y2Q15 fab.br.: 0530099, 0530104, -, -	ROSEMOUNT Inc., 8200 Market Boulevard, Chanhassen, Minnesota 55317, USA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0765/21X	22.04.2021		po tački 3.1 priloga 13. Pravilnika
556	Elektromotor tip: 0E063B4Q2305P4U fab.br.: 18042617001, 18042617039, -, -	ELPROMTECH S.r.l., Via Mantova 93, 43122 PARMA, ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0766/21X	22.04.2021		po tački 3.1 priloga 13. Pravilnika
557	Termopar (Pt-100 sonda) tip: TR10-L fab.br.: 110D55ZP, 110D55ZM, 110D55ZO, 110D55ZN	WIKA Instruments Ltd, 3103 Parsons Road, Edmonton, AB T6N 1C8, Kanada	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0767/21X	22.04.2021		po tački 3.1 priloga 13. Pravilnika
558	Upravljačka kombinacija (zeleni taster) tip: KGV01Z fab.br.:	ZAVOD GORELTEX Co. Ltd., Saint-Petersburg, Revolutsii road, 18, lit. A, Rusija	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0768/21U	22.04.2021		po tački 3.1 priloga 13. Pravilnika
559	Upravljačka kombinacija (taster crveni) tip: KGV01K fab.br.:	ZAVOD GORELTEX Co. Ltd., Saint-Petersburg, Revolutsii road, 18, lit. A, Rusija	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0769/21U	22.04.2021		po tački 3.1 priloga 13. Pravilnika
560	Ex Fluo svetiljka tip: PSF 258 fab.br.:	TEP-Ex d.o.o., Medarska 69, Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0777/21	26.04.2021		po tački 3.1 priloga 13. Pravilnika
561	Ex Priključna kutija tip: SKX 161/E fab.br.:	TEP Ex d.o.o., Medarska 69 , 10090 Zagreb, HRVATSKA	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0778/21	26.04.2021		po tački 3.1 priloga 13. Pravilnika
562	Ex Razodni orman tip: SKX 604016-2/2x120 fab.br.:	TEP Ex d.o.o., Medarska 69 , 10090 Zagreb, HRVATSKA	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0779/21	26.04.2021		po tački 3.1 priloga 13. Pravilnika
563	Upravljačka kombinacija tip: SKX 17/SRU fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0780/21X	26.04.2021		po tački 3.1 priloga 13. Pravilnika
564	Ex sigurnosna led svetiljka tip: FLXE 118 LED-N 2 / , fab.br.:	TEP-Ex d.o.o., Medarska 69, Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0781/21	26.04.2021		po tački 3.1 priloga 13. Pravilnika
565	Upravljačka kombinacija tip: SKX 12/34 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 0782/21X	26.04.2021		po tački 3.1 priloga 13. Pravilnika
566	Ex Zidna svetiljka tip: 0403.24/10 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0783/21X	26.04.2021		po tački 3.1 priloga 13. Pravilnika
567	Ex Elektromotor tip: AC70r 112M 6 fab.br.: n2100007685y21 ; n2100007686y21	CEMP S.r.l., Via Piemonte, 16, 20030 Senago MI, ITALIJA	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, ČAČAK	IPSTP 0784/21X	26.04.2021		po tački 3.1 priloga 13. Pravilnika
568	Ex Elektromotor tip: AD30 71B 4 fab.br.: n2100008822y21	CEMP S.r.l., Via Piemonte, 16, 20030 Senago MI, ITALIJA	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32 000, ČAČAK	IPSTP 0785/21X	26.04.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 46 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
569	Ex Baterijski blok tip: BSMVA1 fab.br.: 250710/2020	EXCEN S.r.l., Via Marcora 61/69 20097 S.Donato Milanese (MI), Italija	"SGS Beograd" d.o.o., Jurija Gagarina 7b, 11070, Beograd	IPSTP 0786/21X	26.04.2021		po tački 3.1 priloga 13. Pravilnika
570	Ex HART – transparentni repeater tip:ACT20X-HAI-SAO-S fab.br.: 201316136	WEIDMULLER Interface GmbH, Klingenbergstrasse 16, 32758 Detmold, Nemačka	"SGS Beograd" d.o.o., Jurija Gagarina 7b, 11070, Novi Beograd	IPSTP 0795/21X	27.04.2021		po tački 3.1 priloga 13. Pravilnika
571	Elektromagnetni ventil tip: EMXX fab.br.: ZP20094452	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"SGS Beograd" d.o.o., Jurija Gagarina 7b, 11070, Beograd	IPSTP 0822/21X	29.04.2021		po tački 3.1 priloga 13. Pravilnika
572	Elektromagnetni ventil tip: MXX fab.br.: ZP20097175	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"SGS Beograd" d.o.o., Jurija Gagarina 7b, 11070, Beograd	IPSTP 0823/21X	29.04.2021		po tački 3.1 priloga 13. Pravilnika
573	Ex Konektor serije Falcon tip: TX3706.1.20.01.04.01.25.20 fab.br.: 5952834	Trox Ltd., Newby Road, Hazel Grove, Stockport, Cheshire, SK7 5OY, UK	"SGS Beograd" d.o.o., Jurija Gagarina 7b, 11070, Beograd	IPSTP 0787/21X	26.04.2021		po tački 3.1 priloga 13. Pravilnika
574	Ex Merna ćelija tip: LC1 HBM K-SP4M-N-C3MR3-30-1+21-3-N fab.br.: 80000071240 000020	Hottinger Baldwin Messtechnik GmbH, Im Tiefen See 45, 64923 Darmstadt, Nemačka	"SGS Beograd" d.o.o., Jurija Gagarina 7b, 11070, Beograd	IPSTP 0788/21X	26.04.2021		po tački 3.1 priloga 13. Pravilnika
575	Elektromagnetni ventil tip: EMXX fab.br.: ZP20090848	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"SGS Beograd" d.o.o., Jurija Gagarina 7b, 11070, Beograd	IPSTP 0789/21X	26.04.2021		po tački 3.1 priloga 13. Pravilnika
576	Transmiter pritiska tip: MBS 4251-3431-DCGB04 fab.br.: 35025420	Danfoss A/S, DK-6430 Nordborg, Danska	"SGS Beograd" d.o.o., Jurija Gagarina 7b, 11070, Beograd	IPSTP 0790/21X	26.04.2021		po tački 3.1 priloga 13. Pravilnika
577	Svojstveno bezbedni multiffunkcionalni industrijski Smartphone tip: IS-530.1 fab.br.: 5301.1953.0208	i.safe MOBILE GmbH, iPark Tauberfranken 10, 97922 Lauda-Koebingshofen, Nemačka	"SGS Beograd" d.o.o., Jurija Gagarina 7b, 11070, Beograd	IPSTP 0791/21X	27.04.2021		po tački 3.1 priloga 13. Pravilnika
578	Ex Aluminijsko nepropaljivo prazno kućište sa poklopcem tip: EJB 130 fab.br.: 2020 68127842-001	Cooper Crouse-Hinds, Avda, Santa Eulalia 290, EB-08233 Terrassa, Španija	"SGS Beograd" d.o.o., Jurija Gagarina 7b, 11070, Beograd	IPSTP 0792/21U	27.04.2021		po tački 3.1 priloga 13. Pravilnika
579	ZENER barijera tip: Z763 fab.br.: 9340029, 9340025.	PEPPERL+FUCHS GmbH, Lillienthalstrasse 200 , 68307 Mannheim, Nemačka	"SGS Beograd" d.o.o., Jurija Gagarina 7b, 11070, Beograd	IPSTP 0793/21	27.04.2021		po tački 3.1 priloga 13. Pravilnika
580	ZENER barijera tip: Z764 fab.br.: 9340603 9340611, 9340668, 9340666.	PEPPERL+FUCHS GmbH, Lillienthalstrasse 200 , 68307 Mannheim, Nemačka	"SGS Beograd" d.o.o., Jurija Gagarina 7b, 11070, Beograd	IPSTP 0794/21	27.04.2021		po tački 3.1 priloga 13. Pravilnika
581	Ex Analogni temperaturni pretvarač signala tip: MACX MCR-EX-T-UI-UP fab.br.: 1364709127, 1364709146	Phoenix Contact GmbH, Flachmarktstr. 8, 32825 Blomberg, Nemačka	"KONVEX ELECTRIC" d.o.o., Autoput za Novi Sad 110 B, 11080 Zemun, Beograd	IPSTP 0796/21X	27.04.2021		po tački 3.1 priloga 13. Pravilnika
582	Transmiter temperature SITRANS TS 500 tip: 7MC7512-1JA05-1HA2-Z E03+T30+Y01 fab.br.: N1N22262826	Siemens AG, 76181 Karlsruhe, NEMAČKA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 0798/21X	27.04.2021		po tački 3.1 priloga 13. Pravilnika
583	Vibro viljuška SITRANS LVL200 7ML5748-2DA02-3BA0 tip: LVL200E.DANBVTURX fab.br.: 51822107	Siemens Canada Limited PD PA PI LW, 1954 Technology Drive P.O. Box 4225, Peterborough , ON, K9J 7B1, KANADA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, BEOGRAD	IPSTP 0799/21X	27.04.2021		po tački 3.1 priloga 13. Pravilnika



REGISTAR

**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 47 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
584	Elektromotor tip: 4KTC 63 B-4 fab.br.: 202087473	BARTEC VARNOST, Cesta 9. Avgusta 59, 1410 Zagorje ob Savi, SLOVENIJA	SYSTEMAIR d.o.o., Bulevar Zorana Đinđića 95/I/2, 11070 Novi Beograd, Beograd	IPSTP 0800/21X	28.04.2021		po tački 3.1 priloga 13. Pravilnika
585	Elektromotor tip: 4KTC 80 B-4 fab.br.: 201975954	BARTEC VARNOST, Cesta 9. Avgusta 59, 1410 Zagorje ob Savi, SLOVENIJA	SYSTEMAIR d.o.o., Bulevar Zorana Đinđića 95/I/2, 11070, Novi Beograd	IPSTP 0801/21X	28.04.2021		po tački 3.1 priloga 13. Pravilnika
586	Elektromotor ventilatora tip: MK 106-4DK.14.Y fab.br.: 32818519, 32771602	Ziehl-Abegg AG, Heinc-Ziehl-Straße, 74653 Kunzelsau, NEMAČKA	SYSTEMAIR d.o.o., Bul. Zorana Đinđića 95/I/2, 11070, Beograd	IPSTP 0802/21	28.04.2021		po tački 3.1 priloga 13. Pravilnika
587	Termopar (Pt-100 sonda) tip: TR10-L fab.br.: 110D55ZV; 110D55ZX; 110D55ZU; 110D55ZW	WIKA Instruments Ltd, 3103 Parsons Road, Edmonton, AB T6N 1C8, Kanada	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0811/21X	28.04.2021		po tački 3.1 priloga 13. Pravilnika
588	Priključna kutija (za sisteme za prateće grejanje Raychem serija BTV, QTVR, XTV, KTV i VPL) tip: JBS-100-EP fab.br.:	Raychem / nVent Thermal Controls LLC, 307 Constitution Drive , CA 94025 Menio Park, USA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0812/21U	28.04.2021		po tački 3.1 priloga 13. Pravilnika
589	Ex priključna kutija tip: S-TB-T fab.br.: MAF5532-19; MAF5533-19;	Cooper Crouse-Hinds GmbH, Neuer Weg-Nord 49, 69412 Eberbach, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0813/21X	28.04.2021		po tački 3.1 priloga 13. Pravilnika
590	Ex Prekidač sa razvodnom kutijom tip: Euroswitch JB-132-B fab.br.:	Longvale Limited, Lancaster Park, Needwood, Burton-upon-Trent, Staffordshire, DE13 9PD, UK	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0814/21X	29.04.2021		po tački 3.1 priloga 13. Pravilnika
591	Prekidač sa razvodnom kutijom tip: AS 42 fab.br.: 19/1834.2.5, 19/1834.2.16, 19/1834.2.68, 19/1834.2.62, 19/1834.2.26, 19/1834.2.49, 19/1834.2.24, 19/1834.2.22, 19/1834.2.17,	NUOVA ASP, Via De Gasperi, 26 I - 20090 Pantigliate(MI), Italija	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0815/21X	29.04.2021		po tački 3.1 priloga 13. Pravilnika
592	Elektronski korektor zapremine tip: ELCOR plus fab.br.: 2146100612 do 2146100626	Elgas s.r.o., Semtimska 211, 533 53 Pardubice, Češka Republika	"TO-NET" d.o.o., Sentandrejski put 44, 21000, Novi Sad	IPSTP 0810/21X	28.04.2021		po tački 3.1 priloga 13. Pravilnika
593	Multisenzorski detektor požara tip: FDOOT241-A9-Ex fab.br.: 59EC768	Siemens Switzerland Ltd., Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 0817/21X	29.04.2021		po tački 3.1 priloga 13. Pravilnika
594	RUČNA RADIO STANICA serije DP4400e (PMUE3682CAAEAA) tip: MDH56RDC9VA1AN fab.br.: 807TWP2180, 807TWP1084	Motorola Solutions Inc, 1700 Belle Meade Ct, Lawrenceville GA 30043-5854, SAD	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080 Zemun, BEOGRAD	IPSTP 0828/21	05.05.2021		po tački 3.1 priloga 13. Pravilnika
595	Razvodna kutija detektora gasa tip: S47k fab.br.: 10/19-31635, 09/19-31409, 10/19-31774, 10/19-31637, 09/19-31422, 09/19-31428, 09/19-31424, 09/19-31416, 08/19-31079, 08/19-31078, 05/19-29745, 08/19-31077	MSA AUER GmbH, Thiemannstrasse 1, 12059 Berlin, Nemačka	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, Beograd	IPSTP 0829/21X	05.05.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 48 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
596	Detektor gasa (senzor) tip: 47K-PRP fab.br.: 09/19-68049, 09/19-67918, 09/19-67624, 09/19-68014, 07/19-66463, 07/19-66459, 10/19-68371, 09/19-67910, 08/19-67376, 04/19-63100, 08/19-67334	MSA AUER GmbH, Thiemannstr 1, 12059 BERLIN, Nemačka	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0830/21	05.05.2021		po tački 3.1 priloga 13. Pravilnika
597	Ručni javljač požara tip: FDM223-Ex fab.br.: 5588034, 558803B, 5588046	Siemens Schweiz AG, Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 0831/21X	05.05.2021		po tački 3.1 priloga 13. Pravilnika
598	Multisenzorski detektor požara tip: FDOOT241-A9-Ex fab.br.: 5BC83EF, 5BC83EB, 5BC83F9, 5BC83F7, 5BBF6B9, 5BBF6B3	Siemens Switzerland Ltd., Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 0832/21X	05.05.2021		po tački 3.1 priloga 13. Pravilnika
599	Detektor gasa (senzor) tip: 47K-PRP fab.br.: 09/19-67865	MSA AUER GmbH, Thiemannstr 1, 12059 BERLIN, Nemačka	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0833/21	05.05.2021		po tački 3.1 priloga 13. Pravilnika
600	Razvodna kutija detektora gasa tip: S47k fab.br.: 02/21 02368360, 02/21 02368370	MSA AUER GmbH, Thiemannstrasse 1, 12059 Berlin, Nemačka	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, Beograd	IPSTP 0818/21X	29.04.2021		po tački 3.1 priloga 13. Pravilnika
601	Sistem za detekciju gasa tip: ULTIMA X5000 (ULTIMA X5000 transmitter, ULTIMA X5000 razvodna kutija i ULTIMA XIR Plus senzor) fab.br.: 00010000015202EE	MSA Safety Inc, 1000 Cranberry Woods Drive, Cranberry Township, PA 16066, USA	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0819/21X	29.04.2021		po tački 3.1 priloga 13. Pravilnika
602	Detektor gasa (senzor) tip: 47K-PRP fab.br.: 12/20-80026, 12/20-80024	MSA AUER GmbH, Thiemannstr 1, 12059 BERLIN, Nemačka	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0820/21	29.04.2021		po tački 3.1 priloga 13. Pravilnika
603	Alarmna sirena (zvučnik) tip: LH3-UC25XS fab.br.: 405221395310100063	BOSCH / DNH AS, Torenallee 49 Eindhoven, 5617 BA, Norveška	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0821/21X	29.04.2021		po tački 3.1 priloga 13. Pravilnika
604	Detektor gasa (senzor) tip: 47K-PRP fab.br.: 09/19-68086, 09/19-67615, 09/19-67639, 09/19-68056, 09/19-68059, 09/19-67836, 09/19-67649, 09/19-67583, 09/19-67671, 09/19-67669, 09/19-67847, 09/19-67661, 09/19-67636, 09/19-67638, 10/19-68344, 09/19-67673, 09/19-67602, 09/19-67622, 09/19-67653, 09/19-67672, 09/19-67632, 11/19-68853, 10/19-68377, 10/19-68321, 11/19-68948, 11/19-68909, 10/19-68343, 09/19-67668, 11/19-68938, 09/19-67589, 10/19-68369, 10/19-68308, 10/19-68354	MSA AUER GmbH, Thiemannstr 1, 12059 BERLIN, Nemačka	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0824/21	05.05.2021		po tački 3.1 priloga 13. Pravilnika
605	Ručni javljač požara tip: FDM223-Ex fab.br.: 599E82A, 599E81F, 558804A, 5587EBA, 558802F	Siemens Schweiz AG, Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 0825/21X	05.05.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 49 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
606	Razvodna kutija detektora gasa tip: S47k fab.br.: 10/19-31791, 10/19-31788, 10/19-37784, 10/19-31581, 10/19-31585, 10/19-31593, 10/19-31842, 10/19-31660, 10/19-31771	MSA AUER GmbH, Thiemannstrasse 1, 12059 Berlin, Nemačka	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, Beograd	IPSTP 0826/21X	05.05.2021		po tački 3.1 priloga 13. Pravilnika
607	Detektor plamena tip: 40/40LB-111SC fab.br.: 54923, 59773, 61069, 56744, 56772, 61072, 61071, 61073, 61068, 62768, 56775, 61075	SPECTREX Ltd., 218 Little Falls Road , Cedar Grove, NJ 07009, USA	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0827/21X	05.05.2021		po tački 3.1 priloga 13. Pravilnika
608	Transmitter nivoa serije Liquiopint T tip: FTW31-D1A5AA0A fab.br.: S203FF0103E	Endress + Hauser GmbH., 79689 Maulburg, Hauptstr. 1, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0834/21	05.05.2021		po tački 3.1 priloga 13. Pravilnika
609	Transmitter diferencijalnog pritiska SITRANS P420 tip: 7MF0440-1ML01-5CM2-Z A01+C11+E20+H01+U02 fab.br.: N1N32210158659; N1N32210158660; N1N32210158661;	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"GBZ Inženjering" d.o.o., Branimira Čosića 12, 21000, Novi Sad	IPSTP 0835/21X	05.05.2021		po tački 3.1 priloga 13. Pravilnika
610	Ex lampa tip: EXTEND-Ex-P-LED-Em-600-218 fab.br.: 36409, 36410, 36411, 36412	Vyrtych a.s., Belehradská 314/18, 140 oo Praha 4-Nusie, Češka Republika	"SPALIX" d.o.o., Omladinskih brigada 43a, 11070 Novi Beograd, BEOGRAD	IPSTP 0837/21X	05.05.2021		po tački 3.1 priloga 13. Pravilnika
611	Ex lampa tip: MULTIEXTEND-Ex-P-258 fab.br.: 36413, 36414	Vyrtych a.s., Židněves 116, 294 06 Březno, Češka Republika	"SPALIX" d.o.o., Omladinskih brigada 43a, 11070 Novi Beograd, BEOGRAD	IPSTP 0838/21X	05.05.2021		po tački 3.1 priloga 13. Pravilnika
612	Ex lampa tip: PITBUL-Ex-458-WOD fab.br.: 36405, 36406, 36407, 36408	Vyrtych a.s., Židněves 116, 294 06 Březno, Češka Republika	"SPALIX" d.o.o., Omladinskih brigada 43a, 11070 Novi Beograd, BEOGRAD	IPSTP 0839/21X	05.05.2021		po tački 3.1 priloga 13. Pravilnika
613	Uređaj za automatsko ubrizgavanje markera (obeleživača) naftnih derivata tip: AMID01 fab.br.: 0001/2021	"SGS Beograd" d.o.o., Jurija Gagarina 7b, 11070 Novi Beograd, SRBIJA	"SGS Beograd" d.o.o., Jurija Gagarina 7b, 11070 Novi Beograd, Beograd	IPST 0001/21X	05.05.2021		po prilogu 9. Pravilnika
614	Ex lampa tip: PITBUL-Ex-458-WOD-1F fab.br.: 36669, 36670, 36671, 36672, 36673, 36674, 36675	Vyrtych a.s., Židněves 116, 294 06 Březno, Češka Republika	"SPALIX" d.o.o., Omladinskih brigada 43a, 11070 Novi Beograd, BEOGRAD	IPSTP 0840/21X	06.05.2021		po tački 3.1 priloga 13. Pravilnika
615	Ex lampa tip: MULTIPITBUL-Ex-458 fab.br.: 36415, 36416, 36417	Vyrtych a.s., Židněves 116, 294 06 Březno, Češka Republika	"SPALIX" d.o.o., Omladinskih brigada 43a, 11070 Novi Beograd, BEOGRAD	IPSTP 0854/21X	07.05.2021		po tački 3.1 priloga 13. Pravilnika
616	Ex lampa tip: EXTEND-Ex-P-258-WOD-1F fab.br.: 36651, 36652, 36653, 36654, 36655, 36656	Vyrtych a.s., Židněves 116, 294 06 Březno, Češka Republika	"SPALIX" d.o.o., Omladinskih brigada 43a, 11070 Novi Beograd, BEOGRAD	IPSTP 0883/21X	11.05.2021		po tački 3.1 priloga 13. Pravilnika
617	Razvodna kutija tip: XD-JB85 fab.br.: ZP/20/2455/002 01	LIMATHERM S.A., ul.Tarnowska 1, 34-600 Limanowa, Poljska	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 0855/21U	07.05.2021		po tački 3.1 priloga 13. Pravilnika
618	Senzor detektora gasa tip: NET224CDSNP17SH fab.br.: D 01121/21, D 01122/21, D 01123/21, D 01124/21, D 01125/21.	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 0856/21U	07.05.2021		po tački 3.1 priloga 13. Pravilnika
619	Detektor gasa SMART 3G tip: ST / L / E3 / S2 fab.br.: N.D01121, N.D01122, N.D01123, N.D01124, N.D01125.	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 0857/21X	07.05.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 50 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
620	Razvodna kutija tip: XD-JB85 fab.br.: ZP/20/2454/001 04	LIMATHERM S.A., ul.Tarnowska 1, 34-600 Limanowa, Poljska	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 0858/21U	07.05.2021		po tački 3.1 priloga 13. Pravilnika
621	Senzor detektora gasa tip: NET322AS3P32H fab.br.: N 01668/21, N 01669/21, N 01670/21, N 01671/21.	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 0859/21U	07.05.2021		po tački 3.1 priloga 13. Pravilnika
622	Detektor gasa SMART 3G tip: ST / LW / E3 / S3 fab.br.: N.N01668, N.N01669, N.N01670, N.N01671.	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 0860/21X	07.05.2021		po tački 3.1 priloga 13. Pravilnika
623	Detektor gasa u Ex izvedbi tip: PX2-1-1-P3400-A-P1 sa senzorskom glavom tip: SX1-1-P3400-A fab.br.: 32368	MSR-Electronic GmbH, Bürgermeister-Schönbauer Str.13, 94060 Pocking, Nemačka	" ELBING " d.o.o., Vlade Živanovića 2a, 21000, Novi Sad	IPSTP 0861/21X	07.05.2021		po tački 3.1 priloga 13. Pravilnika
624	Napojna jedinica tip: RN221N-B1 fab.br.: S304680411F, S3046A0411F, S304690411F, S3046D0411F, S3045E0411F	Endress+Hauser Wetzler GmbH+Co.KG, Obere Wank 1, 87484 Nesselwang, Nemačka	MERIS d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0688/21	14.04.2021		po tački 3.1 priloga 13. Pravilnika
625	Ex Elektromotor tip: D6C 132 MB2 B3 fab.br.: 1022223	MarelliMotori, 36071 Arzignano (VI), Via Sabbionara 1, Italija	"BIO LIFE ENERGY " d.o.o., Beogradska 89, 26213, Crepaja	IPSTP 0862/21X	10.05.2021		po tački 3.1 priloga 13. Pravilnika
626	Ex Senzor maksimalnog nivoa tip: LKL-P1-G53D-P1NAN-EB.2000 fab.br.: RC02C10103E, RC02C30103E, R802480103E, R802470103E	Pepperl+Fuchs GmbH, Königsberger Allee 87, D-68307 Mannheim, Nemačka	"BIO LIFE ENERGY " d.o.o., Beogradska 89, 26213, Crepaja	IPSTP 0871/21	10.05.2021		po tački 3.1 priloga 13. Pravilnika
627	Senzor nivoa tip:11375Z-PXG1A1A4 fab.br.: P5000601086, R9000B01086	Endress+Hauser GmbH+Co.KG, D-79689 Maulburg, Hauptstraße 1, Nemačka	"BIO LIFE ENERGY " d.o.o., Beogradska 89, 26213, Crepaja	IPSTP 0872/21X	10.05.2021		po tački 3.1 priloga 13. Pravilnika
628	Ex Elektromotor tip: DCEx 200 LH/4 K fab.br.: 202079609	HEW GmbH & Co. KG, Goebenstraße 106, D-32008 Herford, Nemačka	"BIO LIFE ENERGY " d.o.o., Beogradska 89, 26213, Crepaja	IPSTP 0863/21X	10.05.2021		po tački 3.1 priloga 13. Pravilnika
629	Elektromotor tip: EeDA 56L/2 -101494 fab.br.: 8538941, 8538969, 8535282, 8535262	Emod motoren GmbH, Zur Kupe 1, D-36364 Bad Salzschlirf, Nemačka	"BIO LIFE ENERGY " d.o.o., Beogradska 89, 26213, Crepaja	IPSTP 0864/21	10.05.2021		po tački 3.1 priloga 13. Pravilnika
630	Ex Svetiljka tip: USL07-Ex fab.br.: 35307/19, 359780/20	F.H. Papenmeier GmbH & Co.KG, 58239 Talweg 2, Schwerte, Nemačka	"BIO LIFE ENERGY" d.o.o., Beogradska 89, 26231, Crepaja	IPSTP 0865/21	10.05.2021		po tački 3.1 priloga 13. Pravilnika
631	Potapajuća pumpa u Ex izvedbi tip: US 103 D.Ex fab.br.: 20110369	PENTAIR JUNG PUMPEN, Industrienstrasse 4-6, 33803 Steinhagen, Nemačka	" BIO LIFE ENERGY " d.o.o., Beogradska 89, 26213, Crepaja	IPSTP 0866/21	10.05.2021		po tački 3.1 priloga 13. Pravilnika
632	Ex Prekidač nivoa serije Soliphant T tip: FTM20-4A25A fab.br.: RB02DE0107B	Endress+Hauser GmbH+Co.KG, D-79689 Maulburg, Hauptstraße 1, Nemačka	"BIO LIFE ENERGY " d.o.o., Beogradska 89, 26213, Crepaja	IPSTP 0867/21	10.05.2021		po tački 3.1 priloga 13. Pravilnika
633	Ex Magnetna sonda za detekciju gasa tip: TK-307/0 M fab.br.: 521, 2021	E.L.B. FÜLLSTANDSGERÄTE, Bundschuh GmbH & Co.KG, 64625 An der Hartbrücke 6, Bensheim, Nemačka	"BIO LIFE ENERGY " d.o.o., Beogradska 89, 26213, Crepaja	IPSTP 0868/21X	10.05.2021		po tački 3.1 priloga 13. Pravilnika
634	Ex Transmitter pritiska serije 2600T tip: 266HSHEBSA7 VAENLSR1B6 fab.br.: 3K646620052088, 3K646620052089	ABB SpA, Via Statale 113, Lenno (Como) 22016, Italija	"BIO LIFE ENERGY " d.o.o., Beogradska 89, 26213, Crepaja	IPSTP 0869/21X	10.05.2021		po tački 3.1 priloga 13. Pravilnika
635	Ex Radarski merač nivoa serije VEGAPULS WL 61 tip: PSWL61.CXBBDHKAX fab.br.: 49781444, 49781445	VEGA Grieshaber GmbH, Am Hohenstein 113, D-77761 SCHILTACH, Nemačka	"BIO LIFE ENERGY " d.o.o., Beogradska 89, 26213, Crepaja	IPSTP 0870/21X	10.05.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 51 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
636	Ex Prekidač sa razvodnom kutijom tip: Euroswitch JB-132-B fab.br.:	Longvale Limited, Lancaster Park, Needwood, Burton-upon-Trent, Staffordshire, DE13 9PD, UK	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 0875/21X	11.05.2021		po tački 3.1 priloga 13. Pravilnika
637	Kablovska uvodnica tip: RN (M16x1,5 do M75x1,5) fab.br.:	RCN s.r.l., Regione Torame, Via Crevacuore I-13011 BORGOSIESA (VC), Italija	BEL ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0878/21X	11.05.2021		po tački 3.1 priloga 13. Pravilnika
638	Kablovska uvodnica tip: RAD (M20x1,5 do M75x1,5) fab.br.:	RCN s.r.l., Regione Torame, Via Crevacuore I-13011 BORGOSIESA (VC), Italija	BEL ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0879/21X	11.05.2021		po tački 3.1 priloga 13. Pravilnika
639	Transmiter pritiska tip: EJX530A-JBSWN-019NN/KS21/D3/N4 fab.br.: 91X322069	Yokogawa Electric Corporation, 2-9-32 Naka-cho, Musashino-shi Tokyo 180-8750, Japan	„Ogranak Yokogawa Europe Branches Beograd “ d.o.o., Đorđa Stanojevića 12, 11070 Novi Beograd, Beograd	IPSTP 0880/21X	11.05.2021		po tački 3.1 priloga 13. Pravilnika
640	Multisenzorski detektor požara tip: FDOOT241-A9-Ex fab.br.: 5BC840F, 5BC840B, 5BBF73A, 5BBF746, 5BBF744, 5BBF73E.	Siemens Switzerland Ltd., Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 0885/21X	11.05.2021		po tački 3.1 priloga 13. Pravilnika
641	Signalna lampa (bela) tip: 07-3351-1140 fab.br.:	BARTEC GmbH, Max-Eyth-Strasse 16, D-97980 Bad Mergentheim, Nemačka	"INTELUS" d.o.o., Pigova 4/28, 32000, Čačak	IPSTP 0887/21U	12.05.2021		po tački 3.1 priloga 13. Pravilnika
642	Ex Kučište tip: EJB - 61 fab.br.: 1201/21	BARTEC-FEAM, Via Mario Pagano, 3IT-20090 Trezzano Sul Naviglio, Milano, Italija	"INTELUS" d.o.o., Pigova 4/28, 32000, Čačak	IPSTP 0888/21X	12.05.2021		po tački 3.1 priloga 13. Pravilnika
643	Ex Senzor induktivni tip: NJ4-12GM-N-V1 fab.br.:	Pepperl & Fuchs GmbH, Lilienthalstraße 200, 68307 Mannheim, Nemačka	KONVEX ELECTRIC d.o.o., Autoput za Novi Sad 110b, 11080 Zemun, Beograd	IPSTP 0889/21X	12.05.2021		po tački 3.1 priloga 13. Pravilnika
644	Merilo protoka tip: DELTA SE (G65 DN50 PN16) fab.br.: 3404161674	ITRON GmbH, Hardeckstrasse 2, D-76185 Karlsruhe, Nemačka	"CIM GAS " d.o.o., Jovana Mikića 56, 24000, SUBOTICA	IPSTP 0890/21X	12.05.2021		po tački 3.1 priloga 13. Pravilnika
645	Radarsko merilo nivoa serije Optiflex 7200 C model: VF4A401100216410110EP0101 fab.br.: F210000000390086	KROHNE S.A.S., 2, Allée des Ors, BP 98, 26103 ROMANS SUR ISERE CEDEX, Francuska	"WIG" d.o.o., Bulevar Arsenija Čarnojevića br. 26, 11070, Novi Beograd	IPSTP 0891/21X	12.05.2021		po tački 3.1 priloga 13. Pravilnika
646	Transmiter diferencijalnog pritiska SITRANS P420 tip: 7MF0440-1ML01-5CM2-Z A01+C11+E20+H01+U02 fab.br.: od N1N31510158593 do N1N31510158633	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 0892/21X	13.05.2021		po tački 3.1 priloga 13. Pravilnika
647	Transmiter pritiska SITRANS P420 tip: 7MF0400-1TF01-5CM2-Z A01+C11+E20+H01 fab.br.: od N1N31510158548 do N1N31510158553	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 0893/21X	13.05.2021		po tački 3.1 priloga 13. Pravilnika
648	Transmiter pritiska SITRANS P420 tip: 7MF0400-1QF01-5CM2-Z A01+C11+E20+H01 fab.br.: od N1N31510158554 do N1N31510158592	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 0894/21X	13.05.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 52 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
649	Transmitter temperature TS 500 tip: 7MC7500-1JB06-8HA3-Z E03+T30+Y01+Y44 fab.br.: od N1N31560877 do N1N31560896 , od N1N31560897 do N1N31560921	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 0895/21X	13.05.2021		po tački 3.1 priloga 13. Pravilnika
650	ELEKTROMOTOR tip: EX Sg 132S 4-2G T3 fab.br.: AM 077557	CELMA INDUKTA S.A., ul.3 Maja 19, 43-400 Cieszyn, Poljska	GAS INSTALATION d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 0896/21X	13.05.2021		po tački 3.1 priloga 13. Pravilnika
651	Bljeskalica tip: IS-mB1 fab.br.: 20/1MBA002457, 20/1MBA002461	European Safety Systems Ltd., Imress House, Mansell Road , Acton, UK	"QUADEL" d.o.o., Zorana Radosavljevića Čupe 30, 18000, NIŠ	IPSTP 0898/21X	13.05.2021		po tački 3.1 priloga 13. Pravilnika
652	Alarmna sirena tip: IS-A105N fab.br.: 20/15012819	European Safety Systems Ltd., Imress House, Mansell Road , Acton, UK	"QUADEL" d.o.o., Zorana Radosavljevića Čupe 30, 18000, NIŠ	IPSTP 0899/21X	13.05.2021		po tački 3.1 priloga 13. Pravilnika
653	Detektor plamena Talentum serije 16000 tip:16519 IR3 fab.br.: 21084	FFE Ltd., 9 Hunting Gate, Hitchin, Hertfordshire, SG4 0TJ, UK	"TVI" d.o.o., Stojana Matića 44/2, 11030, Beograd	IPSTP 0900/21	13.05.2021		po tački 3.1 priloga 13. Pravilnika
654	Zener barijera tip: BZG787+ fab.br.: 312365, 312378, 312371, 312373, 312354, 312376, 312377, 312364, 312374, 312370.	REGULATEURS GEORGIN, 14-16 rue Pierre Semard, 92320 Chatillon,, Francuska	"TVI" d.o.o., Stojana Matića 44, 11030, Beograd	IPSTP 0901/21X	13.05.2021		po tački 3.1 priloga 13. Pravilnika
655	IZOLACIONI POJAČAVAČ tip: MK15-12EX0- PN/24VDC fab.br.:	HANS TURCK GmbH & Co.KG, Witzlebenstr. 7 D-45472 Mülheim an der Ruhr, Nemačka	"ELEKTROVAT" d.o.o., Šumatovačka 124/6, Beograd	IPSTP 0902/21	13.05.2021		po tački 3.1 priloga 13. Pravilnika
656	Senzor pritiska tip: IY.Ex-P-1000 fab.br.: 1000476337, 1000476338	Petz industries GmbH & Co. KG, Mühlenweg 2, 96358 Teuschnitz / Haßlach, Nemačka	"SIPATEC" d.o.o., Izvorska 69, Beograd	IPSTP 0903/21X	14.05.2021		po tački 3.1 priloga 13. Pravilnika
657	Transmitter sa kontinualnim izlazom tip: TR.Ex fab.br.: 1000474920, 1000474921	Petz industries GmbH & Co. KG, Mühlenweg 2, 96358 Teuschnitz / Haßlach, NEMAČKA	"SIPATEC" d.o.o., Izvorska 69, 11000, BEOGRAD	IPSTP 0904/21X	14.05.2021		po tački 3.1 priloga 13. Pravilnika
658	Transmitter relativnog pritiska serije FCX-AII tip: FKPW01V5AXABYOE fab.br.: ALE5989F/K9D7453, ALE5990F/K9D7458, ALE5991F/K9D3094, ALE5992F/K9D3082, ALE5993F/K9D7450, ALE5994F/K9D7442, ALE5987F/K9D7455, ALE5988F/K9D7451	Fuji Electric France S.A.S., 46 rue Georges Besse - ZI du Brezet, 63039 Clermont-Ferrand CEDEX 02, Francuska	Compact MM Trade d.o.o., Dimitrija Tucovića 146/III/20, 11000, Beograd	IPSTP 0905/21X	14.05.2021		po tački 3.1 priloga 13. Pravilnika
659	Rotacioni detektor nivoa NIVOROTA E-700 tip: EKL-730-5/Ex fab.br.: U155247,U155250,U155245,U155246	NIVELCO Ipari Elektronika Zrt., Dugonics utca 11, Budapest H-1043, MAĐARSKA	"INDAS" d.o.o., Heroja Pinkija 95 , 21000, Novi Sad	IPSTP 0906/21X	14.05.2021		po tački 3.1 priloga 13. Pravilnika
660	Rotacioni detektor nivoa NIVOROTA E-700 tip: EKH-702-8/Ex fab.br.: U165326	NIVELCO Ipari Elektronika Zrt., Dugonics utca 11, Budapest H-1043, MAĐARSKA	"INDAS" d.o.o., Heroja Pinkija 95 , 21000, Novi Sad	IPSTP 0907/21X	14.05.2021		po tački 3.1 priloga 13. Pravilnika
661	Rotacioni detektor nivoa NIVOROTA E-700 tip: EKK-710-8/Ex fab.br.: U155244	NIVELCO Ipari Elektronika Zrt., Dugonics utca 11, Budapest H-1043, MAĐARSKA	"INDAS" d.o.o., Heroja Pinkija 95 , 21000, Novi Sad	IPSTP 0908/21X	14.05.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 53 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
662	Detektor gasa (senzor) tip: GS-220.B.V. fab.br.: 221105, 221106, 221107	INVEST ELECTRONICS OOD, 145, Brezovsko shose Str., Plovdiv 4003, Bugarska	"Tesla sistemi" d.o.o., Dr Ivana Ribara 181 a, 11070, Novi Beograd	IPSTP 0909/21X	14.05.2021		po tački 3.1 priloga 13. Pravilnika
663	LF impulsni davač tip: IN-S11 fab.br.: od 77116713 do 77116720	Elster GmbH, Steinern Strasse 19-21, 55252 Mainz –Kastel, Nemačka	"KONVEX-GASNA I VODO TEHNIKA" d.o.o., Batajnički Drum 299, sprat 1, 11080 Zemun, Beograd	IPSTP 0910/21X	14.05.2021		po tački 3.1 priloga 13. Pravilnika
664	Elektromotor tip: M3KP 160MLE 4 fab.br.: 3G1P202400619	ABB OY Motors and Generators, P.O. Box 633 Stromberg Puistotie 5A 65100 VAASA, Finska	DAWCUL LIMITED, Predstavništvo Beograd, Vladimira Popovica 6-8, Beograd	IPSTP 0911/21X	17.05.2021		po tački 3.1 priloga 13. Pravilnika
665	Ex BARIJERA tip: MACX MCR-EX-SL-RPSSI-I fab.br.: 1365313604; 1365313656; 1365313749	Phoenix Contact GmbH, Flachmarktstr. 8 , 32825 Blomberg, Nemačka	ELEKTROMATERIJAL d.o.o., Novosadskog sajma 54, 21000, Novi Sad	IPSTP 0912/21X	17.05.2021		po tački 3.1 priloga 13. Pravilnika
666	Transmitter nivoa serije Liquiopint T tip: FTW31-D1A5AA0A fab.br.: S4002E0103E, S4002D0103E	Endress + Hauser GmbH., 79689 Maulburg, Hauptstr. 1, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0913/21	17.05.2021		po tački 3.1 priloga 13. Pravilnika
667	Transmitter pritiska Cerabar S tip: PMP71-3AA1S11B3A4A fab.br.: S4080E0109C	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, 79689 Maulburg, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0922/21	17.05.2021		po tački 3.1 priloga 13. Pravilnika
668	Nivotester tip: FTW325-C2A1A fab.br.: S400E1010A2, S400DE010A2, S400DF010A2, S400E0010A2	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, 79689 Maulburg, NEMAČKA	" MERIS " d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0914/21X	17.05.2021		po tački 3.1 priloga 13. Pravilnika
669	Transmitter nivoa Levelflex tip: FMP57-BFKMCALCA4GGE+AALA fab.br.: S4001301132	Endress+Hauser SE-Co.KG, Hauptstrasse 1, Maulburg, Nemačka	MERIS d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0915/21X	17.05.2021		po tački 3.1 priloga 13. Pravilnika
670	Displej tip: FHX50-BMCC1A fab.br.: S4000501C24	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, Maulburg, Nemačka	"MERIS"d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0916/21X	17.05.2021		po tački 3.1 priloga 13. Pravilnika
671	Procesni displej model: RIA16-BA2A+E1I2 fab.br.: S40407043F9, S40406043F9, S40405043F9, S40404043F9	Endress+Hauser, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0917/21	17.05.2021		po tački 3.1 priloga 13. Pravilnika
672	Transmitter nivoa Liquiphant M tip: FTL51-GGR2BB6G5A+HD fab.br.: S4044901027	Endress & Hauser GmbH, Hauptstr. 1, 79689 Maulburg, Nemačka	MERIS d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0918/21X	17.05.2021		po tački 3.1 priloga 13. Pravilnika
673	Kontrolni uređaj – nivotester tip: FTL325N-H1A1 fab.br.: S4005801093	Endress+Hauser GmbH+Co. KG, Hauptstrasse 1, Maulburg, Nemačka	MERIS d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0919/21X	17.05.2021		po tački 3.1 priloga 13. Pravilnika
674	Transmitter pritiska Cerabar S tip: PMP71-1CA2S11RLAAA fab.br.: S4080F0109C	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, 79689 Maulburg, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0920/21	17.05.2021		po tački 3.1 priloga 13. Pravilnika
675	Procesni displej model: RIA46-B1C1A fab.br.: S40428043E1	Endress+Hauser, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0921/21	17.05.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 54 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
676	Zaštitno iskrište tip: EXFS 100 fab.br.: sa istim brojem 923 100	DEHN + SÖHNE Gmbh + Co.KG., Hans-Dehn-Straße 1, D-92318 Neumarkt/Opf., NEMAČKA	"ENING" d.o.o., Marije Vojnić Tošinice br.22/a, 24000, SUBOTICA	IPSTP 0923/21X	17.05.2021		po tački 3.1 priloga 13. Pravilnika
677	Ex Aktuator tip: SAEEx 07.6-F10/-a4a1 fab.br.: 4019MD62189; 4019MD62188; 4019MD62185; 4019MD62184; 4019MD62181; 4019MD62180; 4019MD62186; 4019MD62187; 4019MD62182; 4019MD62183; 4019MD62178; 4019MD62179; 3519MD52369; 3519MD52374; 3519MD52370; 4119MD63197; 3519MD52375; 3519MD52371; 3519MD52372; 3519MD52376; 18 komada bez serijskih brojeva	Auma Riester GmbH & Co. KG, Aumastrasse 1, 79379 Mullheim, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 0924/21X	17.05.2021		po tački 3.1 priloga 13. Pravilnika
678	Pozicioner tip: ND9106HX fab.br.: PH21040739 ; PH21040726	Neles Finland Oy, Vanhe Porvoontie 229, 01380 Vantaa, Finska	"MSK" AD, Bečejski put br. 3, 23300, Kikinda	IPSTP 0929/21X	19.05.2021		po tački 3.1 priloga 13. Pravilnika
679	Pozicioner tip: NDX1510HG-XN0N000 fab.br.: PH21142048	Neles Finland Oy, Vanhe Porvoontie 229, 01380 Vantaa, Finska	"MSK" AD, Bečejski put br. 3, 23300, Kikinda	IPSTP 0953/21X	20.05.2021		po tački 3.1 priloga 13. Pravilnika
680	Priključni pribor tip: DXN1 fab.br.:	MARECHAL ELECTRIC, 5 Avenue de Presles, 94417 SAINT MAURICE CEDEX, Francuska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0930/21X	18.05.2021		po tački 3.1 priloga 13. Pravilnika
681	Priključni pribor tip: DXN3 fab.br.:	MARECHAL ELECTRIC, 5 Avenue de Presles, 94417 SAINT MAURICE CEDEX, Francuska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0931/21X	18.05.2021		po tački 3.1 priloga 13. Pravilnika
682	Priključni pribor tip: DXN6 fab.br.:	MARECHAL ELECTRIC, 5 Avenue de Presles, 94417 SAINT MAURICE CEDEX, Francuska	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0932/21X	18.05.2021		po tački 3.1 priloga 13. Pravilnika
683	Zaštitno iskrište tip: EXFS 100 fab.br.: sa istim brojem 923 100	DEHN + SÖHNE Gmbh + Co.KG., Hans-Dehn-Straße 1, D-92318 Neumarkt/Opf., NEMAČKA	"ENING" d.o.o., Marije Vojnić Tošinice br.22/a, 24000, SUBOTICA	IPSTP 0933/21X	18.05.2021		po tački 3.1 priloga 13. Pravilnika
684	Infracrveni monitor gasa tip: PrimaX IR fab.br.: 01211254, 01211273, 01211261, 01211237, 02211041, 07201385, 09201180, 11201079, 07201367, 07201384,	MSA Safety Inc, 1000 Cranberry Woods Drive, Cranberry Township, PA 16066, USA	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, Beograd	IPSTP 0934/21X	18.05.2021		po tački 3.1 priloga 13. Pravilnika
685	ASINHRONI ELEKTROMOTOR tip: FLSE132SM fab.br.: D9D05289 D20 004	LEROY SOMER, Usine de Rabion ,CS 10015, 16915, ANGOULEME, Francuska	"GiA Technology " d.o.o., Primorska 8, 21000, Novi Sad	IPSTP 0935/21X	18.05.2021		po tački 3.1 priloga 13. Pravilnika
686	Ex Svetiljka tip: eLLK 92036/36 fab.br.: 0060543R1; 0060544R1; 0060545R1; 0060546R1; 0060547R1; 0060548R1; 0060549R1; 0060551R1; 0060552R1; 0060553R1; 0060554R1; 0060555R1; 0060556R1; 0060557R1; 0060558R1; 0060559R1; 0060560R1; 0060568R1; 0060569R1; 0060580R1; 0060582R1; 0060583R1; 0060594R1; 0060598R1; 0060602R1; 0060603R1; 0060623R1; 0060631R1; 0060635R1; 0060639R1.	EATON - COOPER CROUSE HINDS GmbH, Neuer Weg Nord 49, DE - 69412, Eberbach, NEMAČKA	"SOBEL" d.o.o., Ustanička 125-i, 11050, BEOGRAD	IPSTP 0936/21	19.05.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 55 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
687	SOLENOID elektromagnetnog ventila tip: AC10-U3-6 PX58 JJ04 JW10 fab.br.: 5359, 5340;	Bürkert Werke GmbH & Co. KG, Werk 10 Christian-Bürkert-Straße 13-17 74653 Ingelfingen, Nemačka	"TM-inženjering" d.o.o., Jevrejska 16, 21000, Novi Sad	IPSTP 0938/21X	19.05.2021		po tački 3.1 priloga 13. Pravilnika
688	Ex elektromotor/ventilator serije Compact tip:HCBT/4-355/H-A EXEIT3 fab.br.: 1007477861	SOLER & PALAU Sistemas de Ventilación S.L.U., Ctra.Puigcerda s/n, 17500 Ripoll (Gerona), ŠPANIJA	"Klima" d.o.o., Petrijevski potok 28, 11300, Smederevo	IPSTP 0939/21X	19.05.2021		po tački 3.1 priloga 13. Pravilnika
689	Ex elektromotor/ventilator serije Compact tip: HCBT/4-560/H-A EXEIT3 fab.br.: 1008510048	SOLER & PALAU Sistemas de Ventilación S.L.U., Ctra.Puigcerda s/n, 17500 Ripoll (Gerona), ŠPANIJA	"Klima" d.o.o., Petrijevski potok 28, Smederevo	IPSTP 0940/21X	19.05.2021		po tački 3.1 priloga 13. Pravilnika
690	Elektromotor ventilatora tip: J2100L42305FZ fab.br.: 2002-6650-005	ORANGE1 Electric Motors, Via Mantova 93, 43122 PARMA, ITALIJA	"KLIMA" d.o.o., Petrijevski potok 28, 11300, Smederevo	IPSTP 0946/21X	20.05.2021		po tački 3.1 priloga 13. Pravilnika
691	Elektro- pumpa tip: EX50 12V fab.br.: 1596101	Piusi S.p.a., Via pacinotti 16/A , 46029 Suzzara, Italija	"AUTOSFERA" d.o.o., Ugrinovačka 223b, 11080 Zemun, Beograd	IPSTP 0941/21X	19.05.2021		po tački 3.1 priloga 13. Pravilnika
692	ALARMNA SIRENA tip: BExS110D fab.br.: 23940, 23941, 23942.	European Safety Systems Ltd., Impress House, Mansell Road, Acton, London, W3 7QH, UK	"TVI" d.o.o., Stojana Matića 44, 11000, BEOGRAD	IPSTP 0942/21X	19.05.2021		po tački 3.1 priloga 13. Pravilnika
693	Ex Bljeskalica tip: GNExB1X05 fab.br.: 1632, 1633, 1634, 1635, 1636, 1637	European Safety Systems Ltd., Impress House, Mansell Road, Acton,London, UK	"TVI" d.o.o., Stojana Matića 44, 11000, BEOGRAD	IPSTP 0943/21X	19.05.2021		po tački 3.1 priloga 13. Pravilnika
694	Ex Kućište tip:GUBW23 fab.br.: 10546/19, 10539/19, 10535/19, 10581/19, 10582/19, 10543/19, 10556/19, 10621/19, 10572/19, 10616/19, 10578/19, 10573/19, 10631/19, 10613/19, 10620/19, 10590/19, 10579/19, 10576/19, 10606/19, 10537/19, 10583/19, 10580/19, 10618/19, 10577/19, 10545/19, 10575/19, 10624/19, 10568/19, 10571/19, 10561/19, 10595/19.	BARTEC-FEAM, Via Mario Pagano, 3IT-20090 Trezzano Sul Naviglio, Milano, Italija	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0947/21X	20.05.2021		po tački 3.1 priloga 13. Pravilnika
695	Ex Uvodnik kablovski tip: PAPR 1M fab.br.:	FEAM Srl, Via Mario Pagano, 3 - 20090 Trezzano sul Naviglio (MI), Italija	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080 Zemun,, Beograd	IPSTP 0948/21X	20.05.2021		po tački 3.1 priloga 13. Pravilnika
696	Detektor plamena tip: 40/40LB-111SC fab.br.: 21SHYA0134939, 21SHYA0134940, 21SHYA0134938	SPECTREX Ltd., 218 Little Falls Road, Cedar Grove, NJ 07009, USA	"Dräger Tehnika" d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0949/21X	20.05.2021		po tački 3.1 priloga 13. Pravilnika
697	Procesni displej model: RIA46-B1C1A fab.br.: S40438043E1	Endress+Hauser, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0950/21	20.05.2021		po tački 3.1 priloga 13. Pravilnika
698	Transmitter pritiska Cerabar S tip: PMP71- 1CA2S11GAAAA+P2 fab.br.: S409FF0109C	Endress+Hauser GmbH+Co.KG, Hauptstrase 1, 79689 Maulburg, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070 Novi Beograd, Beograd	IPSTP 0951/21	20.05.2021		po tački 3.1 priloga 13. Pravilnika
699	Termometar tip: TR10-BOE1BJSXMC000 fab.br.: S40AC414152	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 0952/21X	20.05.2021		po tački 3.1 priloga 13. Pravilnika
700	Ex ručni javljač požara tip: MCP1A R470FF-H029-01IS (CCP-E-IS) fab.br.: 18046576, 18046577, 18046578.	KAC ALARM Company Ltd., Thornhill Rd, North Moons Moat B98 9ND, UK	"Unipelektra" d.o.o., Radovana Miloševića 12, 11000, Beograd	IPSTP 0954/21X	21.05.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 56 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
701	ZENER barijera tip: Z 787 fab.br.: 4 000 009 9 236 758;	PEPPERL+FUCHS GmbH, Lillienthalstrasse 200 , 68307 Mannheim, NEMAČKA	"Unipelektra" d.o.o., Radovana Miloševića 12, 11000, Beograd	IPSTP 0955/21	21.05.2021		po tački 3.1 priloga 13. Pravilnika
702	Dvokanalna izolovana Ex barijera tip: KFDO-CS-Ex2.51P fab.br.: 40000110724393	Pepperl + Fuchs GmbH, Lillienthalstrasse 200 , 68307 Mannheim, Nemačka	"Unipelektra" d.o.o., Radovana Milosevica 12, 11000, Beograd	IPSTP 0956/21X	21.05.2021		po tački 3.1 priloga 13. Pravilnika
703	Ex Optički javljač požara tip: SOC-E-IS(WHT) fab.br.: 1034000071, 1034000072, 1034000073, 1034000074, 1034000075, 1034000076, 1034000077, 1034000078, 1034000079. 1034000080.	Hochiki EUROPE, Gillingham, Kent, ME8 0SA, UK	"Unipelektra" d.o.o., Radovana Milosevica 12, 11000, Beograd	IPSTP 0957/21X	21.05.2021		po tački 3.1 priloga 13. Pravilnika
704	Procesni indikator tip: 202AI..XXM, 220i.XXM, 250i.XXM fab.br.: 203981; 203980.	Contrec Ltd., Riverside, Canal Road, Sowerby Bridge, HX6 2AY, West Yorkshire, UK	"MSK" AD, Bečejski put br. 3, 23300, Kikinda	IPSTP 0962/21X	24.05.2021		po tački 3.1 priloga 13. Pravilnika
705	Elektromagnetni ventili tip: EMXX fab.br.: 100634768	ASCO Controls B.V., Industrielaan 21, Postbus 3, 3925 ZG Scherpenzeel, Holandija	NS TEAM 1981 PR, Branimira Čosića 23, 21000, Novi Sad	IPSTP 0963/21X	24.05.2021		po tački 3.1 priloga 13. Pravilnika
706	Elektromotor tip: 7AT 225S-4E/T4 fab.br.: 953537, 953538, 953541, 961857, 961855, 961856, 961854.	KONČAR-MES d.d., Fallerovo šetalište 22 ,10 000 Zagreb, Hrvatska	MZT Pumpe d.o.o., Bulevar Arsenija Čarnojevića 99d, 11070 Novi Beograd, Beograd	IPSTP 0981/21X	26.05.2021		po tački 3.1 priloga 13. Pravilnika
707	Elektromotor tip: 7AT 250M-4E/T4 fab.br.: 953543	KONČAR-MES d.d., Fallerovo šetalište 22 ,10 000 Zagreb, Hrvatska	MZT Pumpe d.o.o., Bulevar Arsenija Čarnojevića 99d, 11070 Novi Beograd, Beograd	IPSTP 0982/21X	26.05.2021		po tački 3.1 priloga 13. Pravilnika
708	Dimnootpčni detektor tip: SLR-E-IS fab.br.: 005400242	HOCHIKI EUROPE, Gillingham, Kent, ME8 0SA, UK	"QUADEL " d.o.o., Zorana Radosavljevića Čupe 30, 18000, Niš	IPSTP 0986/21X	25.05.2021		po tački 3.1 priloga 13. Pravilnika
709	Razvodni orman tip: GHG6190004R2246 fab.br.: 2151	EATON (CEAG) – Cooper Crouse-Hinds GmbH, Neuer Weg Nord 49, D-69412 Eberbach, Nemačka	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0988/21	25.05.2021		po tački 3.1 priloga 13. Pravilnika
710	Razvodni orman tip:GHG6190004R2247 fab.br.: 2151	EATON (CEAG) – Cooper Crouse-Hinds GmbH, Neuer Weg Nord 49, D-69412 Eberbach, Nemačka	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 0989/21	25.05.2021		po tački 3.1 priloga 13. Pravilnika
711	Detektor gasa tip: MOG 0010 fab.br.: ARNE 0036	Dräger Safety AS & Co.KG&A, Revelstraße 1 , 23560 Lübeck, Nemačka	Smart Building Technologies d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0990/21	25.05.2021		po tački 3.1 priloga 13. Pravilnika
712	Prenosni detektor gasa tip: MQG 0011 fab.br.: ARMK 0099, ARMK 0100, ARNB 0474, ARNM 0622, ARNM 0617, ARNM 0624.	Dräger Safety AS & Co.KG&A, Revelstraße 1 , 23560 Lübeck, Nemačka	Smart Building Technologies d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0991/21X	25.05.2021		po tački 3.1 priloga 13. Pravilnika
713	Ex Zaštitni prekidač tip: GHG 261 0005 R0009 fab.br.: 2161	EATON - COOPER CROUSE HINDS GmbH, Neuer Weg Nord 49 , DE - 69412, Eberbach, NEMAČKA	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 0992/21	26.05.2021		po tački 3.1 priloga 13. Pravilnika
714	Ex Upravljačka jedinica tip: GHG4118300R0003 fab.br.: 2161	Cooper Crouse-Hinds GmbH, Neuer Weg Nord 49 , DE - 69412, Eberbach, NEMAČKA	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 0994/21	26.05.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 57 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
715	UTIKAČ tip: GHG5127506R0001 fab.br.: 1074	CEAG, Neuer Weg Nord 49, D-69412 Eberbach, Nemačka	„INTELUS“ d.o.o., Pigova 4/28, 32000, Čačak	IPSTP 0995/21	26.05.2021		po tački 3.1 priloga 13. Pravilnika
716	IC Detektor gasa tip: DIREX X - RS485 fab.br.: DURXP2163, DURXP2164, DURXP2165.	DURAN Electronica S.L., Tomas Breton 50, 28045 MADRID, Španija	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 0993/21X	26.05.2021		po tački 3.1 priloga 13. Pravilnika
717	Električni aktuator tip: IQ20 F14 B1 fab.br.: M217470101; M217470102	Rotork Controls Limited, Brassmill Lane, Bath, BA1 3JQ, UK	"SPARE PARTS INTERNATIONAL" d.o.o., Kralja Milutina 28, Savski venac 11000, Beograd	IPSTP 0996/21X	26.05.2021		po tački 3.1 priloga 13. Pravilnika
718	Kablovska uvodnica tip: SIB-DEF 4F T6-M25 NICK fab.br.:	S.I.B.-A.D.R., 50, rue du Capitaine Maillard 57220 Boulay, Francuska	"SPARE PARTS INTERNATIONAL" d.o.o., Kralja Milutina 28, Savski venac 11000, Beograd	IPSTP 0997/21X	26.05.2021		po tački 3.1 priloga 13. Pravilnika
719	Kablovska uvodnica tip: SIB-DEF 4F T7-M25 NICK fab.br.:	S.I.B.-A.D.R., 50, rue du Capitaine Maillard 57220 Boulay, Francuska	"SPARE PARTS INTERNATIONAL" d.o.o., Kralja Milutina 28, Savski venac 11000, Beograd	IPSTP 0998/21X	26.05.2021		po tački 3.1 priloga 13. Pravilnika
720	Ex Reducir tip: 737 (M40x1,5 / M25x1,5) fab.br.:	CMP Products Ltd, Unit 36 Nelson Way, Nelson Park East; Cramlington, NE23 1WH, UK	"SPARE PARTS INTERNATIONAL" d.o.o., Kralja Milutina 28, Savski venac 11000, Beograd	IPSTP 0999/21X	26.05.2021		po tački 3.1 priloga 13. Pravilnika
721	Transmitter gasa tip: ExSens BG-WT fab.br.: A21-577083-001, A21-577083-002, A21-577083-003, A21-577083-004	ExTox Gasmess-Systeme GmbH, D - 44319 Dortmund, Nemačka	"MINAL " d.o.o., Kedrova 8, 11 030, Beograd	IPSTP 1000/21X	26.05.2021		po tački 3.1 priloga 13. Pravilnika
722	Temperaturni transmitter tip: 3144PD2A1E1M5C1C2D4XA integrisan u glavi senzora tip: 0065N33J0080Y0225F04A1E fab.br.: Transmitter: 21WETC5138972, 21WETC5138973. Senzor: 21WETB5405729, 21WETB5405730.	Rosemount Inc, 6021 Innovation Blvd. Shakopee, MN 55379-9795, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1001/21X	27.05.2021		po tački 3.1 priloga 13. Pravilnika
723	Gasni hromatograf tip: 370XA-IEC-60Y-3-HE-W-R fab.br.: H-21D36040082	Rosemount Inc, Emerson Process Management, 10241 West Little York, Suite 200 Houston, Texas 77040, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1002/21	27.05.2021		po tački 3.1 priloga 13. Pravilnika
724	Pozicioner tip: DVC2000 fab.br.: F003029913, F003029915, F003029914	Fisher Controls International Inc, 205 South Center St , Marshalltown , Iowa 50158, SAD	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1003/21X	27.05.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 58 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA CERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
725	Temperaturni transmitter tip: : 3144PD2A1E1M5C1C2D4XA integrisan u glavi senzora tip: : 0065N33J0080Y0225F22A1E fab.br.: Transmitter: 21WETC5138979, 21WETC5138978, 21WETC5138977, 21WETC5138975, 21WETC5138974, 21WETC5138976. Senzor: 21WETB5405736, 21WETB5405735, 21WETB5405734, 21WETB5405732, 21WETB5405731, 21WETB5405733.	Rosemount Inc, 6021 Innovation Blvd. Shakopee, MN 55379-9795,, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1004/21X	27.05.2021		po tački 3.1 priloga 13. Pravilnika
726	Multivarijabilni transmitter pritiska tip: 3051SMV5M13A3R2000A1BC22I1M5 fab.br.: 21WEFF1505279	Rosemount Inc, 8200 Market Boulevard, Chanhassen, Minnesota 55317, USA	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1005/21X	27.05.2021		po tački 3.1 priloga 13. Pravilnika
727	Transmitter pritiska tip: 3051S2TA3A2A11A1BB4D1E1M5Q4A9440 fab.br.: 21WEPE0259765, 21WEPE0259764, 21WEPE0259763, 21WEPE0259762, 21WEPE0259767, 21WEPE0259766.	Rosemount Inc., 12001 Technology Drive, Eden Prairie, MN 55344-3659, USA	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, BEOGRAD	IPSTP 1006/21X	27.05.2021		po tački 3.1 priloga 13. Pravilnika
728	Transmitter pritiska tip: 3051TG1A2B21BB4E8M5Q4S5 fab.br.: 21WEPG1074791, 21WEPG1074792	Rosemount Inc., 8200 Market Boulevard, Chanhassen, MN 55317, USA	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, BEOGRAD	IPSTP 1007/21X	27.05.2021		po tački 3.1 priloga 13. Pravilnika
729	Transmitter pritiska tip: 3051TG3A2B21BB4E8M5Q4S5 fab.br.: 21WEPG1074789, 21WEPG1074787, 21WEPG1074788, 21WEPG1074786, 1WEPG1074790.	Rosemount Inc., 8200 Market Boulevard, Chanhassen, MN 55317, USA	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, BEOGRAD	IPSTP 1008/21X	27.05.2021		po tački 3.1 priloga 13. Pravilnika
730	Transmitter pritiska tip: 3051TG4A2B21BB4E8M5Q4S5 fab.br.: 21WEPG1074785, 21WEPG1074784	Rosemount Inc., 8200 Market Boulevard, Chanhassen, MN 55317, USA	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, BEOGRAD	IPSTP 1009/21X	27.05.2021		po tački 3.1 priloga 13. Pravilnika
731	Uređaj za komunikaciju tip: TREX KL fab.br.: 210100032424	R. STAHL HMI Communicator GmbH, Adolf-Grimme-Allee 8, 50829 Köln, Nemačka	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1010/21	27.05.2021		po tački 3.1 priloga 13. Pravilnika
732	Transmitter pritiska tip: 3051S2TA2A2A11A1BB4D1E1M5Q4A9440 fab.br.: 21WEPE0259768	Rosemount Inc., 12001 Technology Drive, Eden Prairie, MN 55344-3659, USA	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, BEOGRAD	IPSTP 1011/21X	27.05.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 59 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
733	Temperaturni transmitter 644HANAXAM5Q4 integrisan u glavi senzora 214CRTSMB1S4M0285DFE1AR2 fab.br.: Transmiteri: 3669780, 3669779, 3669778, 3669775, 3669776, 3669777, 3669774, 3669773, 3669769, 3669770, 3669771, 3669772. Senzori: 3576387, 3576386, 3576385, 3576382, 3576383, 3576384, 3576381, 3576380, 3576376, 3576377, 3576378, 3576379.	Rosemount Inc., 8200 Market Boulevard, Chanhassen, MN 55317, USA	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, BEOGRAD	IPSTP 1012/21X	27.05.2021		po tački 3.1 priloga 13. Pravilnika
734	Transmitter pritiska Cerabar M tip: PMC51-B121JA1CGBGVJA+AAZ1 fab.br.: S5005701128	Endress+Hauser GmbH+Co. KG, Hauptstrasse 1, 79689 Maulburg, NEMAČKA	„MERIS“ d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 1014/21	27.05.2021		po tački 3.1 priloga 13. Pravilnika
735	Transmitter pritiska Cerabar M tip: PMC51-B121JA1HGBGVJA+AAZ1 fab.br.: S5005601128	Endress+Hauser GmbH+Co. KG, Hauptstrasse 1, 79689 Maulburg, NEMAČKA	„MERIS“ d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 1015/21	27.05.2021		po tački 3.1 priloga 13. Pravilnika
736	Transmitter pritiska Cerabar M tip: PMC51-B121JA1EGBGVJA+AAZ1 fab.br.: S5005501128	Endress+Hauser GmbH+Co. KG, Hauptstrasse 1, 79689 Maulburg, NEMAČKA	„MERIS“ d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 1016/21	27.05.2021		po tački 3.1 priloga 13. Pravilnika
737	Ex Potapajuća pumpa tip: G211R3V1-M70AA6 fab.br.: 0420214633	FAGGIOLATI PUMPS S.p.A., Via Papa Giovanni XXIII, Macerata, Italija	"NATURAL SYNERGY" d.o.o., Bulevar oslobođenja 78, 21000, Novi Sad	IPSTP 1019/21X	28.05.2021		po tački 3.1 priloga 13. Pravilnika
738	Potopna elektro-pumpa tip: RWAD 1508 2MS fab.br.: 1830	DAB PUMPS S.p.A, Via M.Polo 14, 35035 Mestrino (PD), Italija	"ČORIĆ AGRAR" d.o.o., VOJVOĐANSKA 1, 23316, Bašaid	IPSTP 1022/21X	31.05.2021		po tački 3.1 priloga 13. Pravilnika
739	Transmitter nivoa Liquiphant M tip: FTL51-GGQ2BB8G5A fab.br.: R3047201027, R3047301027, R3047401027.	Endress & Hauser GmbH, Hauptstr. 1, 79689 Maulburg, Nemačka	"ČORIĆ AGRAR " d.o.o., VOJVOĐANSKA 1, 23316, Bašaid	IPSTP 1023/21X	31.05.2021		po tački 3.1 priloga 13. Pravilnika
740	Transmitter nivoa serije Liquiopint T tip: FTW31-D1A3CA0A fab.br.: R301790103E	Endress + Hauser GmbH., 79689 Maulburg, Hauptstr. 1, Nemačka	"ČORIĆ AGRAR" d.o.o., VOJVOĐANSKA 1, 23316, Bašaid	IPSTP 1024/21	31.05.2021		po tački 3.1 priloga 13. Pravilnika
741	Elektromotor tip: DCEX 200 LH/4 K fab.br.: 201674165, 201674168	HEW GmbH & Co.KG, Goebenstrasse 106, 32051 Herford, Nemačka	"ČORIĆ AGRAR " d.o.o., VOJVOĐANSKA 1, 23316, Bašaid	IPSTP 1025/21X	31.05.2021		po tački 3.1 priloga 13. Pravilnika
742	Elektromotor tip: FLSD132S fab.br.: 832378 G19 008	LEROY SOMER, Boulevard Marcellin Leroy, F-16915 Angoulême, Francuska	"ČORIĆ AGRAR" d.o.o., VOJVOĐANSKA 1, 23316, Bašaid	IPSTP 1026/21X	31.05.2021		po tački 3.1 priloga 13. Pravilnika
743	Grejno kolo tip: QH2-60 1-61-003/Q fab.br.: 12/20	QUINTEX GmbH, I-PARK TAUBERFRANKEN 13, 97922 Lauda-Königshofen, Nemačka	"ČORIĆ AGRAR" d.o.o., VOJVOĐANSKA 1, 23316, Bašaid	IPSTP 1027/21X	31.05.2021		po tački 3.1 priloga 13. Pravilnika
744	Magnetna potapajuća sonda (senzor nivoa) tip: TK-307/0 M fab.br.: 24620, 56920	E.L.B. FÜLLSTANDSGERÄTE Bundschuh GmbH & Co.KG, D-64625 An der Hartbrücke 6, Bensheim, Nemačka	"ČORIĆ AGRAR" d.o.o., VOJVOĐANSKA 1, 23316, Bašaid	IPSTP 1028/21X	31.05.2021		po tački 3.1 priloga 13. Pravilnika
745	Razvodna kutija tip: QP-0122-0120-0904/IRM2Ex/AG fab.br.: 107390; 107392;	QUINTEX GmbH, I-PARK TAUBERFRANKEN 13, 97922 Lauda-Königshofen, Nemačka	"ČORIĆ AGRAR" d.o.o., VOJVOĐANSKA 1, 23316, Bašaid	IPSTP 1029/21	31.05.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 60 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
746	Elektromotor tip: EeDA 56L/2AT -115426 fab.br.: 8482101, 8482113, 8482104, 8482106,	Emod motoren GmbH, Zur Kupe 1, D-36364 Bad Salzschlirf, Nemačka	"ČORIĆ AGRAR" d.o.o., VOJVOĐANSKA 1, 23316, Bašaid	IPSTP 1030/21	31.05.2021		po tački 3.1 priloga 13. Pravilnika
747	Elektromotor (potopnog mešača) tip: TSREx 184 – 160 IE2 K fab.br.: 7482008; 7492008; 7450008; 751008, 753008, 752008,	STREISAL GmbH, Pettermandstrasse 2, D-88239 Wangen / Allgau, Nemačka	"ČORIĆ AGRAR" d.o.o., VOJVOĐANSKA 1, 23316, Bašaid	IPSTP 1031/21X	31.05.2021		po tački 3.1 priloga 13. Pravilnika
748	Ex UZ senzori nivoa tip: dBMACH3 fab.br.: 176771/2021, 176769/2021	PULSAR PROCESS MEASUREMENT Ltd., Cardinal Building, Enigma Commercial Centre, Sandy's Road, Malvern, Worcestershire WR 14 1JJ, UK	"WIG" d.o.o., Bulevar Arsenija Čarnojevića 26, 11070, Beograd	IPSTP 1035/21X	31.05.2021		po tački 3.1 priloga 13. Pravilnika
749	Elektromotor ventilatora tip: MK 106-4DB.07.Y fab.br.: 32817605	Ziehl-Abegg AG, Heinc-Ziehl-Straße, 74653 Kunzelsau, NEMAČKA	"Systemair" d.o.o., Bul. Zorana Đinđića 95/1/2, 11070, Beograd	IPSTP 1036/21	31.05.2021		po tački 3.1 priloga 13. Pravilnika
750	Ex PTZ Camera tip: XP40-Q1785 fab.br.: 219547297 10 01, 219547297 10 02, 219547297 10 03, 219547297 10 04, 219547297 10 05, 219547297 10 06, 219547297 10 07, 219547297 10 08.	Eaton MEDC Ltd (Oxalis), Unit 6, Sutton Parkway, Oddicraft Lane, Sutton-in-Ashfield, NG17 5FB, UK	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 1037/21X	31.05.2021		po tački 3.1 priloga 13. Pravilnika
751	LF impulsni davač tip: IN-S11 fab.br.: od 83055286 do 83055287, od 80140554 do 80140559	Elster GmbH, Steinern Strasse 19-21, 55252 Mainz –Kastel, Nemačka	"KONVEX-GASNA I VODO TEHNIKA" d.o.o., Batajnički Drum 299, sprat 1, 11080 Zemun, Beograd	IPSTP 1041/21X	01.06.2021		po tački 3.1 priloga 13. Pravilnika
752	Induktivni prekidač položaja (HF impulsni davač tip A1S) tip: N95000 fab.br.: 83055286, 83055287, 80140554, 80140555, 80140556, 80140557, 80140558, 80140559.	ifm electronic GmbH, Friedrichstraße 1, 45128 Essen, Nemačka	"KONVEX-GASNA I VODO TEHNIKA" d.o.o., Batajnički drum 299, sprat 1, 11080, Zemun-Beograd	IPSTP 1042/21	01.06.2021		po tački 3.1 priloga 13. Pravilnika
753	Komunikacijski adapter serije VEGACONNECT tip: CONNECT.CXA4 fab.br.: 52776430	VEGA Grieshaber KG, Am Hohenstein 113, 77761 Schiltach, Nemačka	„Ogranak Yokogawa Europe Branches Beograd“ d.o.o., Bulevar Mihajla Pupina 115v, 11070 Novi Beograd, Beograd	IPSTP 1043/21X	01.06.2021		po tački 3.1 priloga 13. Pravilnika
754	Izolacioni pojačavač tip: FMX-IM-3UR38X fab.br.: 1RCTY, 1RBZR	HANS TURCK GmbH & Co.KG, Witzlebenstr. 7 D-45472 Mülheim an der Ruhr, Nemačka	"TIPTEH" d.o.o., Moše Pijade 17A, 11224 Vršin, Beograd	IPSTP 1044/21	01.06.2021		po tački 3.1 priloga 13. Pravilnika
755	Senzor protoka tip: FCS-GL1/2A4-NAEX-H1141/A fab.br.:	HANS TURCK GmbH & Co.KG, Witzlebenstr. 7 D-45472 Mülheim an der Ruhr, Nemačka	"TIPTEH" d.o.o., Moše Pijade 17A, 11224 Vršin, Beograd	IPSTP 1045/21	01.06.2021		po tački 3.1 priloga 13. Pravilnika
756	Ex elektromotor/ventilator serije Compact tip:HCBT/4-315/H-A EXEIIIT3 fab.br.: 1008106435	SOLER & PALAU Sistemas de Ventilación S.L.U., Ctra.Puigcerda s/n, 17500 Rippol (Gerona), ŠPANIJA	"Beotechnoclima" d.o.o., Bulevar Zorana Đinđića 80, 11070 Novi Beograd, Beograd	IPSTP 1046/21X	01.06.2021		po tački 3.1 priloga 13. Pravilnika
757	Ex Kondenzator elektromotora tip: 24 fab.br.:	Suko Kondensatorenbau GmbH & Co, Robert-Bosch-Strasse 2, DE-72411 Bodelshausen, Nemačka	"JT International" A.D., Subotički put 17, 24400, Senta	IPSTP 1047/21X	01.06.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 61 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
758	Ventilator sa elektromotorom tip: TD - 800/200 EEXEII T3 fab.br.: 1006267222, 02C39202, -	SOLER Y PALAU S.A., C/Lievant 4 ,4 08150 Parets del Valles, Barcelona, ŠPANIJA	"JT International" A.D., Subotički put 17, 24400, Senta	IPSTP 1048/21X	01.06.2021		po tački 3.1 priloga 13. Pravilnika
759	Elektromotor tip: 1MB15130EA022FA4-Z fab.br.: UD 2103/2328630-001-001	Siemens AG, Vogelweiherstrase 1-15, D-90441 Nürnberg, NEMAČKA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 1049/21	01.06.2021		po tački 3.1 priloga 13. Pravilnika
760	Pozicioner tip: DVC6200 fab.br.: F003029083, F003029081, F003029082	Fisher Controls International Inc, 205 South Center Street , Marshalltown , Iowa 50158, USA	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1050/21X	01.06.2021		po tački 3.1 priloga 13. Pravilnika
761	Transmitter diferencijalnog pritiska tip: DPT-10 fab.br.: 46047061; 46047062	WIKA Alexander Wiegand SE&Co. KG, Alexander-Wiegand-Strasse 30, 63911 Klingenberg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1051/21X	02.06.2021		po tački 3.1 priloga 13. Pravilnika
762	Elektromotor tip: 0F071B2Q2305P4U fab.br.: 19021627028	ORANGE1 Electric Motors, Via Mantova 93 ,43122 PARMA, ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1052/21X	02.06.2021		po tački 3.1 priloga 13. Pravilnika
763	Elektronski termostat tip: ETS-05-L2-EP fab.br.: 1119 204 ; 2119 330.	Pentair Thermal Management Belgium NV- Raychem, B-3001 Leuven, Belgija	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1053/21	02.06.2021		po tački 3.1 priloga 13. Pravilnika
764	Ex Grejač tip: 700GB/AH/PL-Exdet2300T3 fab.br.: 26923003231R	Schniewindt GmbH & Co.KG, Schöntaler Weg 46, 58809 Neuenrade, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1054/21X	02.06.2021		po tački 3.1 priloga 13. Pravilnika
765	Ex Kućište tip: EJB-2 fab.br.: 19/14470	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1055/21	02.06.2021		po tački 3.1 priloga 13. Pravilnika
766	Ex Kućište tip: EJB-3B fab.br.: 19/14472	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1056/21	02.06.2021		po tački 3.1 priloga 13. Pravilnika
767	Priključna kutija tip: JB9000 fab.br.: 68903 i 68897	Heat Trace Limited, Meres Edge Chester Road, Helsby, Frodsham, Cheshire, WA6 0D, UK	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1057/21	02.06.2021		po tački 3.1 priloga 13. Pravilnika
768	Termopar (Pt-100 sonda) tip: TR10-L fab.br.: 110D55ZS, 110D55ZQ, 110D55ZT, 110D55ZR	WIKA Instruments Ltd, 3103 Parsons Road, Edmonton, AB T6N 1C8, Kanada	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1058/21X	02.06.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 62 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
769	Transmitter nivoa model: AVK-ADF fab.br.: 110DD7E7; 110DD7E8	KSR Kubler Niveau Messtechnik AG, Heinrich-Kubler Platz 1, 69439 Zwingenberg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1059/21X	02.06.2021		po tački 3.1 priloga 13. Pravilnika
770	Krajnji prekidač tip: PS 23 1N fab.br.: 36/1912; 36/1914	COELBO S.r.l., Via Santa Margherita, 83 – 20861 Brugherio (MB), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1060/21	02.06.2021		po tački 3.1 priloga 13. Pravilnika
771	Ex Zaštitni prekidač tip: GHG2736000R0017 fab.br.: 0258	CEAG Sicherheitstechnik GmbH, 69412 Eberbach, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1061/21	02.06.2021		po tački 3.1 priloga 13. Pravilnika
772	Ex Razvodna kutija tip: GHG7910201R0003 fab.br.:	CEAG Sicherheitstechnik GmbH, 69412 Eberbach, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1062/21	02.06.2021		po tački 3.1 priloga 13. Pravilnika
773	Transmitter temperature tip: : 3144P D1A1E1M5T1F5Q4XA sa temperaturnom sondom tip: : 0065N31J0080Y0350F70A1E1Q8R01R22R07R16XA fab.br.: Transmitter: 5137082 Sonda: 5400372	Rosemount Inc, 6021 Innovation Blvd.8200 Market Boulevard, Chanhassen, MN 55317-9685Shakopee, MN 55379-9795,, USA	"Comita d.d. Ogranak Comita Beograd " d.o.o., Bul. JNA 121A, Jajinci 11222, Beograd	IPSTP 1063/21X	02.06.2021		po tački 3.1 priloga 13. Pravilnika
774	Transmitter pritiska tip: 3051S2TG4A2E11A1AB4D1E1Y2M5P1Q4Q8T1 fab.br.: 20WEPE0256130, 20WEPE0256131	Rosemount Inc., 8200 Market Boulevard, Chanhassen, MN 55317, USA	Comita d.d. Ogranak Comita Beograd, Bul. JNA 121A, Jajinci 11222, Beograd	IPSTP 1064/21X	02.06.2021		po tački 3.1 priloga 13. Pravilnika
775	Transmitter pritiska tip: 2051TG4A2B21AB4E1Y2M5D4T1P1Q4Q8 fab.br.: 20WEPC0333081, 20WEPC0333082, 20WEPC0333083, 20WEPC0333084, 20WEPC0333085, 20WEPC0321629, 20WEPC0321630, 20WEPC0321631, 20WEPC0321632.	Rosemount Inc., 8200 Market Boulevard, Chanhassen, MN 55317, USA	Comita d.d. Ogranak Comita Beograd, Bul. JNA 121A, Jajinci 11222, Beograd	IPSTP 1065/21X	02.06.2021		po tački 3.1 priloga 13. Pravilnika
776	Elektromotor tip: H7AT 180L-4E/T4 fab.br.: 975737	KONČAR-MES d.d., Fallerovo šetalište 22 ,10 000 Zagreb, Hrvatska	"ELEKTRON" d.o.o., Novosadski put 156, 21000, Novi Sad	IPSTP 1066/21X	03.06.2021		po tački 3.1 priloga 13. Pravilnika
777	Elektromotor tip: H7AT 132MX-4E/T4 fab.br.: 976444	KONČAR-MES d.d., Fallerovo šetalište 22 ,10 000 Zagreb, Hrvatska	"ELEKTRON" d.o.o., Novosadski put 156, 21000, Novi Sad	IPSTP 1067/21X	03.06.2021		po tački 3.1 priloga 13. Pravilnika
778	Elektromotor tip: RL80 A4 (RL0014) fab.br.: 138325, 138327	RAEL srl, Via Sper Retorto 7/1, I-15077 Predosa, Italija	"AIRCO " d.o.o., Milovana Glišića br.7, lokal br.2, 21000, NOVI SAD	IPSTP 1068/21X	03.06.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 63 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
779	Transmitter temperature tip: : 3144P D1A1E1M5T1F5Q4XA sa temperaturnom sondom tip: : 0065N31J0080Y0400F70A1E1Q8R01R22R07R16XA fab.br.: Transmitter: 5137083 Sonda: 5400373	Rosemount Inc, 6021 Innovation Blvd.8200 Market Boulevard, Chanhassen, MN 55317-9685Shakopee, MN 55379-9795,, USA	"Comita d.d. Ogranak Comita Beograd " d.o.o., Bul. JNA 121A, Jajinci 11222, Beograd	IPSTP 1069/21X	03.06.2021		po tački 3.1 priloga 13. Pravilnika
780	Transmitter temperature tip: : 3144P D1A1E1M5T1F5Q4XA sa temperaturnom sondom tip: : 0065N31J0080N2110A1E1XA fab.br.: Transmitter: 5137081 Sonda: 5400371	Rosemount Inc, 6021 Innovation Blvd.8200 Market Boulevard, Chanhassen, MN 55317-9685Shakopee, MN 55379-9795,, USA	"Comita d.d. Ogranak Comita Beograd " d.o.o., Bul. JNA 121A, Jajinci 11222, Beograd	IPSTP 1070/21X	03.06.2021		po tački 3.1 priloga 13. Pravilnika
781	Vapor senzor tip: 30-0235-V fab.br.: 031948, 021803, 022647	OPW – Fuel Managment Systems, 6900 Santa Fe Drive Hodgikins , IL 60525, SAD	GIA TECHNOLOGY d.o.o., Primorska 86, 21000, Novi Sad	IPSTP 1071/21X	03.06.2021		po tački 3.1 priloga 13. Pravilnika
782	KONZOLA tip: Site Sentinel NANO fab.br.: 2228154, 2228399	OPW – Fuel Managment Systems, 6900 Santa Fe Drive Hodgikins , IL 60525, SAD	GIA TECHNOLOGY d.o.o., Primorska 86, 21000, Novi Sad	IPSTP 1072/21X	03.06.2021		po tački 3.1 priloga 13. Pravilnika
783	MAGNETNOSTRIKTIVNA SONDA tip: 924B fab.br.: 2005052020, 2101071007, 2012221023, 2012222015, 2012221024, 2012222018, 2007101004, 2007102009, 2012022014, 2012011006, 2012012009	OPW – Fuel Managment Systems, 6900 Santa Fe Drive Hodgikins , IL 60525, USA	GIA TECHNOLOGY d.o.o., Primorske 86, 21000, NOVI SAD	IPSTP 1073/21X	03.06.2021		po tački 3.1 priloga 13. Pravilnika
784	Priključna kutija tip: 8118/211 – 401 fab.br.:	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1074/21	03.06.2021		po tački 3.1 priloga 13. Pravilnika
785	Vortex merač protoka model: OPTISWIRL 4200 C i - Ex fab.br.: D210000001057838	KROHNE Messtechnik GmbH, Ludwig-Krohne-Strasse 5, 47058 Duisburg, NEMAČKA	"WIG" d.o.o., Bulevar Arsenija Čarnojevića br. 26, 11070, Novi Beograd	IPSTP 1075/21X	03.06.2021		po tački 3.1 priloga 13. Pravilnika
786	Pozicioner tip: ND9202HX fab.br.: PH20536031	Neles Finland Oy, Vanhe Porvoontie 229, 01380 Vantaa, Finska	"MSK" AD, Bečejski put br. 3, 23300, Kikinda	IPSTP 1076/21X	03.06.2021		po tački 3.1 priloga 13. Pravilnika
787	Multisenzorski detektor požara tip: OOH740-A9-Ex fab.br.: 5ECFAA, 5ECFB3, 5ECFAO	Siemens Switzerland Ltd., Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	Roaming Smart Solutions d.o.o., Južni bulevar 10, 11000, Beograd	IPSTP 1077/21X	03.06.2021		po tački 3.1 priloga 13. Pravilnika
788	Ex Uvodnica za armirani kabel tip: E1FU M20 fab.br.:	CMP Products Ltd, Unit 36 Nelson Way, Nelson Park East; Cramlington, NE23 1WH, UK	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1080/21X	04.06.2021		po tački 3.1 priloga 13. Pravilnika
789	Detektor plamena tip: 40/40LB-111SC fab.br.: 21SHYA0136641, 21SHYA0136642 21SHYA0136643, 21SHYA0136644.	SPECTREX Ltd., 218 Little Falls Road, Cedar Grove, NJ 07009, USA	"Dräger Tehnika" d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 1081/21X	04.06.2021		po tački 3.1 priloga 13. Pravilnika
790	Ex Izolator tip: TOS6.63A. fab.br.:	BARTEC-VARNOST, Cesta 9. avgusta 59, Zagorje ob Savi, Slovenija	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1082/21U	04.06.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 64 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
791	Ex Izolator tip: TOS8.100A. fab.br.:	BARTEC-VARNOST, Cesta 9. avgusta 59, Zagorje ob Savi, Slovenija	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1083/21U	04.06.2021		po tački 3.1 priloga 13. Pravilnika
792	Utikačka naprava tip: ECP-20232 model F fab.br.:	APPLETON GROUP, 9377 W.HIGGINS RD, ROSEMONT IL 60018, USA	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1084/21	04.06.2021		po tački 3.1 priloga 13. Pravilnika
793	Kapacitivni prekidač nivoa Minicap tip: FTC262-BA42J1 fab.br.: S500EA0106C, S500E90106C	Endress+Hauser GmbH+Co. KG, Hauptstrasse 1, Maulburg, Nemačka	MERIS d.o.o., Narodnih heroja 42/2, 11070, Novi Beograd	IPSTP 1085/21X	07.06.2021		po tački 3.1 priloga 13. Pravilnika
794	Krajnji prekidač tip: Ex 14R 1ö/1S fab.br.:	Steute Schaltgeräte GmbH & Co KG, Brückenstr.91, 32584 Löhne, Nemačka	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1086/21X	07.06.2021		po tački 3.1 priloga 13. Pravilnika
795	Pozicioner tip: 3661 fab.br.: F003029080	Fisher Controls International Inc, 205 South Center Street , Marshalltown , Iowa 50158, USA	"IvDam Process Control" d.o.o, Koste Abraševića 15, 11050, Beograd	IPSTP 1087/21X	07.06.2021		po tački 3.1 priloga 13. Pravilnika
796	Temperaturna sonda tip: 0065D21D0110Y0075T46E1 fab.br.: 3616238	Rosemount Inc, 8200 Market Boulevard, Chanhassen, MN 55317-9685, USA	"IvDam Process Control" d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1088/21X	07.06.2021		po tački 3.1 priloga 13. Pravilnika
797	Transmitter pritiska tip: 3051SMV5M12G4R2A11A1BWR3C32E1M5Q4 fab.br.: 21WEFF1505293	Rosemount Inc., 12001 Technology Drive, Eden Prairie, MN 55344-3659, USA	"IvDam Process Control" d.o.o., Koste Abraševića 15, 11050, BEOGRAD	IPSTP 1089/21X	07.06.2021		po tački 3.1 priloga 13. Pravilnika
798	Blicer tip: IS-mB1 fab.br.: 20/1MBR005059	European Safety Systems Ltd., Imress House, Mansell Road , Acton, UK	TVI d.o.o., Stojana Matića 44, 11000, Beograd	IPSTP 1090/21X	07.06.2021		po tački 3.1 priloga 13. Pravilnika
799	Samoregulišući grejni kabel tip: BSX 10-2-OJ fab.br.: bez serijskog broja, dužina l = 330 m'	Thermon Inc, 100 Thermon Drive San Marcos, Texas 78666, USA	"ELMARK" d.o.o., Milana Rakića br.6, BEOGRAD	IPSTP 1091/21	07.06.2021		po tački 3.1 priloga 13. Pravilnika
800	Senzor temperature tip: PTD-100-X fab.br.: PI00060093	Thermon Europe B.V., Boezemweg 25, NI-2640 Pijnacker, HOLANDIJA	"ELMARK" d.o.o., Milana Rakića br. 6, 11120, Beograd	IPSTP 1092/21U	08.06.2021		po tački 3.1 priloga 13. Pravilnika
801	Priključna kutija tip: TERMINATOR ZP-XP fab.br.: PRD4004712	Thermon Manufacturing Company, 100 Thermon Drive San Marcos, Texas 78666, USA	"ELMARK" d.o.o., Milana Rakića br. 6, 11120, Beograd	IPSTP 1093/21X	08.06.2021		po tački 3.1 priloga 13. Pravilnika
802	Priključna kutija za senzor temperature (montaža na zid) tip: TERMINATOR ZP-PTD 100-WP fab.br.: PRD4004711	Thermon Manufacturing Company, 100 Thermon Drive San Marcos, Texas 78666, USA	"ELMARK" d.o.o., Milana Rakića br. 6, 11120, Beograd	IPSTP 1094/21X	08.06.2021		po tački 3.1 priloga 13. Pravilnika
803	Transmitter pritiska tip: PCE-28/1/2NPT fab.br.: 05213070, 05213071, 05213072, 05213073, 05213074, 05213075, 05213076, 05213077, 05213078, 05213079, 05213080, 05213081, 05213082, 05213083, 05213084, 05213085, 05213086, 05213087, 05213088, 05213089, 05213090, 05213091.	Aplisens S.A., Morelowa 7, 03-192 Warszawa, POLJSKA	" WIG" d.o.o., Bulevar Arsenija Čarnojevića br. 26, 11070 Novi Beograd, BEOGRAD	IPSTP 1095/21X	08.06.2021		po tački 3.1 priloga 13. Pravilnika



REGISTAR

**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 65 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	POD NOSILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
804	Ex Elektromotor tip: AB30r 80B 4 fab.br.: 2100012131; 2100012132; 2100012133; 2100012134; 2100012135; 2100012136 2100012137; 2100012138; 2100012139; 2100012140; 2100012141; 2100012142 2100012143; 2100012144; 2100012145; 2100012146; 2100012147; 2100012148 2100012149; 2100012150; 2100012151; 2100012152; 2100012153; 2100012154.	Cemp S.r.l., 20030 SENAGO (Milan), Via Piemonte 16, Italija	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1096/21X	08.06.2021		po tački 3.1 priloga 13. Pravilnika
805	Elektromotor ventilatora tip: 0F063B4Q2305P4U fab.br.: 19002988011, 18042617009	ORANGE1 Electric Motors, Via Mantova 93 ,43122 PARMA, ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 1098/21X	09.06.2021		po tački 3.1 priloga 13. Pravilnika
806	Električni aktuator tip: IQTM3000 fab.br.: M212200201; M212200202 ;	Rotork Controls Limited, Brassmil Lane, Bath, BA1 3JQ, UK	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 1099/21X	09.06.2021		po tački 3.1 priloga 13. Pravilnika
807	Ex razvodna kutija tip: RK 01/544 Ex i fab.br.:	TEP Ex, Medarska 69, Zagreb, Hrvatska	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1100/21	09.06.2021		po tački 3.1 priloga 13. Pravilnika
808	Električni grejač tip: GTF 90/162 fab.br.: 19620; 19617	MASTERWATT S.r.l., Via Collegno n° 31, 10044 Pianezza (TO), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 1101/21X	09.06.2021		po tački 3.1 priloga 13. Pravilnika
809	LF impulsni davač tip: IN-S11 fab.br.:	Elster GmbH, Steinern Strasse 19-21, 55252 Mainz –Kastel, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1102/21X	09.06.2021		po tački 3.1 priloga 13. Pravilnika
810	Pozicioner tip: DVC2000 fab.br.: F002883116	Fisher Controls International Inc, 205 South Center St , Marshalltown , Iowa 50158, SAD	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1109/21X	09.06.2021		po tački 3.1 priloga 13. Pravilnika
811	Ex Kućište tip: EJB-01 fab.br.: 19/11483 (kom.18), 19/14466 (kom.1)	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1110/21	09.06.2021		po tački 3.1 priloga 13. Pravilnika
812	Ex Kućište tip: EJB-2 fab.br.: 19/14470, 19/11487	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1111/21	09.06.2021		po tački 3.1 priloga 13. Pravilnika

REGISTAR

**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 66 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	POD NOSILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
813	Ex Kućište tip: EJB-3B fab.br.: 19/14472 (kom. 2)	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1112/21	09.06.2021		po tački 3.1 priloga 13. Pravilnika
814	Ex Kućište tip: EJB-45 fab.br.: 19/11491	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1113/21	09.06.2021		po tački 3.1 priloga 13. Pravilnika
815	Ex Kućište tip: EJB-45B fab.br.: 19/11493 (kom. 3)	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1114/21X	09.06.2021		po tački 3.1 priloga 13. Pravilnika
816	Ex Razvodni orman tip: EJB-4B fab.br.: 19/11497 (kom.2), 19/11495 (kom.4)	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1115/21X	09.06.2021		po tački 3.1 priloga 13. Pravilnika
817	Ex Kućište tip: EJB-1 fab.br.: 19/11485 (kom.7)	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1116/21X	09.06.2021		po tački 3.1 priloga 13. Pravilnika
818	Ex Kućište tip: EJB-45 fab.br.: 19/11489	CORTEM s.p.a., Via Aquileia , 10-34070 Villesse (Go), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1117/21X	09.06.2021		po tački 3.1 priloga 13. Pravilnika
819	Ex Priključna kutija prekidača nivoa serije LS tip: 00.01.1667/20-01386/10 fab.br.: 3611, 3615. + 6 komada bez serijskog broja	INDRA S.r.l., Via Novara, 10/B I – 20013 Magenta (MI), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1118/21X	09.06.2021		po tački 3.1 priloga 13. Pravilnika
820	ASINHRONI ELEKTROMOTOR tip: LSE112MU fab.br.: D04268 B20 042	LEROY SOMER, Usine de Rabion ,CS 10015, 16915, ANGOULEME, Francuska	“GAS INSTALATION” d.o.o., Sangajska 91c , 11080 Zemun, Beograd	IPSTP 1119/21X	10.06.2021		po tački 3.1 priloga 13. Pravilnika
821	ELEKTROMOTOR tip: EX SKg 132S -2A-2G T3 fab.br.: AM 008034	CELMA INDUKTA S.A., ul.3 Maja 19, 43-400 Cieszyn, Poljska	GAS INSTALATION d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1120/21X	10.06.2021		po tački 3.1 priloga 13. Pravilnika
822	Ex BARIJERA tip: MACX MCR-EX-SL-RPSSI-I fab.br.: 1365517303, 1365517510, 1365517021, 1365517028, 1365496175, 1365517006, 1365516978, 1365517472, 1365517351, 1365494176, 1365517321, 1365517460, 1365496164, 1365517493, 1365517342, 1365517477.	Phoenix Contact GmbH, Flachmarktstr. 8 , 32825 Blomberg, Nemačka	ELEKTROMATERIJAL d.o.o., Novosadskog sajma 54, 21000, Novi Sad	IPSTP 1124/21X	11.06.2021		po tački 3.1 priloga 13. Pravilnika
823	Barijera tip: MACX MCR-EX-SL-NAM-R fab.br.: 1360928753; 1360928940	Phoenix Contact GmbH & Co KG, Flachmarktstr. 8 , 32825 , Blomberg, NEMAČKA	"ELEKTROMATERIJAL" d.o.o., Novosadskog sajma 54, 21000, Novi Sad	IPSTP 1125/21X	11.06.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 67 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
824	ZENER barijera tip: Z728 fab.br.: 71788	PEPPERL+FUCHS GmbH, Lillienthalstrasse 200, 68307 Mannheim, NEMAČKA	"QUADEL" d.o.o., Zorana Radosavljevića Čupe 30, 18000, Niš	IPSTP 1126/21	11.06.2021		po tački 3.1 priloga 13. Pravilnika
825	Dimnooptički detektor tip: SLR-E-IS fab.br.: 005400243	HOCHIKI EUROPE, Gillingham, Kent, ME8 0SA, UK	"QUADEL" d.o.o., Zorana Radosavljevića Čupe 30, 18000, Niš	IPSTP 1127/21X	11.06.2021		po tački 3.1 priloga 13. Pravilnika
826	Samoregulišući grejni kabel tip: BSX 10-2-OJ fab.br.: bez serijskog broja, dužina l = 57 m'	Thermon Inc, 100 Thermon Drive San Marcos, Texas 78666, USA	"ELMARK" d.o.o., Milana Rakića br.6, BEOGRAD	IPSTP 1133/21	14.06.2021		po tački 3.1 priloga 13. Pravilnika
827	Elektronski kontrolni modul tip: Trace Net ECM -C-12-P-WP-SP fab.br.: PTD1005021-01, PTD1005021-02, PTD1005021-03, PTD1005021-04	Thermon Inc, 100 Thermon Drive San Marcos, Texas 78666, USA	"ELMARK" d.o.o., Milana Rakića br.6., Beograd	IPSTP 1134/21X	14.06.2021		po tački 3.1 priloga 13. Pravilnika
828	Priključna kutija za senzor temperature (montaža na zid) tip: TERMINATOR ZP fab.br.: PRD4005080	Thermon Manufacturing Company, 100 Thermon Drive San Marcos, Texas 78666, USA	"ELMARK" d.o.o., Milana Rakića br. 6, 11120, Beograd	IPSTP 1135/21X	14.06.2021		po tački 3.1 priloga 13. Pravilnika
829	Ex Ventilator tip: VAAZ T 315-A fab.br.: 975598	KONČAR-MES Inc., Fallerovo Šetalište 22, 10000 Zagreb, Hrvatska	"El-Ex Garant" d.o.o., Resavska 16 a, 11000, Beograd	IPSTP 1136/21	14.06.2021		po tački 3.1 priloga 13. Pravilnika
830	Ex Digitalna ulazna izolovana barijera tip: KFA6-SR2-Ex1.W fab.br.: 40000114367919, 40000114368245	PEPPERL & FUCHS GmbH, Lillienthalstraße 200, 68307 Mannheim, NEMAČKA	"VIS ELECTRONIC" d.o.o., Janka Čmelika 56/4, 21000, Novi Sad	IPSTP 1137/21	14.06.2021		po tački 3.1 priloga 13. Pravilnika
831	Elektronski korektor zapremine tip: Explorer MINI fab.br.: 21F059797, 21F059798, 21F059799, 21F059800, 21F059801, 21F059802, 21F059803, 21F059804, 21F059805, 21F059806, 21F059807, 21F059808, 21F059809, 21F059810, 21F059811, 21F059812, 21F059813, 21F059814, 21F059815, 21F059816	PIETRO FIORENTINI S.p.A., Strada Provinciale 33, km 0,6, 20080 Vernate(MI), ITALIJA	"TIPEX AS" d.o.o., Vase Stajića 34, 21000, NOVI SAD	IPSTP 1138/21X	15.06.2021		po tački 3.1 priloga 13. Pravilnika
832	Ručna prenosna lampa tip: L-5000 Z1 fab.br.: 48, 49, 50, 51, 52, 53, 54.	Adaro Tecnología S.A., Parque Científico y Tecnológico de Gijón, C/ Jimena Fernández de la Vega, 33203 Gijón, Španija	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1139/21X	15.06.2021		po tački 3.1 priloga 13. Pravilnika
833	Okretni aktuator tip: Ex Max-15-SF fab.br.:	Schischek Explosionsschutz GmbH, 90579 Langenzenn, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1142/21X	15.06.2021		po tački 3.1 priloga 13. Pravilnika
834	Elektromotor tip: 0F071B2Q2305P4U fab.br.: 19021627036	ORANGE1 Electric Motors, Via Mantova 93, 43122 PARMA, ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1143/21X	15.06.2021		po tački 3.1 priloga 13. Pravilnika
835	Ex Grejač tip: 700GB/AH/PL-Ex det910T3/T200°C/RE fab.br.: 26909103231R;	Schniewindt GmbH & Co.KG, Schöntaler Weg 46, 58809 Neuenrade, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1144/21X	15.06.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : **68** / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
836	Ex Grejač tip: 700GB/AH/PL-Ex det2100T1/T450C/RE fab.br.: 26921001231R	Schniewindt GmbH & Co.KG, Schöntaler Weg 46, 58809 Neuenrade, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1145/21X	15.06.2021		po tački 3.1 priloga 13. Pravilnika
837	Centifugalni ventilator u EX izvedbi tip: EX 140A-2C fab.br.:	SYSTEMAIR SVERIGE AB, Industriv 3, SE 739 30, Skinnskatteberg, ŠVEDSKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1146/21X	16.06.2021		po tački 3.1 priloga 13. Pravilnika
838	Kontrolna jedinica tip: PKIVA161008 fab.br.: 191220976111	"ZAVOD GORELTEX" Co.Ltd., 195176, Saint Petersburg, Revolutsii road, 18., Rusija	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1147/21X	15.06.2021		po tački 3.1 priloga 13. Pravilnika
839	Magnetni beskontaktni prekidač tip: CM2-Ex fab.br.: 902104-Ex	IDEM Safety Switches Limited, Unit E9, Moss Industrial Estate, Leigh, Lancashire, WN7 3PT, UK	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1148/21X	15.06.2021		po tački 3.1 priloga 13. Pravilnika
840	Razvodna kutija tip: EAB fab.br.:	Cooper Crouse-Hinds, Wolf and 7th North Street, Syracuse, New York, 13221, USA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1149/21	16.06.2021		po tački 3.1 priloga 13. Pravilnika
841	Prekidač tip: PPG-2I25 fab.br.: 191214116110 (4 komada)	"ZAVOD GORELTEX" Co.Ltd., 195176, Saint Petersburg, Revolutsii road, 18., Rusija	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1150/21X	16.06.2021		po tački 3.1 priloga 13. Pravilnika
842	Transmitter temperature tip: TIF50-F fab.br.: 110D4SGA; 110D4SGB; 110D4SGC; 110D4SGD; 110D4SGE; 110D4SGF; 110D4SGG; 110D4SGH; 110D4SGI; 110D4SGJ; 110D4SGO; 110D4SGP; 110D4SGQ; 110D4SGR; 110D4SGK; 110D4SGL; 110D4SGM; 110D4SGN;	WIKA Alexander Wiegand SE & Co. KG, Alexander-Wiegand-Strasse 30, 63911 Klingenberg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1151/21	16.06.2021		po tački 3.1 priloga 13. Pravilnika
843	Transmitter pritiska tip: 3051TA1A2B21JB4E8M4DOT1Q4Y2Q15 fab.br.: 0530097	ROSEMOUNT Inc., 8200 Market Boulevard, Chanhassen, Minnesota 55317, USA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1152/21X	16.06.2021		po tački 3.1 priloga 13. Pravilnika
844	Transmitter pritiska tip: 3051TG4A2B21JB4E8M4DOT1Q4S5Y2Q15 fab.br.: 0530100, 0530101, 0530102, 0530103, 0530106	ROSEMOUNT Inc., 8200 Market Boulevard, Chanhassen, Minnesota 55317, USA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1153/21X	16.06.2021		po tački 3.1 priloga 13. Pravilnika
845	Merna ćelija tip: AZLI fab.br.: VA060909; VA073192, WA043057, VA147012	LAUMAS ELETTRONICA srl, Via I Maggio, 6 - 43022, Montechiarugolo (PR), Italija	"UNIMER" d.o.o., Jasički put 57, 37000, Kruševac	IPSTP 1157/21	17.06.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 69 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
846	Isparivački ventil tip: KEV fab.br.:	SWAGELOK LIMITED, Tromode, Isle of Man, IM4 4HT, UK	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1159/21X	17.06.2021		po tački 3.1 priloga 13. Pravilnika
847	Ex Termostat tip: TS10 fab.br.:	Intertec-Hess GmbH, Raffineriestrasse 8, 93333 Neustadt/Donau, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1160/21X	17.06.2021		po tački 3.1 priloga 13. Pravilnika
848	Ex FLUO SVETILJKA tip: EVFGD-236 fab.br.: od 21/5738/02.1 do 21/5738/02.39	BARTEC / NUOVA ASP, Via De Gasperi, 26 I-20090 Pantiglate, Italija	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1162/21X	17.06.2021		po tački 3.1 priloga 13. Pravilnika
849	Ex PANIK FLUO SVETILJKA tip: EVFGDE-236 fab.br.: od 21/5738/01.1 do 21/5738/01.144	BARTEC / NUOVA ASP, Via De Gasperi, 26 I-20090 Pantiglate, Italija	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1163/21X	17.06.2021		po tački 3.1 priloga 13. Pravilnika
850	Upravljačka kombinacija tip: SKX 12/1 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1164/21X	17.06.2021		po tački 3.1 priloga 13. Pravilnika
851	Upravljačka kombinacija tip: SKX 12/21 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1165/21X	17.06.2021		po tački 3.1 priloga 13. Pravilnika
852	Upravljačka kombinacija tip: SKX 13/1 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1166/21X	17.06.2021		po tački 3.1 priloga 13. Pravilnika
853	Upravljačka kombinacija tip: SKX 14/1 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1167/21X	17.06.2021		po tački 3.1 priloga 13. Pravilnika
854	Upravljačka kombinacija tip: SKX 14/MSRU-1329.12 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1168/21X	17.06.2021		po tački 3.1 priloga 13. Pravilnika
855	Upravljačka kombinacija tip: SKX 15/MSRU-1329.07 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1169/21X	17.06.2021		po tački 3.1 priloga 13. Pravilnika
856	Upravljačka kombinacija tip: SKX 20/SRU fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1170/21X	17.06.2021		po tački 3.1 priloga 13. Pravilnika
857	Orman razvodni tip: R3002/R3003/R3005-SRU 1329.06 fab.br.:	TEP-Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	„BEL-ELEKTRO“ d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1171/21X	17.06.2021		po tački 3.1 priloga 13. Pravilnika
858	Ex Sabirnički orman tip: SKX 604016-3 / 3x120 fab.br.:	TEP Ex d.o.o., Medarska 69 , 10090 Zagreb, HRVATSKA	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1172/21	17.06.2021		po tački 3.1 priloga 13. Pravilnika
859	Ex Sabirnički orman tip: SKX 1008020/SRU-1329.10 fab.br.:	TEP Ex d.o.o., Medarska 69 , 10090 Zagreb, HRVATSKA	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1173/21	17.06.2021		po tački 3.1 priloga 13. Pravilnika
860	LED Svetiljka viseća tip: PLFS-N 100 LED-4/3 fab.br.:	TEP-Ex d.o.o., Medarska 69, Zagreb, Hrvatska	“BEL-ELEKTRO” d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1174/21	17.06.2021		po tački 3.1 priloga 13. Pravilnika
861	Viseća Led svetiljka tip: 6050/606-600-6B2-108850-000 fab.br.:	R.STAHL Schaltgeräte GmbH, Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Keying" d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 1175/21	18.06.2021		po tački 3.1 priloga 13. Pravilnika
862	Digitalni kontroler nivoa tip: DLC3100 fab.br.: F003040935	Fisher Controls International Inc, 205 South Center St , Marshalltown , Iowa 50158, SAD	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1176/21X	18.06.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 70 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
863	Pozicioner tip: DVC6200 fab.br.: F003040936	Fisher Controls International Inc, 205 South Center Street , Marshalltown , Iowa 50158, USA	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1177/21X	18.06.2021		po tački 3.1 priloga 13. Pravilnika
864	Kućište tip: CCA-03E fab.br.: 21/38832 (1kom)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	"Perfecta inženjering" d.o.o., Ul. 15 bb (Beljina), 32000, ČAČAK	IPSTP 1184/21U	18.06.2021		po tački 3.1 priloga 13. Pravilnika
865	Priključnica tip: PY-216B fab.br.: 21/180521 (5kom)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	"Perfecta inženjering" d.o.o., Ul. 15 bb (Beljina), 32000, ČAČAK	IPSTP 1185/21X	18.06.2021		po tački 3.1 priloga 13. Pravilnika
866	Utikač tip: SPY-216B fab.br.: 21/180521 (5kom)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	"Perfecta inženjering" d.o.o., Ul. 15 bb (Beljina), 32000, ČAČAK	IPSTP 1186/21X	18.06.2021		po tački 3.1 priloga 13. Pravilnika
867	Utikač tip: SPY-432R fab.br.: 19/5505 (2kom) , 18/031018 (1kom)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	"Perfecta inženjering" d.o.o., Ul. 15 bb (Beljina), 32000, ČAČAK	IPSTP 1187/21X	18.06.2021		po tački 3.1 priloga 13. Pravilnika
868	Priključnica tip: PY-432R fab.br.: 19/13160 (3kom)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	"Perfecta inženjering" d.o.o., Ul. 15 bb (Beljina), 32000, ČAČAK	IPSTP 1188/21X	18.06.2021		po tački 3.1 priloga 13. Pravilnika
869	Kućište termostata tip: SWS-16 fab.br.: 21/38833 (5kom)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	"Perfecta inženjering" d.o.o., Ul. 15 bb (Beljina), 32000, ČAČAK	IPSTP 1189/21U	18.06.2021		po tački 3.1 priloga 13. Pravilnika
870	Ex kućište tip: SX-29.1 fab.br.: 21/52645 (5 kom)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	"Perfecta inženjering" d.o.o., Ul. 15 bb (Beljina), 32000, ČAČAK	IPSTP 1190/21U	18.06.2021		po tački 3.1 priloga 13. Pravilnika
871	Ex kućište tip: SX-26.1 fab.br.: 21/50763 (5kom)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	"Perfecta inženjering" d.o.o., Ul. 15 bb (Beljina), 32000, ČAČAK	IPSTP 1191/21U	18.06.2021		po tački 3.1 priloga 13. Pravilnika
872	Transmitter relativnog pritiska SITRANS P320 tip: 7MF0300-1QE01-5BF2-Z A02+E20+H03+Y01 fab.br.: N1N52110110493	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"INDAS d.o.o., Heroja Pinkija 95, 21000, Novi Sad	IPSTP 1192/21X	21.06.2021		po tački 3.1 priloga 13. Pravilnika
873	Transmitter relativnog pritiska SITRANS P320 tip: 7MF0300-1WE01-5BF2-Z A02+E20+H03+Y01 fab.br.: N1N52110110492	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"INDAS d.o.o., Heroja Pinkija 95, 21000, Novi Sad	IPSTP 1193/21X	21.06.2021		po tački 3.1 priloga 13. Pravilnika
874	Ex PROHROMSKA RAZVODNA KUTIJA tip: 07-56D2-5731 fab.br.:	BARTEC-VARNOST d.o.o., Cesta 9. avgusta 59, Zagorje ob Savi,, Slovenija	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1194/21	21.06.2021		po tački 3.1 priloga 13. Pravilnika
875	Ex PROHROMSKA RAZVODNA KUTIJA tip: 07-56D2-5131 fab.br.:	BARTEC-VARNOST d.o.o., Cesta 9. avgusta 59, Zagorje ob Savi,, Slovenija	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1195/21	21.06.2021		po tački 3.1 priloga 13. Pravilnika
876	Ex PROHROMSKA RAZVODNA KUTIJA tip: 07-56D2-5431 fab.br.:	BARTEC-VARNOST d.o.o., Cesta 9. avgusta 59, Zagorje ob Savi,, Slovenija	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1196/21	21.06.2021		po tački 3.1 priloga 13. Pravilnika
877	Ex čep tip: 767 fab.br.:	CMP Products Ltd, Unit 36 Nelson Way, Nelson Park East; Cramlington, NE23 1WH, UK	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1197/21X	21.06.2021		po tački 3.1 priloga 13. Pravilnika
878	Ex Uvodnik kablovski tip: A2F fab.br.:	CMP Products Ltd, Unit 36 Nelson Way, Nelson Park East; Cramlington, NE23 1WH, UK	"INTELUS" d.o.o., Pigova 4/28, 32000, Čačak	IPSTP 1198/21X	21.06.2021		po tački 3.1 priloga 13. Pravilnika
879	Ex prenosna multifunkcionalna LED svojstveno bezbedna lampa tip: XPR-5542GMX fab.br.: 19542-0327	Bayco Products, Inc., 640 S. Sanden Blvd., Wylie, TX 75098, USA	"VEBECOM " d.o.o., Cara Jovana Nenada 2, 21208, Sremska Kamenica	IPSTP 1199/21	21.06.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 71 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
880	Ex prenosna svojstveno bezbedna LED lampa tip: XPP-5418GX fab.br.: invent.broj 12 i 13	Bayco Products, Inc., 640 S. Sanden Blvd., Wylie, TX 75098, USA	INSTITUT 1.MAJ - CENTAR ZA OPREMU d.o.o., Bulevar 12. februar 83, 18000, Niš	IPSTP 1200/21X	22.06.2021		po tački 3.1 priloga 13. Pravilnika
881	Rudarska lampa tip: KL6Ex fab.br.: od 2021051173 do 2021051572	Shaanxi ASTTAR Explosion-proof Safety Technology Co., Ltd., Shangyuan Road No.3699, Caotan Ecological Industry park, E&T Developing Zone Xi'an, Shaanx,710021, NR Kina	SVECOM d.o.o., Ustanička 128a/III, 11050, Beograd	IPSTP 1201/21	23.06.2021		po tački 3.1 priloga 13. Pravilnika
882	Sistem za uzemljenje tip: GRD-4200 fab.br.: 21/37497 (1 kom) ;	CORTEM S.p.A., Via Aquileia, 10-34070 Villesse (Go), Italija	"INTELUS" d.o.o., Pigova 4/28, 32000, ČAČAK	IPSTP 1202/21	24.06.2021		po tački 3.1 priloga 13. Pravilnika
883	Ex BARIJERA tip: MACX MCR-EX-SL-RPSSI-I fab.br.: 1365571174	Phoenix Contact GmbH, Flachmarktstr. 8, 32825 Blomberg, Nemačka	ELEKTROMATERIJAL d.o.o., Novosadskog sajma 54, 21000, Novi Sad	IPSTP 1203/21X	24.06.2021		po tački 3.1 priloga 13. Pravilnika
884	Elektromotor tip: ADPE V90TC4PR fab.br.:	RAEL motori elettrici S.r.l., Via per Retorto 7/1 I-15077 Predosa(AL), ITALIJA	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1207/21X	24.06.2021	01.03.2024	po tački 3.2 priloga 13. Pravilnika
885	Priključna kutija tip: 8146/1051-C1326 fab.br.:	R.STAHL GmbH + Co.KG, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1208/21	24.06.2021	22.08.2027	po tački 3.2 priloga 13. Pravilnika
886	Priključna kutija tip: 06 161609 fab.br.:	ROSE Systemtechnik GmbH + Co.KG, Erbeweg 13, 32457 Porta Westfalica, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1209/21	24.06.2021	27.02.2026	po tački 3.2 priloga 13. Pravilnika
887	DAVAČ IMPULSA tip: 0-751-001 fab.br.:	HENGSTLER GmbH, Uhland str. 49, 78554 Aldingen, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1210/21	24.06.2021	19.06.2028	po tački 3.2 priloga 13. Pravilnika
888	ELEKTROMAGNETNI VENTIL tip: DV1060P fab.br.:	Zhejiang Chunhui Intelligent Control Co. LTD, 288 Chunhui Industrial Road Shangyu District Shaoxing, Kina	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1211/21X	24.06.2021	09.05.2028	po tački 3.2 priloga 13. Pravilnika
889	Ex Reducir/Adapter tip: 737 fab.br.:	CMP Products Ltd, Unit 36 Nelson Way, Nelson Park East; Cramlington, NE23 1WH, UK	"INTELUS" d.o.o., Pigova 4/28, 32000, Čačak	IPSTP 1213/21X	25.06.2021		po tački 3.1 priloga 13. Pravilnika
890	Ex Uvodnica za armirani kabel tip: E1FU M20 / M25s / M32 / M40 / M50s fab.br.:	CMP Products Ltd, Unit 36 Nelson Way, Nelson Park East; Cramlington, NE23 1WH, UK	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1214/21X	25.06.2021		po tački 3.1 priloga 13. Pravilnika
891	Ex Kućište tip: DE1GW542 fab.br.: od 21/171683-020-001 do 21/171683-020-006	Ex-Tech / TECHNOR ATEX, ZA Les Montagnes, BP 3, F-16430 Champniers, Francuska	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1215/21	25.06.2021		po tački 3.1 priloga 13. Pravilnika
892	Ex Kućište tip: DE1GW342 fab.br.: od 21/171683-010-001 do 21/171683-010-003	Ex-Tech / TECHNOR ATEX, ZA Les Montagnes, BP 3, F-16430 Champniers, Francuska	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1216/21	25.06.2021		po tački 3.1 priloga 13. Pravilnika
893	IS Interfejs tip: M06202 (TS7123) fab.br.:	Gilbarco GmbH, Ferdinand-Henze-Straße 9, 33154 Salzkotten, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1217/21X	28.06.2021	22.06.2027	po tački 3.2 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 72 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
894	Sklop svojstveno bezbednih sklopki (IS Switch Hub) tip: M10595 fab.br.:	Gilbarco GmbH, Ferdinand-Henze-Straße 9, 33154 Salzkotten, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1218/21X	28.06.2021	22.06.2027	po tački 3.2 priloga 13. Pravilnika
895	Sklop svojstveno bezbednih automatskih merača temperature (IS - ATC Hub) tip: M07876 fab.br.:	Gilbarco GmbH, Ferdinand-Henze-Straße 9, 33154 Salzkotten, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1219/21X	28.06.2021	22.06.2027	po tački 3.2 priloga 13. Pravilnika
896	Ex Uvodnik kablovski tip: A2F M20 fab.br.:	CMP Products Ltd, Unit 36 Nelson Way, Nelson Park East; Cramlington, NE23 1WH, UK	"TM INŽENJERING" d.o.o., Jevrejska 16, 21000, Novi Sad	IPSTP 1220/21X	28.06.2021		po tački 3.1 priloga 13. Pravilnika
897	Ex Uvodnik kablovski tip: A2F M20 fab.br.:	CMP Products Ltd, Unit 36 Nelson Way, Nelson Park East; Cramlington, NE23 1WH, UK	"TM INŽENJERING" d.o.o., Jevrejska 16, 21000, Novi Sad	IPSTP 1221/21X	28.06.2021		po tački 3.1 priloga 13. Pravilnika
898	Kablovski uvodnik tip: BMD BM-X2 fab.br.:	Bimed Teknik Aletler San ve Tic. A.S. Co.Ltd., S.S Bakır ve Pirinç Sanayi Sitesi Leylak Caddesi No:16 TR-34524 Beylikdüzü, Istanbul, Turska	"TM INŽENJERING d.o.o., Jevrejska 16, 21000, Novi Sad	IPSTP 1222/21X	28.06.2021		po tački 3.1 priloga 13. Pravilnika
899	Ex čep tip: PLG1MONB fab.br.:	BARTEC/FEAM, Via M. Pagano 3, I - 20090 Trezzano sul Naviglio (MI), Italija	"TM INŽENJERING" d.o.o., Jevrejska 16, 21000, Novi Sad	IPSTP 1223/21X	28.06.2021		po tački 3.1 priloga 13. Pravilnika
900	Transmitter relativnog pritiska tip: STG74S-E1G000-1-C-CHS-11C-B-10A6-F1,01-0000 fab.br.: 21W08 C4000040751044	Honeywell Inc., 512 Virginia Drive, Fort Washington, Pennsylvania, USA	"KONVEX – gasna i vodo tehnika" d.o.o., Batajnički drum 299, sprat 1, 11080 Zemun, BEOGRAD	IPSTP 1224/21X	28.06.2021		po tački 3.1 priloga 13. Pravilnika
901	TRANSMITER TEMPERATURE tip:STT700-1H-A20-UV002P-00A0-11C-C-F1,W1-00000 fab.br.: C4000040751205	HONEYWELL Inc., 512 Virginia Drive, Fort Washington, Pennsylvania 19034, USA	"KONVEX gasna i vodo tehnika" d.o.o., Batajnički drum 299, sprat 1, 11080 Zemun, BEOGRAD	IPSTP 1225/21X	28.06.2021		po tački 3.1 priloga 13. Pravilnika
902	Termometar tip: TR10-BBA3CASEG3002 fab.br.: S50B8614152	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Dunavska 78a, 11060, Beograd	IPSTP 1226/21X	29.06.2021		po tački 3.1 priloga 13. Pravilnika
903	Transmitter pritiska Cerabar S tip: PMC71-8BA1E1GAAAA fab.br.: S603440109C, S603450109C	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, 79689 Maulburg, Nemačka	"MERIS" d.o.o., Dunavska 78a, 11060, Beograd	IPSTP 1227/21X	29.06.2021		po tački 3.1 priloga 13. Pravilnika
904	Termometar tip: TR10-BBA3CASC3002 fab.br.: S50B8514152	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Dunavska 78a, 11060, Beograd	IPSTP 1228/21X	29.06.2021		po tački 3.1 priloga 13. Pravilnika
905	Maseno merilo protoka Promass 300 tip: 8F3B08-BBDBAEFAASAD2SAA2+ fab.br.: S513E02000	Endress+Hauser Flowtec AG, Kaegenstrasse 7, CH-4153, Reinach BL., Švajcarska	"MARKONS" d.o.o., Nemanjina 33,11500, Obrenovac	IPSTP 1229/21X	29.06.2021		po tački 3.1 priloga 13. Pravilnika
906	Transmitter diferencijalnog pritiska Deltabar S tip: PMD75-8BJ7BB1DAAU fab.br.: S600460109D	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, 79689 Maulburg, Nemačka	"MARKONS" d.o.o., Nemanjina 33,11500, Obrenovac	IPSTP 1230/21X	29.06.2021		po tački 3.1 priloga 13. Pravilnika
907	Ultrazvučni transmitter nivoa tip: XPS-10 fab.br.: YSN/M8298212895	Siemens Canada Ltd. – Miltronics Process Instruments, 1954 Technology Drive, Peterborough, Ontario, K9J 6X7, Kanada	"SIEMENS" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 1231/21X	29.06.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 73 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
908	Ex Elektromotor tip: AB30r 80B 2 fab.br.: n2100013864y21;	Cemp S.r.l., 20030 SENAGO (Milan), Via Piemonte 16, Italija	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1233/21X	29.06.2021		po tački 3.1 priloga 13. Pravilnika
909	Razvodna kutija tip: XD-JB85 fab.br.: ZP/20/2455/005 04	LIMATHERM S.A., ul.Tarnowska 1, 34-600 Limanowa, Poljska	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 1234/21U	29.06.2021		po tački 3.1 priloga 13. Pravilnika
910	Senzor detektora gasa tip: NET224CDSNP17SH fab.br.: D 03627/21, D 03628/21, D 03629/21, D 03630/21, D 03631/21.	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 1235/21U	29.06.2021		po tački 3.1 priloga 13. Pravilnika
911	Detektor gasa SMART 3G tip: ST / L / E3 / S2 fab.br.: N.D 03627; N.D 03628; N.D 03629; N.D 03630; N.D 03631;	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 1236/21X	29.06.2021		po tački 3.1 priloga 13. Pravilnika
912	Ex Čitač kartica tip: Sentry Cardreader fab.br.: M 1463; M 1464	Mercury HMI Ltd, George House Derwent Road Malton North Yorkshire YO10 6YB, UK	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 1237/21X	30.06.2021		po tački 3.1 priloga 13. Pravilnika
913	Razvodna kutija tip: SFC 26N MM2-2 fab.br.: 4619	COELBO S.r.l., Via Santa Margherita 83, I-20861 Brugherio (MB), Italija	"SIEMENS ENERGY" d.o.o., Omladinskih brigada 90v, 11070, Novi Beograd	IPSTP 1238/21X	30.06.2021		po tački 3.1 priloga 13. Pravilnika
914	Ex Svojevstveno bezbedan interfejs modul tip: R507 fab.br.:	Mercury HMI Ltd, George House Derwent Road Malton North Yorkshire YO10 6YB, UK	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 1239/21	30.06.2021		po tački 3.1 priloga 13. Pravilnika
915	KONZOLA tip: Site Sentinel NANO fab.br.: 2228102	OPW – Fuel Managment Systems, 6900 Santa Fe Drive Hodgikins , IL 60525, SAD	GIA TECHNOLOGY d.o.o., Primorska 86, 21000, Novi Sad	IPSTP 1252/21X	01.07.2021		po tački 3.1 priloga 13. Pravilnika
916	MAGNETNOSTRIKTIVNA SONDA tip: 924B fab.br.: 2103161004, 2101052014, 2103191023, 2103162010	OPW – Fuel Managment Systems, 6900 Santa Fe Drive Hodgikins , IL 60525, USA	GIA TECHNOLOGY d.o.o., Primorske 86, 21000, NOVI SAD	IPSTP 1253/21X	01.07.2021		po tački 3.1 priloga 13. Pravilnika
917	Zaštitno iskrište tip: EXFS 100 fab.br.: sa istim brojem 923 100	DEHN + SÖHNE Gmbh + Co.KG., Hans-Dehn-Straße 1, D-92318 Neumarkt/Opf., NEMAČKA	"ENING" d.o.o., Marije Vojnić Tošiniće br.22/a, 24000, SUBOTICA	IPSTP 1255/21X	01.07.2021		po tački 3.1 priloga 13. Pravilnika
918	Kontrolna jedinica tip: CSC-1R2Z fab.br.: 21/36719	CORTEM S.p.A., Via Aquileia 10, 34070 Villesse (GO), Italija	"INTELUS" d.o.o., Pigova 4/28, 32000, ČAČAK	IPSTP 1261/21X	05.07.2021		po tački 3.1 priloga 13. Pravilnika
919	Prenosni gas detektor tip: PS211 (LEL) fab.br.: 389175; 389176; 389177; 389178; 389179; 389184; 389185.	GMI Gas Measurement Instruments Ltd., Inchinnan Business Park, Renfrew, PA4 9RG, Scotland, UK	"PACIFIC LINK" d.o.o., Španskih boraca 40/1, 11070, NOVI BEOGRAD	IPSTP 1262/21	05.07.2021		po tački 3.1 priloga 13. Pravilnika
920	Prenosi detektor gasa tip: BIOGAS 5000 fab.br.: G507686	QED Environmental Systems, Inc., Cyan Park, Unit 3, Coventry CV2 4QP, UK	Compact MM Trade d.o.o., Dimitrija Tucovića 146/III/20, 11000, Beograd	IPSTP 1263/21X	05.07.2021		po tački 3.1 priloga 13. Pravilnika
921	Potapajuća sonda transimera pritiska tip: CG 2011 M04 P1 fab.br.: 233 847	LABOM Mess und Regeltechnik GmbH, Im Gewerbepark 13 - 27798 Hude, Nemačka	Compact MM Trade d.o.o., Dimitrija Tucovića 146/III/20, 11000, Beograd	IPSTP 1264/21X	05.07.2021		po tački 3.1 priloga 13. Pravilnika
922	Termoelement (Pt100) sa čaurom tip: CTB fab.br.: 2098252, 2098253, 2098254, 2098255, 2098256, 2098257, 2098258	te.ma. s.r.l., Via Baranchina 4, 21020 - Ternate (Va), Italija	Compact MM Trade d.o.o., Dimitrija Tucovića 146/III/20, 11000, Beograd	IPSTP 1265/21	05.07.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 74 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
923	Upravljačka jedinica tip: 8146/5041 fab.br.: 2117992600440001	R.STAHL GmbH + Co.KG, Am Bahnhof 30, 74638 Waldenburg, Nemačka	KEYING d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 1266/21	05.07.2021		po tački 3.1 priloga 13. Pravilnika
924	Distributivni panel tip: 8146/5000 fab.br.: 2118010500440001	R.STAHL GmbH + Co.KG, Am Bahnhof 30, 74638 Waldenburg, Nemačka	KEYING d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 1267/21	05.07.2021		po tački 3.1 priloga 13. Pravilnika
925	Viseća svetiljka tip: EVGC-5060 fab.br.: 21/39065 (30 kom)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	"Perfecta inženjering" d.o.o., Ul. 15 bb (Beljina), 32000, ČAČAK	IPSTP 1270/21	05.07.2021		po tački 3.1 priloga 13. Pravilnika
926	LED svetiljka tip: FLF-222L fab.br.: 21/36204 (10 kom)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	"Perfecta inženjering" d.o.o., Ul. 15 bb (Beljina), 32000, ČAČAK	IPSTP 1271/21	05.07.2021		po tački 3.1 priloga 13. Pravilnika
927	LED svetiljka tip: LifEx-ME-0630 fab.br.: 21/33946 (10 kom)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	"Perfecta inženjering" d.o.o., Ul. 15 bb (Beljina), 32000, ČAČAK	IPSTP 1272/21X	05.07.2021		po tački 3.1 priloga 13. Pravilnika
928	Sonda za merenje nivoa ultrazvukom PROSONIC S tip: FDU91-JG8AA fab.br.: S60194010E8; S60195010E8.	Endress+Hauser GmbH+Co. KG, Hauptstraße 1 ,Maulburg, Nemačka	„MERIS“ d.o.o., Dunavska 78a, 11000, Beograd	IPSTP 1273/21	05.07.2021		po tački 3.1 priloga 13. Pravilnika
929	Automatski detektor požara tip: MMD 130 Ex-i sa podnožjem USB 502-8 Ex-i fab.br.: 2211608108, 2211608065, 2211608157	HEKATRON Vetriebs GmbH, Brühlmatten 3a-9, 79 295 Sulzburg, NEMAČKA	"Neo inženjering" d.o.o., Arona Zagorice 51, 21203, Veternik, Novi Sad	IPSTP 1274/21X	05.07.2021		po tački 3.1 priloga 13. Pravilnika
930	Ručni javljač požara tip: dC31/55.130ao fab.br.: 20/12250, 20/12258, 20/12254	W. Vershoven GmbH, Riedingerstr.10, D 45141 Essen, NEMAČKA	"Neo inženjering" d.o.o., Arona Zagorice 51, 21203, Veternik, Novi Sad	IPSTP 1275/21X	05.07.2021		po tački 3.1 priloga 13. Pravilnika
931	Multispektrum IC detektor plamena tip: X3301 A fab.br.: 21MAR007714, 21MAR007710, 21MAR007824, 21MAR007827, 21MAR007813	Detector Electronics Corporation, 6901 West 110th Street, Minneapolis, MN 55438, USA	"Neo inženjering" d.o.o., Arona Zagorice 51, 21203, Veternik, Novi Sad	IPSTP 1276/21X	05.07.2021		po tački 3.1 priloga 13. Pravilnika
932	Alarmna sirena sa bljeskalicom tip: YL60 C D50 R EU fab.br.: 10002520021057	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Neo inženjering" d.o.o., Arona Zagorice 51, 21203, Veternik, Novi Sad	IPSTP 1277/21X	05.07.2021		po tački 3.1 priloga 13. Pravilnika
933	Zener barijera tip: Z787 fab.br.: 9 695 644, 7 320 672	Pepperl + Fuchs GmbH, Lilienthalstrasse 200, 68307 Mannheim, NEMAČKA	"Neo inženjering" d.o.o., Arona Zagorice 51, 21203, Veternik, Novi Sad	IPSTP 1278/21	05.07.2021		po tački 3.1 priloga 13. Pravilnika
934	Potopna elektro-pumpa tip: RWAD 1508 2MS fab.br.: 1718	DAB PUMPS S.p.A, Via M.Polo 14, 35035 Mestrino (PD), Italija	"KIPETROL" d.o.o, Tordanski put 1, 23316, Bašaid	IPSTP 1279/21X	05.07.2021		po tački 3.1 priloga 13. Pravilnika
935	Transmitter nivoa Liquiphant M tip: FTL51-GGQ2BB8G5A fab.br.: R3046401027 ; R3046301027; R3046501027.	Endress & Hauser GmbH, Hauptstr. 1, 79689 Maulburg, Nemačka	"KIPETROL" d.o.o., Tordanski put 1, 23316, Bašaid	IPSTP 1280/21X	05.07.2021		po tački 3.1 priloga 13. Pravilnika
936	Transmitter nivoa serije Liquiopint T tip: FTW31-D1A3CA0A fab.br.: R301870103E	Endress + Hauser GmbH., 79689 Maulburg, Hauptstr. 1, Nemačka	"KIPETROL" d.o.o., Tordanski put 1, 23316, Bašaid	IPSTP 1281/21	05.07.2021		po tački 3.1 priloga 13. Pravilnika
937	Elektromotor tip: DCEx 200 LH/4 K fab.br.: 201974220 ; 201974221	HEW GmbH & Co.KG, Goebenstrasse 106, 32051 Herford, Nemačka	"KIPETROL " d.o.o., Tordanski put 1, 23316, Bašaid	IPSTP 1282/21X	05.07.2021		po tački 3.1 priloga 13. Pravilnika
938	Elektromotor tip: FLSD132S fab.br.: 832378 G19 009	LEROY SOMER, Boulevard Marcellin Leroy, F-16915 Angoulême, Francuska	"KIPETROL" d.o.o., Tordanski put 1, 23316, Bašaid	IPSTP 1283/21X	05.07.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 75 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
939	Grejno kolo tip: QH2-60 1-61-003/Q fab.br.: 09/21	QUINTEX GmbH, I-PARK TAUBERFRANKEN 13, 97922 Lauda-Königshofen, Nemačka	"KIPETROL" d.o.o., Tordanski put 1, 23316, Bašaid	IPSTP 1284/21X	05.07.2021		po tački 3.1 priloga 13. Pravilnika
940	Magnetna potapajuća sonda (senzor nivoa) tip: TK-307/0 M fab.br.: 20720; 17920	E.L.B. FÜLLSTANDSGERÄTE Bundschuh GmbH & Co.KG, D-64625 An der Hartbrücke 6, Bensheim, Nemačka	"KIPETROL" d.o.o., Tordanski put 1, 23316, Bašaid	IPSTP 1285/21X	05.07.2021		po tački 3.1 priloga 13. Pravilnika
941	Razvodna kutija tip: QP-0122-0120-0904/IRM2Ex/AG fab.br.: 107393; 120107;	QUINTEX GmbH, I-PARK TAUBERFRANKEN 13, 97922 Lauda-Königshofen, Nemačka	"KIPETROL" d.o.o., Tordanski put 1, 23316, Bašaid	IPSTP 1286/21	06.07.2021		po tački 3.1 priloga 13. Pravilnika
942	Elektromotor tip: EeDA 56L/2AT -115426 fab.br.: 8482082; 8482080; 8482078; 8482102.	Emod motoren GmbH, Zur Kupe 1, D-36364 Bad Salzschlirf, Nemačka	"KIPETROL " d.o.o., Tordanski put 1, 23316, Bašaid	IPSTP 1287/21	06.07.2021		po tački 3.1 priloga 13. Pravilnika
943	Elektromotor (potopnog mešača) tip: TSREx 184 – 160 IE2 K fab.br.: 6171925 ; 6181925 ; 6191925; 6201925; 6211925; 6221925	STREISAL GmbH, Pettermandstrasse 2, D-88239 Wangen / Allgau, Nemačka	"KIPETROL" d.o.o., Tordanski put 1, 23316, Bašaid	IPSTP 1288/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
944	Višepoložajni detektor nivoa sa plovkom FLS-SBI tip: 60-AFV4"/150/RF-VU-L1.200/12-V44A-Ex fab.br.: 110FTWV4/2021	KSR KUEBLER Niveau-Messtechnik AG, Heinrich-Kuebler-Platz 1, 69439 Zwingenberg, Nemačka	"MERA" d.o.o., Nikole Pašića 12 , PC Mala Varoš, 23000, Zrenjanin	IPSTP 1292/21X	07.07.2021		po tački 3.1 priloga 13. Pravilnika
945	Višepoložajni detektor nivoa sa plovkom FLS-SBI tip: 60-AFV2"/150/RF-VU-L1.200/12-V44A-Ex fab.br.:	KSR KUEBLER Niveau-Messtechnik AG, Heinrich-Kuebler-Platz 1, 69439 Zwingenberg, Nemačka	"MERA" d.o.o., Nikole Pašića 12 , PC Mala Varoš, 23000, Zrenjanin	IPSTP 1293/21X	07.07.2021		po tački 3.1 priloga 13. Pravilnika
946	Elektromotor tip: ADPE V80 TC4PR fab.br.: 613697, 613693, 613699, 613692.	RAEL Motori Elettrici S.r.l., Via per Retorto 7/1 I-15077 Predosa(AL), Italija	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1294/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
947	Elektromagnetni ventil tip: EM5X fab.br.: ZP20070940	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1295/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
948	Davač impulsa tip: MPL fab.br.: 2020DG06536, 2020DG06540, 2020DG06558, 2020DG06642, 2020DG06537, 2020DG06620, 2020DG06621, 2020DG06628,	Dover Fueling Solutions(TOKHEIM) UK Ltd., West Pittkero Industrial Estate, Dundee, Velika Britanija	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1296/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
949	Razvodna kutija model: TQJ2 fab.br.: D2026020	TOKHEIM UK Ltd, Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RT , ŠKOTSKA, UK	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1297/21	06.07.2021		po tački 3.1 priloga 13. Pravilnika
950	Sprava za merenje zapremine tečnih goriva tip: Quantum 510M fab.br.: D2026020	Dover Fueling Solutions UK Ltd., 3 Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RTUK, UK	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1298/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
951	Elektromotor tip: ADPE V80 TC4PR fab.br.: 613691, 613689, 613685, 613688,	RAEL Motori Elettrici S.r.l., Via per Retorto 7/1 I-15077 Predosa(AL), Italija	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1299/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
952	Elektromagnetni ventil tip: EM5X fab.br.: ZP20070940	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1300/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 76 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
953	Davač impulsa tip: MPL fab.br.: 2020DG10251, 2020DG09979, 2020DG10248, 2020DG10249, 2020DG09984, 2020DG09996, 2020DG09999, 2020DG10264,	Dover Fueling Solutions(TOKHEIM) UK Ltd., West Pittkerro Industrial Estate, Dundee, Velika Britanija	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1301/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
954	Razvodna kutija model: TQJ2 fab.br.: D2026021	TOKHEIM UK Ltd, Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RT, ŠKOTSKA, UK	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1302/21	06.07.2021		po tački 3.1 priloga 13. Pravilnika
955	Sprava za merenje zapremine tečnih goriva tip: Quantum 510M fab.br.: D2026021	Dover Fueling Solutions UK Ltd., 3 Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RTUK, UK	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1303/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
956	Elektromotor tip: ADPE V80 TC4PR fab.br.: 613702, 613706, 613695, 613700.	RAEL Motori Elettrici S.r.l., Via per Retorto 7/1 I-15077 Predosa(AL), Italija	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1304/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
957	Elektromagnetni ventil tip: EM5X fab.br.: ZP20070940	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1305/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
958	Davač impulsa tip: MPL fab.br.: 2020DG06625, 2020DG08118, 2020DG06665, 2020DG06559, 2020DG06623, 2020DG06693, 2020DG06669, 2020DG06552,	Dover Fueling Solutions(TOKHEIM) UK Ltd., West Pittkerro Industrial Estate, Dundee, Velika Britanija	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1306/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
959	Razvodna kutija model: TQJ2 fab.br.: D20260019	TOKHEIM UK Ltd, Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RT, ŠKOTSKA, UK	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1307/21	06.07.2021		po tački 3.1 priloga 13. Pravilnika
960	Sprava za merenje zapremine tečnih goriva tip: Quantum 510M fab.br.: D2026019	Dover Fueling Solutions UK Ltd., 3 Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RTUK, UK	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1308/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
961	Elektromotor tip: ADPE V80 TC4PR fab.br.: 613703, 613704, 613707, 613701,	RAEL Motori Elettrici S.r.l., Via per Retorto 7/1 I-15077 Predosa(AL), Italija	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1309/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
962	Elektromagnetni ventil tip: EM5X fab.br.: ZP20070940	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1310/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
963	Davač impulsa tip: MPL fab.br.: 2020DG06549, 2020DG10525, 2020DG10508, 2020DG06663, 2020DG06673, 2020DG06550, 2020DG105219, 2020DG10529,	Dover Fueling Solutions(TOKHEIM) UK Ltd., West Pittkerro Industrial Estate, Dundee, Velika Britanija	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1311/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
964	Razvodna kutija model: TQJ2 fab.br.: D2026018	TOKHEIM UK Ltd, Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RT, ŠKOTSKA, UK	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1312/21	06.07.2021		po tački 3.1 priloga 13. Pravilnika
965	Sprava za merenje zapremine tečnih goriva tip: Quantum 510M fab.br.: D2026018	Dover Fueling Solutions UK Ltd., 3 Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RTUK, UK	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1313/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
966	Elektromotor tip: ADPE V80 TC4PR fab.br.: 618111, 618109, 618110, 618112.	RAEL Motori Elettrici S.r.l., Via per Retorto 7/1 I-15077 Predosa(AL), Italija	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1314/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
967	Elektromagnetni ventil tip: EM5 fab.br.: ZP20029455	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1315/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 77 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
968	Davač impulsa tip: MPL fab.br.: 2020DG10975, 2020DG12778, 2020DG12784, 2020DG10966, 2020DG10964, 2020DG10968, 2020DG10971, 2020DG10970.	Dover Fueling Solutions(TOKHEIM) UK Ltd., West Pittkerro Industrial Estate, Dundee, Velika Britanija	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1316/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
969	Razvodna kutija model: TQJ2 fab.br.: D2026022	TOKHEIM UK Ltd, Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RT, ŠKOTSKA, UK	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1317/21	06.07.2021		po tački 3.1 priloga 13. Pravilnika
970	Sprava za merenje zapremine tečnih goriva tip: Quantum 510M fab.br.: D2026022	Dover Fueling Solutions UK Ltd., 3 Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RTUK, UK	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1318/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
971	Elektromotor tip: ADPE V80 TL4PR fab.br.: 590199, 590201, 590204, 590210.	RAEL Motori Elettrici S.r.l., Via per Retorto 7/1 I-15077 Predosa(AL), Italija	"S.A.B. TRADE" d.o.o., Dragačevska 24, 18000, NIŠ	IPSTP 1319/21X	06.07.2021		po tački 3.1 priloga 13. Pravilnika
972	Transmitter pritiska tip: 3051SAL1CG3AF1B1020DFFG1DA0011L4P1Q4 fab.br.: 21WELB2021510	Rosemount Inc., 8200 Market Boulevard, Chanhassen, Minnesota 55317, USA	"MERA" d.o.o., Nikole Pašića 12, PC Mala Varoš, 23000, Zrenjanin	IPSTP 1321/21X	07.07.2021		po tački 3.1 priloga 13. Pravilnika
973	Uređaj za kablovsku komunikaciju između uređaja u polju i kontrolne sobe tip: 2410-SFRRF00PSE1RAGP fab.br.: 62791	Rosemount Tank Radar AB, Layoutvägen 1, S-435 33 Mölnycke, Švedska	"MERA" d.o.o., Nikole Pašića 12 PC Mala Varoš II/39, ZRENJANIN	IPSTP 1322/21X	07.07.2021		po tački 3.1 priloga 13. Pravilnika
974	Transmitter temperature tip: 2240S-P0S4AFI10AOM fab.br.: 39293	Rosemount Tank Radar AB, Gamelstadsvägen 18B, SE-40251 GÖTEBORG, Švedska	"MERA" d.o.o., Nikole Pašića 12, PC Mala Varoš, 23000, ZRENJANIN	IPSTP 1323/21X	07.07.2021		po tački 3.1 priloga 13. Pravilnika
975	Displej za prikaz podataka tip: 2230-EFS11RAGP fab.br.: 29336	Rosemount Tank Radar AB, Layoutvägen 1, S-435 33 Mölnycke, Švedska	"MERA" d.o.o., Nikole Pašića 12, PC Mala Varoš, 23000, Zrenjanin	IPSTP 1324/21X	07.07.2021		po tački 3.1 priloga 13. Pravilnika
976	Radarski merac nivoa tip: 5900S-PS1FI1R1AG fab.br.: 56165	Rosemount Tank Radar AB, Layoutvägen 1, S-435 33 Mölnycke, Švedska	"MERA" d.o.o., Nikole Pašića 12 PC Mala Varoš II/39, 23000, Zrenjanin	IPSTP 1325/21X	07.07.2021		po tački 3.1 priloga 13. Pravilnika
977	Barijera tip: MACX MCR-EX-SL-NAM-R fab.br.: 1365515479, 1365515487, 1365515575, 1365515465	Phoenix Contact GmbH & Co KG, Flachmarktstr. 8, 32825, Blomberg, NEMAČKA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1326/21X	07.07.2021		po tački 3.1 priloga 13. Pravilnika
978	Ex Kućište tip: EJB-3 fab.br.: 18/336461	CORTEM s.p.a., Via Aquileia, 10-34070 Villesse (Go), ITALIJA	"IvDam Process Control" d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1327/21X	07.07.2021		po tački 3.1 priloga 13. Pravilnika
979	Senzor koriolis merila protoka tip: CMF200M342N2FZEZZZ fab.br.: 21140635	MICRO MOTION Inc., 7070 Winchester Circle, Boulder, Co.80301 Etats Unis, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1328/21X	07.07.2021		po tački 3.1 priloga 13. Pravilnika
980	Transmitter koriolis merila protoka tip: 5700R12AFFAZZZAAZAAOG fab.br.: 19010739	MICRO MOTION Inc., 7070 Winchester Circle, Boulder, Co.80301, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, BEOGRAD	IPSTP 1329/21X	07.07.2021		po tački 3.1 priloga 13. Pravilnika
981	Transmitter diferencijalnog pritiska Deltabar S tip: PMD75-2CA7B11DAAU+Z1 fab.br.: S601170109D	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, 79689 Maulburg, Nemačka	"MERIS" d.o.o., Dunavska 78a, 11060, Beograd	IPSTP 1330/21	07.07.2021		po tački 3.1 priloga 13. Pravilnika



REGISTAR

**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 78 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
982	Ex grejna ploča tip: QX-IH-2-400-1-1-002-A fab.br.: 25/21	Quintex GmbH, i_Park Tauberfranken 13 – 97922 Lauda-Königshofen, Nemačka	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1331/21X	07.07.2021		po tački 3.1 priloga 13. Pravilnika
983	Rotacioni detektor nivoa NIVOROTA E-700 tip: EKH-702-8/Ex fab.br.: U255303, U255304	NIVELCO Ipari Elektronika Zrt., Dugonics utca 11, Budapest H-1043, MAĐARSKA	"INDAS" d.o.o., Heroja Pinkija 95 , 21000, Novi Sad	IPSTP 1332/21X	07.07.2021		po tački 3.1 priloga 13. Pravilnika
984	Transmitter nivoa Liquiphant M tip: FTL50-HGM2AABG5A fab.br.: P8056001026	Endress & Hauser GmbH, Hauptstr. 1, 79689 Maulburg, Nemačka	"GAS INSTALATION" d.o.o., Šangajska 91c, 11273 Zemun, BEOGRAD	IPSTP 1335/21X	08.07.2021		po tački 3.1 priloga 13. Pravilnika
985	Kontrolni uređaj – nivotester tip: FTL325N-H1A1 fab.br.: P805AE01093	Endress+Hauser GmbH+Co. KG, Hauptstrasse 1, Maulburg, Nemačka	"GAS INSTALATION" d.o.o., Šangajska 91c, 11273 Zemun, Beograd	IPSTP 1336/21X	08.07.2021		po tački 3.1 priloga 13. Pravilnika
986	Elektromagnetni ventil tip: TMEx35/D fab.br.: 64332	Jakša d.o.o., Šlandrova ulica 8 , SI-1231 Ljubljana, Črnuče, Slovenija	"GAS INSTALATION" d.o.o., Šangajska 91c, 11273 Zemun, Beograd	IPSTP 1337/21X	08.07.2021		po tački 3.1 priloga 13. Pravilnika
987	Transmitter pritiska tip: 3051S1CG2A2G21F1A1L4P1Q4 fab.br.: 21WEPE0261612	Rosemount Inc., 8200 Market Boulevard, Chanhassen, Minnesota 55317, USA	"MERA" d.o.o., Nikole Pašića 12 , PC Mala Varoš, 23000, Zrenjanin	IPSTP 1338/21X	08.07.2021		po tački 3.1 priloga 13. Pravilnika
988	Multisenzorski detektor požara tip: FDOOT241-A9-Ex fab.br.: 5BBF72D, 5BBF748, 5BBF735, 53F8903, 5BC8412, 5BC8410, 5BC8409, 5BC8413, 5BC8408, 57A0863	Siemens Switzerland Ltd., Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 1339/21X	08.07.2021		po tački 3.1 priloga 13. Pravilnika
989	Ex Elektromotor tip: D6C 90 L4 B3 fab.br.: 1026232, 1026230	Marelli Motori S.p.A., Via Sabbionara, 1 Arzignano (Vicenza), Italija	"Tapflo" d.o.o., Braće Ribnikar 56/308, 21000, Novi Sad	IPSTP 1340/21X	08.07.2021		po tački 3.1 priloga 13. Pravilnika
990	Mlaznica za istakanje derivata u vozila (AD Blue) tip: ZVA Slimline fab.br.:	ELAFLEX HIBY Tanktechnik GmbH & Co, Schnackenburgalee 121, 22525 Hamburg, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1342/21U	09.07.2021	10.12.2028	po tački 3.2 priloga 13. Pravilnika
991	Uređaj za kontrolu istakanja derivata (dizel) u vozila tip: SSB 16 fab.br.:	ELAFLEX HIBY Tanktechnik GmbH & Co, Schnackenburgalee 121, 22525 Hamburg, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1343/21U	09.07.2021	10.12.2028	po tački 3.2 priloga 13. Pravilnika
992	Uređaj za upravljanje istakanja derivata TNG-a (pištolj za istakanje) tip: ZVG2 fab.br.:	ELAFLEX HIBY Tanktechnik GmbH & Co, Schnackenburgalee 121, 22525 Hamburg, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1344/21U	09.07.2021	10.12.2028	po tački 3.2 priloga 13. Pravilnika
993	Grejne trake tip: ELSR-LS-25-2-B0 fab.br.:	Eltherm production GmbH, Ernst-Henkel Strasse 6-10, D-57299 Burbach, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1345/21U	09.07.2021	10.12.2028	po tački 3.2 priloga 13. Pravilnika
994	Uvodnik tip:8161/7 (M16-0902 / M25-1707) fab.br.:	R.STAHL GmbH + Co.KG, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1346/21X	09.07.2021	10.12.2028	po tački 3.2 priloga 13. Pravilnika
995	Solenoidni ventil tip: NFMXX fab.br.: ZP21105238 (kom.2);	ASCO SAS, 53 rue de Beauce, 28110 Lucé, FRANCUSKA	N TRADE d.o.o., Izvorska 54, 11000, Beograd	IPSTP 1348/21X	13.07.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 79 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
996	Taster za panelnu ugradnju tip: 8003/141 fab.br.: 2118145000440001, 2117962950440003, 2117962950440005.	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, NEMAČKA	"Keying" d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 1349/21X	13.07.2021		po tački 3.1 priloga 13. Pravilnika
997	Transmiter relativnog pritiska SITRANS P320 tip: 7MF0300-1VF01-5C02-Z fab.br.: N1N61810115160	Siemens AG, 76 181 Karlsruhe, NEMAČKA	Braum Systems d.o.o., Miška Jovanovića 9/I, 11000, Beograd	IPSTP 1350/21X	13.07.2021		po tački 3.1 priloga 13. Pravilnika
998	Magnetni prekidač tip: MK25-1A46-BV14538 fab.br.:	StandexMEDER electronic AG, Robert Bosch Strasse 4, 78224 Singen, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1351/21X	13.07.2021	22.01.2029	po tački 3.2 priloga 13. Pravilnika
999	Elektro grejač tip: TPAE 87d fab.br.: 192743/08, 192743/03	CETAL S.A.S., 42 Rue des Aviateurs, 67501 Haguenau, Francuska	"DRLJA 1967" d.o.o., Kralja Petra I 36, 21400, Bačka Palanka	IPSTP 1353/21X	14.07.2021		po tački 3.1 priloga 13. Pravilnika
1000	Razvodna kutija tip: QP-0122-0120-0901/AG 101 Ex fab.br.: 118106	QUINTEX GmbH, I-PARK TAUBERFRANKEN 13, 97922 Lauda-Königshofen, Nemačka	"DRLJA 1967" d.o.o., Kralja Petra I 36, 21400, Bačka Palanka	IPSTP 1354/21	14.07.2021		po tački 3.1 priloga 13. Pravilnika
1001	Elektromotor W22Xdb tip: 132S/M-02 fab.br.: 1054853652	WEG Equipamentos Electricos S.A., Av. Prefeito Waldemar Grubba, 3000 Jaragua do Sul, SC, Brazil	"DRLJA 1967" d.o.o., Kralja Petra I 36, 21400, Bačka Palanka	IPSTP 1355/21X	14.07.2021		po tački 3.1 priloga 13. Pravilnika
1002	Merač pritiska Vegabar 82 tip: B82.AELDDHGCSZXAI1XX fab.br.: 51036878	VEGA Grieshaber KG, Am Hohenstein 113, 77761 Schiltach, Nemačka	"DRLJA 1967" d.o.o., Kralja Petra I 36, 21400, Bačka Palanka	IPSTP 1357/21X	14.07.2021		po tački 3.1 priloga 13. Pravilnika
1003	Senzor detektora gasa tip: NET224CDSNP17SH fab.br.: D00874/21	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"DRLJA 1967 " d.o.o., Kralja Petra I 36, 21400, Bačka Palanka	IPSTP 1358/21U	14.07.2021		po tački 3.1 priloga 13. Pravilnika
1004	Kućište za varničeći uređaj tip: GC26 fab.br.: 210172/EC08	Combustion and energy S.r.l., Via per Dolzago, 21, 23848 Oggiono LC, Italija	"DRLJA 1967" d.o.o., Kralja Petra I 36, 21400, Bačka Palanka	IPSTP 1359/21X	14.07.2021		po tački 3.1 priloga 13. Pravilnika
1005	Detektor plamena tip: SC-4-UV1-A3 fab.br.: 21-013	C.E. Srl, Via G. Da Verrazzano, 26, Milano, Italija	"DRLJA 1967" d.o.o., Kralja Petra I 36, 21400, Bačka Palanka	IPSTP 1360/21X	14.07.2021		po tački 3.1 priloga 13. Pravilnika
1006	Merač temperature tip: GUJP fab.br.: 20-11575	CO.SI.ME. S.R.L., Via Asiago, 51 - 20128 Milano, Italija	"DRLJA 1967" d.o.o., Kralja Petra I 36, 21400, Bačka Palanka	IPSTP 1361/21	14.07.2021		po tački 3.1 priloga 13. Pravilnika
1007	Ex potapajuća pumpa tip: DKN72-2-1U fab.br.: 70596742	KSB SAS, 128 rue Carnot, 59320 Sequedin, Francuska	"DRLJA 1967" d.o.o., Kralja Petra I 36, 21400, Bačka Palanka	IPSTP 1362/21X	14.07.2021		po tački 3.1 priloga 13. Pravilnika
1008	Pozicioner tip: DVC2000 fab.br.: F003087347	Fisher Controls International Inc, 205 South Center St , Marshalltown , Iowa 50158, SAD	TIM Fluid Components d.o.o., Beogradska 306, 11253, Beograd	IPSTP 1365/21X	14.07.2021		po tački 3.1 priloga 13. Pravilnika
1009	Elektromotor tip: W-EF280MN-D fab.br.: SA 712951; SA 712952; SA 712953;	Brook Crompton UK Ltd / Tamel SA, ul.Elektryczna 6, 33-100 Tarnow, Poljska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1367/21X	15.07.2021		po tački 3.1 priloga 13. Pravilnika
1010	Granični prekidač nivoa (vibraciona viljuška) tip: 2120D0DK111XM0150Q4 fab.br.: 21GOBE0012450, 21GOBE0012453; 21GOBE0012452; 21GOBE0012451.	Rosemount Tank Radar AB, Layoutvagen 1, 43533 Molnlycke, Švedska	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, BEOGRAD	IPSTP 1368/21X	15.07.2021		po tački 3.1 priloga 13. Pravilnika
1011	Ex Elektromotor tip: AB30r 80A 4 fab.br.: n2100014994v21:	Cemp S.r.l., 20030 SENAGO (Milan), Via Piemonte 16, Italija	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2; 32000. Čačak	IPSTP 1369/21X	15.07.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 80 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1012	Indikator nivoa u tankovima tip: NRF81-BA1BA1C2A1AAAP fab.br.: S6008001171	Endress+Hauser SE+Co.KG, Hauptstrasse 1, 79689 Maulburg, Nemačka	"MERIS" d.o.o., Dunavska 78a, 11060, Beograd	IPSTP 1370/21X	15.07.2021		po tački 3.1 priloga 13. Pravilnika
1013	Elektromotor tip: 4KTC 71 A-4 fab.br.: 202195028; 202195029;	BARTEC VARNOST, Cesta 9. Avgusta 59, 1410 Zagorje ob Savi, SLOVENIJA	SYSTEMAIR d.o.o., Bulevar Zorana Đinđića 95/I/2, 11070, Novi Beograd	IPSTP 1371/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1014	Razvodna kutija model: TQJ2 fab.br.: D2116048	TOKHEIM UK Ltd, Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RT, ŠKOTSKA, UK	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1372/21	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1015	Davač impulsa tip: MPL fab.br.: 2021DG08697; 2021DG08696.	Dover Fueling Solutions(TOKHEIM) UK Ltd., West Pittkero Industrial Estate, Dundee, Velika Britanija	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1373/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1016	Elektromagnetni ventili tip: EMXX fab.br.: ZP21073336	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1374/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1017	Razvodna kutija model: TQJ2 fab.br.: D2116098	TOKHEIM UK Ltd, Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RT, ŠKOTSKA, UK	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1375/21	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1018	Davač impulsa tip: MPL fab.br.: 2021DG06260; 2021DG06254.	Dover Fueling Solutions(TOKHEIM) UK Ltd., West Pittkero Industrial Estate, Dundee, Velika Britanija	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1376/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1019	Elektromagnetni ventili tip: EM5 fab.br.: ZP21067834	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1377/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1020	Samoregulatorni grejni kabel tip: 60FSS2- CF fab.br.: 20088706	Heat Trace Limited, Meres Edge Chester Road, Helsby, Frodsham, Cheshire, Velika Britanija	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1378/21	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1021	Razvodna kutija model: TQJ2 fab.br.: D2116065	TOKHEIM UK Ltd, Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RT, ŠKOTSKA, UK	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1379/21	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1022	Elektromotor tip: ADPE V80 TC4PR fab.br.: 669409; 669403; 669407;	RAEL Motori Elettrici S.r.l., Via per Retorto 7/1 I-15077 Predosa(AL), Italija	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1380/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1023	Elektromotor tip: ADPE V90 TC2PR fab.br.: 667530; 667524;	RAEL motori elettrici S.r.l., Via per Retorto 7/1 I-15077 Predosa(AL), ITALIJA	"Gas Instalacija" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1381/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1024	Davač impulsa tip: MPL fab.br.: 2021DG11274; 2021DG15117; 2021DG11235; 2021DG11231; 2021DG15114; 2021DG15134; 2021DG15128; 2021DG15137;	Dover Fueling Solutions(TOKHEIM) UK Ltd., West Pittkero Industrial Estate, Dundee, Velika Britanija	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1382/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1025	Elektromagnetni ventili tip: EM5 fab.br.: ZP21054991	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1383/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1026	Elektromagnetni ventili tip: EMXX fab.br.: ZP21032934	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1384/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 81 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1027	Razvodna kutija model: TQJ2 fab.br.: D2116066	TOKHEIM UK Ltd, Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RT, ŠKOTSKA, UK	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1385/21	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1028	Elektromotor tip: ADPE V80 TC4PR fab.br.: 666617; 666620; 666621; 666619; 666602;	RAEL Motori Elettrici S.r.l., Via per Retorto 7/1 I-15077 Predosa(AL), Italija	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1386/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1029	Davač impulsa tip: MPL fab.br.: 2021DG11119; 2021DG06895; 2021DG06946; 2021DG11127; 2021DG06952; 2021DG11118; 2021DG06950; 2021DG11134;	Dover Fueling Solutions(TOKHEIM) UK Ltd., West Pittkero Industrial Estate, Dundee, Velika Britanija	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1387/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1030	Elektromagnetni ventili tip: EM5 fab.br.: ZP21054991	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1388/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1031	Elektromagnetni ventili tip: EMXX fab.br.: ZP21032934	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1389/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1032	Razvodna kutija model: TQJ2 fab.br.: D2116067	TOKHEIM UK Ltd, Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RT, ŠKOTSKA, UK	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1390/21	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1033	Elektromotor tip: ADPE V80 TC4PR fab.br.: 666632; 666628; 666627; 666625; 666608;	RAEL Motori Elettrici S.r.l., Via per Retorto 7/1 I-15077 Predosa(AL), Italija	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1391/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1034	Davač impulsa tip: MPL fab.br.: 2021DG86947; 2021DG11132; 2021DG06998; 2021DG06995; 2021DG11114; 2021DG15035; 2021DG11136; 2021DG11138;	Dover Fueling Solutions(TOKHEIM) UK Ltd., West Pittkero Industrial Estate, Dundee, Velika Britanija	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1392/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1035	Elektromagnetni ventili tip: EM5 fab.br.: ZP21054991	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1393/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1036	Elektromagnetni ventili tip: EMXX fab.br.: ZP21032934	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1394/21X	16.07.2021		po tački 3.1 priloga 13. Pravilnika
1037	Ex Elektromotor tip: E3AB30 100LA 2 fab.br.: n2100014128y21; n2100014127y21 ;	CEMP S.r.l., Via Piemonte, 16, 20030 Senago MI, ITALIJA	TAPFLO d.o.o., Braće Ribnikar 56/308, 21000, Novi Sad	IPSTP 1395/21X	19.07.2021		po tački 3.1 priloga 13. Pravilnika
1038	Transmitter temperature model: PR5333D fab.br.: 211662780	PR electronics A/S, Lerbakken 10, 8410 Ronde, DANSKA	"TERMOTEHNA Šušić" d.o.o., Potez Jezdinsko polje 58, 32000, ČAČAK	IPSTP 1397/21X	19.07.2021		po tački 3.1 priloga 13. Pravilnika
1039	Priključna glava model: XE-DANA fab.br.:	LIMATHERM COMPONENTS Sp. z.o.o., ul.Żelazna 5, 41-506 Chrozow, POLJSKA	"TERMOTEHNA Šušić" d.o.o., Potez Jezdinsko polje 58, 32000, ČAČAK	IPSTP 1398/21U	19.07.2021		po tački 3.1 priloga 13. Pravilnika
1040	Utikač tip: SPY-216B fab.br.: 21/38526 (3 kom)	CORTEM S.p.A., Via Aquileia, 10-34070 Villesse (Go), Italija	"INTELUS" d.o.o., Pigova 4/28, 32000, ČAČAK	IPSTP 1401/21X	20.07.2021		po tački 3.1 priloga 13. Pravilnika
1041	Utikač tip: SPY432R fab.br.: 21/35886 (3 kom)	CORTEM S.p.A., Via Aquileia, 10-34070 Villesse (Go), Italija	"INTELUS" d.o.o., Pigova 4/28, 32000, ČAČAK	IPSTP 1402/21X	20.07.2021		po tački 3.1 priloga 13. Pravilnika
1042	PRIKLJUČNICA tip: PY432R fab.br.: 21/34394 (5kom)	CORTEM S.p.A., Via Aquileia, 10-34070 Villesse (Go), Italija	"INTELUS" d.o.o., Pigova 4/28, 32000, ČAČAK	IPSTP 1403/21X	20.07.2021		po tački 3.1 priloga 13. Pravilnika
1043	PRIKLJUČNICA tip: PY216B fab.br.: 21/38123 (20kom)	CORTEM S.p.A., Via Aquileia, 10-34070 Villesse (Go), Italija	"INTELUS" d.o.o., Pigova 4/28, 32000, ČAČAK	IPSTP 1404/21X	20.07.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 82 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1044	PREKIDAČ tip: SA111108 fab.br.: 21/40096 (35kom)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	"INTELUS" d.o.o., Pigova 4/28, 32000, ČAČAK	IPSTP 1405/21X	20.07.2021		po tački 3.1 priloga 13. Pravilnika
1045	Ultrazvučno merilo nivoa EasyTREK tip: SEF-38N-6Ex fab.br.: U275020 ; U275021	Nivelco Process Control Co., Dugonics utca 11, Budapest H-1043, MAĐARSKA	"INDAS" d.o.o., Heroja Pinkija 95 , 21000, Novi Sad	IPSTP 1406/21X	20.07.2021		po tački 3.1 priloga 13. Pravilnika
1046	Razvodna kutija tip: QP-0122-0120-0904/IR2M fab.br.: 10186; 10187; 10188;	QUINTEX GmbH, I-PARK TAUBERFRANKEN 13, 97922 , Lauda-Königshofen, Nemačka	"MERA" d.o.o., Nikole Pašića 12, P.C. Mala Varoš II/39, 23000, Zrenjanin	IPSTP 1409/21	20.07.2021		po tački 3.1 priloga 13. Pravilnika
1047	Razvodna kutija tip: QP-0122-0120-0904/IB2M fab.br.: 10240; 10241; 10242	QUINTEX GmbH, I-PARK TAUBERFRANKEN 13, 97922 , Lauda-Königshofen, Nemačka	"MERA" d.o.o., Nikole Pašića 12, P.C. Mala Varoš II/39, 23000, Zrenjanin	IPSTP 1410/21	20.07.2021		po tački 3.1 priloga 13. Pravilnika
1048	Razvodna kutija tip: QP-0220-0120-0904/IRB2M fab.br.: 10236; 10237; 10238; 10239.	QUINTEX GmbH, I-PARK TAUBERFRANKEN 13, 97922 , Lauda-Königshofen, Nemačka	"MERA" d.o.o., Nikole Pašića 12, P.C. Mala Varoš II/39, 23000, Zrenjanin	IPSTP 1411/21	21.07.2021		po tački 3.1 priloga 13. Pravilnika
1049	Termostat tip: QRC0120-1230 25 fab.br.: 028582110102103 0004; 028582110102103 0005; 028582110102103 0021; 028582110102103 0026; 028493800102051 0003; 028493800102051 0009; 028493800102051 0022;	QUINTEX GmbH, I-PARK TAUBERFRANKEN 13, 97922 , Lauda-Königshofen, Nemačka	"MERA" d.o.o., Nikole Pašića 12, P.C. Mala Varoš II/39, 23000, Zrenjanin	IPSTP 1412/21U	21.07.2021		po tački 3.1 priloga 13. Pravilnika
1050	Vakuum pumpa tip: MEX 0544 fab.br.:	Durr Technik - Durr GmbH & Co.KG., Hopigheimer Strasse 17., D-74321 Bietigheim-Bissingen, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1413/21	20.07.2021	11.01.2028	po tački 3.2 priloga 13. Pravilnika
1051	Elektromotor tip: ADPE V80 TL4PR fab.br.:	RAEL Motori Elettrici S.r.l., Via per Retorto 7/1 I-15077 Predosa(AL), Italija	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1414/21X	20.07.2021	01.03.2024	po tački 3.2 priloga 13. Pravilnika
1052	Termostat tip: QRL0190-1-230 16 fab.br.: 027658170102017 0001; 027658170102017 0006; 027658170102017 0007; 027658170102017 0008; 025542900101841 0001; 025542900101841 0003; 025542900101841 0006;	QUINTEX GmbH, I-PARK TAUBERFRANKEN 13, 97922 , Lauda-Königshofen, Nemačka	"MERA" d.o.o., Nikole Pašića 12, P.C. Mala Varoš II/39, 23000, Zrenjanin	IPSTP 1415/21U	21.07.2021		po tački 3.1 priloga 13. Pravilnika
1053	Kontrolna jedinica isparivača tip: VAPORIX CONTROL fab.br.:	FAFNIR GmbH, Schnackenburgallee 149 c, D-22765 Hamburg, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1416/21X	21.07.2021	26.11.2028	po tački 3.2 priloga 13. Pravilnika
1054	Protokomer (davač impulsa protoka) tip: VAPORIX FLOW fab.br.:	FAFNIR GmbH, Schnackenburgallee 149 c, D-22765 Hamburg, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1417/21	21.07.2021	26.11.2028	po tački 3.2 priloga 13. Pravilnika
1055	Senzor nivoa VEGAPULS 64 tip: PS64.ACTTBAHXA2XXX fab.br.: 53369944	VEGA Grieshaber KG, Am Hohenstein 113, 77761 Schiltach, Nemačka	Ogranak Yokogawa Europe Branches d.o.o., Đorđa Stanojevića 12, 11070, Novi Beograd	IPSTP 1418/21X	21.07.2021		po tački 3.1 priloga 13. Pravilnika
1056	Priključna kutija tip: 8118/122-199-C1457 fab.br.:	R.STAHL GmbH + Co.KG, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1419/21	21.07.2021	22.08.2027	po tački 3.2 priloga 13. Pravilnika
1057	Uređaj za kontrolu istakanja derivata (benzin) u vozila tip: CSB 21 fab.br.:	ELAFLEX HIBY Tanktechnik GmbH & Co, Schnackenburgallee 121, 22525 Hamburg, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1420/21U	23.07.2021	06.02.2026	po tački 3.2 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 83 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
1058	Elektromagnetni ventil, tip: EMXX fab.br.:	ASCO Controls B.V., Neonstraat 3, 6718 WX Ed, Holandija	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1421/21X	31.08.2021	15.12.2028	po tački 3.2 priloga 13. Pravilnika
1059	Ex Priključna kutija tip: SKX 18 I - 2 / E fab.br.:	TEP Ex d.o.o., Medarska 69 , 10090 Zagreb, HRVATSKA	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1422/21	22.07.2021		po tački 3.1 priloga 13. Pravilnika
1060	Ex Uređaj za uzemljenje i trajan nadzor tip: GGCD-01/K1-2 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1423/21	22.07.2021		po tački 3.1 priloga 13. Pravilnika
1061	Upravljačka kombinacija tip: SKX 12/MSRU-1329.14 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1424/21X	22.07.2021		po tački 3.1 priloga 13. Pravilnika
1062	Upravljačka kombinacija tip: SKX 13/1 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1425/21X	22.07.2021		po tački 3.1 priloga 13. Pravilnika
1063	Ex Kutija razvodna tip: RK 01/544 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1426/21X	23.07.2021		po tački 3.1 priloga 13. Pravilnika
1064	Upravljačka kombinacija tip: SKX 13/MSRU-1329.17 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1427/21X	22.07.2021		po tački 3.1 priloga 13. Pravilnika
1065	Upravljačka kombinacija tip: SKX 13/MSRU-1329.13 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1428/21X	22.07.2021		po tački 3.1 priloga 13. Pravilnika
1066	Upravljačka kombinacija tip: SKX 14/MSRU-1329.15 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1429/21X	22.07.2021		po tački 3.1 priloga 13. Pravilnika
1067	Orman razvodni tip: R3005 / SRU 1329.11 fab.br.:	TEP-Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	„BEL-ELEKTRO“ d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1430/21X	22.07.2021		po tački 3.1 priloga 13. Pravilnika
1068	Ex Fluo svetiljka tip: PSF 236 fab.br.:	TEP-Ex d.o.o., Medarska 69, Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1431/21	23.07.2021		po tački 3.1 priloga 13. Pravilnika
1069	Ex sigurnosna led svetiljka tip: FLXE 118 LED-N 2 / . fab.br.:	TEP-Ex d.o.o., Medarska 69, Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1432/21	23.07.2021		po tački 3.1 priloga 13. Pravilnika
1070	LED Svetiljka viseća tip: PLFS 50 LED 5 fab.br.:	TEP-Ex d.o.o., Medarska 69, Zagreb, Hrvatska	“BEL-ELEKTRO” d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1433/21X	23.07.2021		po tački 3.1 priloga 13. Pravilnika
1071	LED Svetiljka viseća tip: PLFS-N 100 LED-3/3 fab.br.:	TEP-Ex d.o.o., Medarska 69, Zagreb, Hrvatska	“BEL-ELEKTRO” d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1434/21	23.07.2021		po tački 3.1 priloga 13. Pravilnika
1072	LED Svetiljka viseća tip: PLFS-N 100 LED-4/3 fab.br.:	TEP-Ex d.o.o., Medarska 69, Zagreb, Hrvatska	“BEL-ELEKTRO” d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1435/21	23.07.2021		po tački 3.1 priloga 13. Pravilnika
1073	Ex LED Svetiljka tip: PSF 28 LED / 2 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1436/21	23.07.2021		po tački 3.1 priloga 13. Pravilnika
1074	Ex LED Svetiljka tip: PSF 52 LED / 1 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1437/21	23.07.2021		po tački 3.1 priloga 13. Pravilnika
1075	Ex LED Svetiljka tip: PSF 52 LED / 2 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1438/21	23.07.2021		po tački 3.1 priloga 13. Pravilnika
1076	Upravljačka kombinacija tip: SKX 12/34 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1439/21X	23.07.2021		po tački 3.1 priloga 13. Pravilnika
1077	Upravljačka kombinacija tip: SKX 14/1 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1440/21X	23.07.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 84 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
1078	Nepropaljivo kućište transmitera temperature tip: XDA fab.br.: 0902993151	Yung Chan Metal Industry Co.Ltd, No 30 Keji 1st Road, Tainan Technology Industrial Park, Tainan City 709, Tajvan	"TERMOTEHNA Šušić" d.o.o., Potez jezdinsko polje 58, 32000, Čačak	IPSTP 1442/21U	23.07.2021		po tački 3.1 priloga 13. Pravilnika
1079	Priključni blok tip: XE-SBd-B10s-G8Lr-01G fab.br.:	Podhlanska Fabryka Aparatary Pomiarowej LIMATHERM , Sp. z o.o., ul.Tarnowska 1, 34-600 Limanowa, POLJSKA	"TERMOTEHNA Šušić" d.o.o., Potez Jezdinsko polje 58, 32000, ČAČAK	IPSTP 1443/21U	23.07.2021		po tački 3.1 priloga 13. Pravilnika
1080	Elektromotor tip: RL71B 4 (RL0013) fab.br.: 144674	RAEL srl, Via Sper Retorto 7/1, I-15077 Predosa, Italija	"AIRCO " d.o.o., Milovana Glišića br.7, lokal br.2, 21000, NOVI SAD	IPSTP 1445/21X	23.07.2021		po tački 3.1 priloga 13. Pravilnika
1081	Mlaznica za istakanje derivata u vozila (benzin, dizel) tip: ZVA Slimline 2 GR fab.br.:	ELAFLEX HIBY Tanktechnik GmbH & Co, Schnackenburgalee 121, 22525 Hamburg, Nemačka	"Gilbarco Acis" d.o.o., Dravska 8, 21000, Novi Sad	IPSTP 1446/21U	23.07.2021	06.03.2026	po tački 3.2 priloga 13. Pravilnika
1082	Samoregulišući grejni kabel tip: BSX 3-2-OJ fab.br.: J523-8-1006, dužina l = 40 m'	Thermon Inc, 100 Thermon Drive San Marcos, Texas 78666, USA	"ELMARK" d.o.o., Milana Rakića br.6, BEOGRAD	IPSTP 1447/21	26.07.2021		po tački 3.1 priloga 13. Pravilnika
1083	Priključna kutija tip: TERMINATOR ZP-XP fab.br.: PRD4004952	Thermon Manufacturing Company, 100 Thermon Drive San Marcos, Texas 78666, USA	"ELMARK" d.o.o., Milana Rakića br. 6, 11120, Beograd	IPSTP 1448/21X	26.07.2021		po tački 3.1 priloga 13. Pravilnika
1084	Termostat tip: TERMINATOR ZT-C-100-P-XP fab.br.: PRD4004895	Thermon Inc, 100 Thermon Drive San Marcos, Texas 78666, USA	"ELMARK" d.o.o., Bulevar Kralja Aleksandra 183, 11000, BEOGRAD	IPSTP 1449/21X	26.07.2021		po tački 3.1 priloga 13. Pravilnika
1085	Samoregulišući grejni kabel tip: HPT 5-2-OJ fab.br.: HPT26766-1A-1001, dužina l = 100 m'	Thermon Inc, 100 Thermon Drive San Marcos, Texas 78666, USA	"ELMARK" d.o.o., Milana Rakića br.6, BEOGRAD	IPSTP 1450/21	26.07.2021		po tački 3.1 priloga 13. Pravilnika
1086	Elektromotor tip: 1MB15130EB422FA4-Z fab.br.: 2103/2345767-001-001; 2103/2345767-001-002.	Siemens AG, Vogelweierstrase 1-15, D-90441 Nürnberg, NEMAČKA	NIS AD Novi Sad, Narodnog ronta 12, 21000, Novi Sad	IPSTP 1451/21	26.07.2021		po tački 3.1 priloga 13. Pravilnika
1087	Ex Kućište tip: ESA 3333 fab.br.: od 22/380/23.1 do 22/380/23.26	BARTEC-FEAM, Via Mario Pagano, 3IT-20090 Trezzano Sul Naviglio, Milano, Italija	"INTELUS" d.o.o., Pigova 4/28, 32000, Čačak	IPSTP 1452/21X	27.07.2021		po tački 3.1 priloga 13. Pravilnika
1088	Ex Kućište tip: ESA 4433 fab.br.: od 22/380/22.1 do 22/380/22.26	BARTEC-FEAM, Via Mario Pagano, 3IT-20090 Trezzano Sul Naviglio, Milano, Italija	"INTELUS" d.o.o., Pigova 4/28, 32000, Čačak	IPSTP 1453/21X	27.07.2021		po tački 3.1 priloga 13. Pravilnika
1089	Transmiter diferencijalnog pritiska tip: STD730-A1AC4AS-1-C-ADB-11C-A-10A6-F1-0000 fab.br.: 21W23 C4000040833748	HONEYWELL Inc., 512 Virginia Drive, Fort Washington, Pennsylvania 19034, USA	"UNICOM" d.o.o., Borivoja Stevanovića 25, 11000, BEOGRAD	IPSTP 1454/21X	28.07.2021		po tački 3.1 priloga 13. Pravilnika
1090	Transmiter diferencijalnog pritiska tip: STD730-A1AC4AS-1-C-ADB-11C-A-10A0-F1,02-0000 fab.br.: 21W23 C4000040833747	HONEYWELL Inc., 512 Virginia Drive, Fort Washington, Pennsylvania 19034, USA	"UNICOM" d.o.o., Borivoja Stevanovića 25, 11000, BEOGRAD	IPSTP 1455/21X	28.07.2021		po tački 3.1 priloga 13. Pravilnika
1091	Alarmna sirena (zvučnik) tip: LH3-UC25XS fab.br.: 405221395310100071	BOSCH / DNH AS, Torenallee 49 Eindhoven, 5617 BA, Norveška	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 1457/21X	28.07.2021		po tački 3.1 priloga 13. Pravilnika
1092	Detektor plamena tip: 40/40LB-111SC fab.br.: 56774; 61070; 61078.	SPECTREX Ltd., 218 Little Falls Road , Cedar Grove, NJ 07009, USA	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080 Zemun, Beograd	IPSTP 1458/21X	28.07.2021		po tački 3.1 priloga 13. Pravilnika



REGISTAR

**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 85 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
1093	FLEX Sonda tip: 7100V465R5XF2L942 fab.br.: 719937-A01-2321, 719937-A02-2321, 719937-B01-2321, 719937-B02-2321, 719937-C01-2321, 719937-C02-2321, 719937-D01-2321, 719937-D02-2321.	AMTEK Automation & Process Technologies, 6380 Brockway Rd. Peck, MI 48466, USA	GIA TECHNOLOGY d.o.o., Primorske 86, 21000, Novi Sad	IPSTP 1459/21X	28.07.2021		po tački 3.1 priloga 13. Pravilnika
1094	KONZOLA tip: Site Sentinel Integra fab.br.: 1986882	OPW – Fuel Managment Systems, 6900 Santa Fe Drive Hodgikins , IL 60525, USA	GIA TECHNOLOGY d.o.o., Primorska 86, 21000, Novi Sad	IPSTP 1460/21X	28.07.2021		po tački 3.1 priloga 13. Pravilnika
1095	Smart modul tip: vSmart Module fab.br.: 2104486	OPW Fuel Management Systems, 6900 Santa Fe Drive, Hodgkins, IL 60525, USA	"GIA Technology" d.o.o., Primorska br. 86, 21000, Novi Sad	IPSTP 1461/21X	28.07.2021		po tački 3.1 priloga 13. Pravilnika
1096	ELEKTROMAGNETNI VENTIL tip: EMXX fab.br.: ZP21084573	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"GIA TECHNOLOGY" d.o.o., Primorska br.86, 21000, Novi Sad	IPSTP 1462/21X	28.07.2021		po tački 3.1 priloga 13. Pravilnika
1097	Elektromotor tip: J2080B4H2305FZ fab.br.: 2100-6151	ORANGE1 Electric Motors, Via Mantova 93 ,43122 PARMA, ITALIJA	"GIA TECHNOLOGY" d.o.o., Primorska 86, 21000, Novi Sad	IPSTP 1463/21X	28.07.2021		po tački 3.1 priloga 13. Pravilnika
1098	Davač impulsa tip: EK 1025.IIB-A fab.br.: 054978	TATSUNO EUROPE, Pražska 2325/68, Blansko, Češka Republika	GIA TECHNOLOGY d.o.o., Primorska br. 86, 21000, Novi Sad	IPSTP 1464/21X	28.07.2021		po tački 3.1 priloga 13. Pravilnika
1099	Magnetni prekidač tip: MARR3.2-1N0 fab.br.: 05/2021	TATSUNO EUROPE a.s., Pražska 2325/68, Blansko, Češka Republika	GIA TECHNOLOGY d.o.o., Primorska br. 86, 21000, Novi Sad	IPSTP 1465/21X	28.07.2021		po tački 3.1 priloga 13. Pravilnika
1100	RAZVODNA KUTIJA tip: RK 003/6 (EXRJ06) fab.br.: 06785/21	TATSUNO EUROPE a.s., Pražska 2325/68, Blansko, Češka Republika	GIA TECHNOLOGY d.o.o., Primorska br. 86, 21000, Novi Sad	IPSTP 1466/21	28.07.2021		po tački 3.1 priloga 13. Pravilnika
1101	SPRAVA ZA MERENJE TEČNNIH GORIVA tip: SHARK BMP 511.SL(R) fab.br.: 19346/21	TATSUNO EUROPE, Pražska 2325/68, Blansko, ČEŠKA	GIA TECHNOLOGY d.o.o., Primorska br. 86, 21000, Novi Sad	IPSTP 1467/21	28.07.2021		po tački 3.1 priloga 13. Pravilnika
1102	Analogna ulazna izolovana Ex barijera tip: KFD2-STC5-Ex1 fab.br.: 40000118383273; 40000117247524; 40000118383214; 40000104754433; 40000104754319; 40000104754259; 40000118383592; 40000118383041; 40000118383409; 40000104754033.	Pepperl + Fuchs GmbH, Lillienthalstrasse 200 , 68307 Mannheim, Nemačka	"Momentum" d.o.o., Fruškogorska 55, 22000, Sremska Mitrovica	IPSTP 1468/21X	28.07.2021		po tački 3.1 priloga 13. Pravilnika
1103	Transmitter diferencijalnog pritiska SITRANS P420 tip: 7MF0440-1ML01-5CM2-Z A01+C11+E20+H01+U02 fab.br.: N1N52610159344, N1N52610159345, N1N52510159331, N1N52510159332, N1N52510159333, N1N52510159334, N1N52510159335, N1N52510159336.	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 1469/21X	28.07.2021		po tački 3.1 priloga 13. Pravilnika
1104	Transmitter temperature TS 500 tip: 7MC7500-1JB06-8HA3-Z E03+T30+Y01+Y44 fab.br.: N1N52660088, N1N52660089, N1N52660110, N1N52560079, N1N52560080, N1N52560081, N1N52560082, N1N52560034, N1N52560084	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 1470/21X	28.07.2021		po tački 3.1 priloga 13. Pravilnika
1105	Transmitter pritiska SITRANS P420 tip: 7MF0400-1TF01-5CM2-Z A01+C11+E20+H01 fab.br.: N1N52610159343	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 1471/21X	28.07.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 86 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1106	Transmitter pritiska SITRANS P420 tip: 7MF0400-1QF01-5CM2-Z A01+C11+E20+H01 fab.br.: N1N52610159346, N1N52610159351, N1N52510159337, N1N52510159338, N1N52510159339, N1N52510159340, N1N52510159341, N1N52510159342.	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"Siemens Energy" d.o.o., Omladinskih brigada 90v, 11070 Novi Beograd, Beograd	IPSTP 1472/21X	28.07.2021		po tački 3.1 priloga 13. Pravilnika
1107	NAPOJNA JEDINICA tip: FE260-SVB-DC fab.br.: od 1591338 do 1591367	ELSTER-Instromet, 55252 Mainz – Kastel, NEMAČKA	"KONVEX-gasna i vodo tehnika" d.o.o., Batajnički drum 299, sprat 1, 11080 Zemun, Beograd	IPSTP 1473/21	29.07.2021		po tački 3.1 priloga 13. Pravilnika
1108	Elektronski korektor zapremine tip: EK280 sa integrisanim radio modemom fab.br.: od 4538996 do 4539025	Elster GmbH, Steiner Strasse 19-21 , 55252 Mainz –Kastel, Nemačka	"KONVEX - gasna i vodo tehnika" d.o.o., Batajnički Drum 299, sprat 1 , 11080, Zemun-Beograd	IPSTP 1474/21X	29.07.2021		po tački 3.1 priloga 13. Pravilnika
1109	Merni pretvarač serije JUMO dTRANS T02 Ex tip:707025/888-888-03 fab.br.: 0281216401020330002; 0277778501020190003	JUMO GmbH & Co.KG, Moritz- Juchheim-Str.1, 36039 Fulda, NEMAČKA	"VIS ELECTRONIC" d.o.o., Janka Čmelika 56/4, 21000, Novi Sad	IPSTP 1475/21	29.07.2021		po tački 3.1 priloga 13. Pravilnika
1110	Ex Elektromotor tip: AB30r 90L 4 fab.br.: n2100016519y21;	Cemp S.r.l., 20030 SENAGO (Milan), Via Piemonte 16, Italija	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1476/21X	30.07.2021		po tački 3.1 priloga 13. Pravilnika
1111	Ex Elektromotor tip: AB30r 100LB 4 fab.br.: n2100016520y21;	Cemp S.r.l., 20030 SENAGO (Milan), Via Piemonte 16, Italija	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2; 32000, Čačak	IPSTP 1477/21X	30.07.2021		po tački 3.1 priloga 13. Pravilnika
1112	Ex BARIJERA tip: MACX MCR-EX-SL-RPSSI-I fab.br.: 1365957630; 136597621; 1365868249.	Phoenix Contact GmbH, Flachmarktstr. 8 , 32825 Blomberg, Nemačka	ELEKTROMATERIJAL d.o.o., Novosadskog sajma 54, 21000, Novi Sad	IPSTP 1478/21X	30.07.2021		po tački 3.1 priloga 13. Pravilnika
1113	Detektor gasa u Ex izvedbi tip: PX2-1-1-P3400-A-P1 sa senzorskom glavom tip: SX1-1-P3400-A fab.br.: 74449, 74450, 74451, 74452.	MSR-Electronic GmbH, Bürgermeister- Schönbauer Str.13, 94060 Pocking, Nemačka	"ELBING " d.o.o., Vlade Živanovića 2a, 21000, Novi Sad	IPSTP 1479/21X	30.07.2021		po tački 3.1 priloga 13. Pravilnika
1114	Napojna jedinica tip: RN221N-B1 fab.br.: S7053B0411F	Endress+Hauser Wetzer GmbH+Co.KG, Obere Wank 1, 87484 Nesselwang, Nemačka	MERIS d.o.o., Dunavska 78a, 11060, Beograd	IPSTP 1480/21	02.08.2021		po tački 3.1 priloga 13. Pravilnika
1115	Elektromagnetni ventil tip: FEB 106/10 A fab.br.: 30011, 30939, 30947, 30948.	Dr. Breit GmbH., Carl-Zeiss-Str. 25, 42579 Heiligenhaus, Nemačka	"Fasek Engineering and production" d.o.o., Mileševska 1a, 21000, NOVI SAD	IPSTP 1481/21X	02.08.2021		po tački 3.1 priloga 13. Pravilnika
1116	Kutija sa krajnjim prekidačima/Limit switch box tip: TXP-M2CGNMM fab.br.: 201005124509, 201005131003	TOPWORX Inc., 3300 Fern Valley Road, Louisville, Kentucky 402013, USA	"Fasek Engineering and production" d.o.o., Mileševska 1a, 21000, NOVI SAD	IPSTP 1482/21X	02.08.2021		po tački 3.1 priloga 13. Pravilnika
1117	Transmitter pritiska tip: DX9-DMP 331 fab.br.: 2243794, 2243796	BD SENSORS GmbH, BD Sensors Straße 1, 95199 Thierstein, Nemačka	"Fasek Engineering and production" d.o.o., Mileševska 1a, 21000, NOVI SAD	IPSTP 1483/21X	02.08.2021		po tački 3.1 priloga 13. Pravilnika
1118	Priključna kutija za prateće grejanje tip: JBS-100-E fab.br.:	nVent Thermal Belgium LLC, Romeinse straat 14, 3001 Leuven, Belgija	"PIONIRGAS" d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 1485/21U	02.08.2021		po tački 3.1 priloga 13. Pravilnika



REGISTAR

**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 87 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	POD NOSILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1119	Kutija sa krajnjim prekidačima/Limit switch box tip: TXP-M2CGNMM fab.br.: 210510113745, 210510050124, 210510085024, 210510095131, 210510114200, 210510064614, 210510092909, 210510100207, 210510093544	TOPWORX Inc., 3300 Fern Valley Road, Louisville, Kentucky 402013, USA	"PIONIRGAS" d.o.o., Maksima Gorkog 11, 21000, NOVI SAD	IPSTP 1486/21X	02.08.2021		po tački 3.1 priloga 13. Pravilnika
1120	Mikroprekidač tip: TCR1WAZ fab.br.: 221581042, 221581044, 221581024, 221581006, 221581086, 221581106.	ROTECH Antriebsselemente GmbH, Im Katzentach 16, 76275 Ettlingen, Nemačka	"PIONIRGAS" d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 1487/21	02.08.2021		po tački 3.1 priloga 13. Pravilnika
1121	Ex Senzor induktivni tip: NJ1,5-18GM-N-D-10M fab.br.:	Pepperl & Fuchs GmbH, Lilienthalstraße 200, 68307 Mannheim, Nemačka	"PIONIRGAS" d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 1488/21X	02.08.2021		po tački 3.1 priloga 13. Pravilnika
1122	Ex Senzor induktivni tip: NCB1,5-8GM25-N0-V1 fab.br.:	Pepperl & Fuchs GmbH, Lilienthalstraße 200, 68307 Mannheim, Nemačka	"PIONIRGAS" d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 1489/21X	02.08.2021		po tački 3.1 priloga 13. Pravilnika
1123	Transmiter nivoa težnosti tip: NIVOTRACK MTL-506-8 Ex fab.br.: U235262, U235263, U235264	Nivelco Process Control Co., Dugonics utca 11, Budapest H-1043, MAĐARSKA	"PIONIRGAS" d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 1490/21X	02.08.2021		po tački 3.1 priloga 13. Pravilnika
1124	Samoregulacioni grejni kabel tip: 10BTV2-CT fab.br.: bez serijskog broja, l = 18 m'	Penthair Thermal Management LLC, 2415 Bay Road, Redwood City, California 94063, USA	"PIONIRGAS" d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 1491/21X	02.08.2021		po tački 3.1 priloga 13. Pravilnika
1125	Ex Dогреjač za gas tip:G1649-100 5 kW fab.br.: PMW-0271 / 11082	MASTERWATT S.r.l., Via Collegno, 31-10044 Pianezza (TO), Italija	"PIONIRGAS" d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 1492/21X	02.08.2021		po tački 3.1 priloga 13. Pravilnika
1126	Ex Dогреjač za gas tip:G1650-200 60 kW fab.br.: PMW-0272 /1083	MASTERWATT S.r.l., Via Collegno, 31-10044 Pianezza (TO), Italija	"PIONIRGAS" d.o.o., Maksima Gorkog 11, 21000, Novi Sad	IPSTP 1493/21X	02.08.2021		po tački 3.1 priloga 13. Pravilnika
1127	Ručni javljač požara tip: FDM223-Ex fab.br.: 5588041, 5587EB7	Siemens Schweiz AG, Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 1495/21X	02.08.2021		po tački 3.1 priloga 13. Pravilnika
1128	Elektromagnetna brava tip: SX-LS-P72211A fab.br.: 060521/123472/01, 060521/123472/02, 060521/123472/03, 060521/123472/04, 060521/123472/05, 060521/123472/06, 060521/123472/07, 060521/123472/08, 060521/123472/09, 060521/123472/10, 060521/123472/11, 060521/123472/12, 060521/123472/13, 060521/123472/14, 060521/123472/15, 060521/123472/16, 060521/123472/17, 060521/123472/18, 060521/123472/19, 060521/123472/20, 060521/123472/21, 060521/123472/22, 060521/123472/23.	WATH GROUP Ltd., Unit 1, Bedford Park, Barnsley Red, Wath upon Dearne, Rotherdam, Velika Britanija	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 1496/21X	02.08.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 88 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1129	Granični prekidač nivoa (vibraciona viljuška) Rosemount tip: 2120D0DV1E1XM0095Q4 fab.br.: 21GOBE0013344	Rosemount Tank Radar AB, Layoutvägen 1, 43533 Mölnlycke, Švedska	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1510/21X	03.08.2021		po tački 3.1 priloga 13. Pravilnika
1130	Granični prekidač nivoa (vibraciona viljuška) Rosemount tip: 2120D0DV1E1XM0300Q4 fab.br.: 21GOBE0013345; 21GOBE0013346; 21GOBE0013347.	Rosemount Tank Radar AB, Layoutvägen 1, 43533 Mölnlycke, Švedska	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1511/21X	03.08.2021		po tački 3.1 priloga 13. Pravilnika
1131	Solenoidni ventil tip: 3061 fab.br.: 1218978, 1218963	IMI Norgren-Herion Fluidtronic GmbH & Co.KG, Stuttgarter Strasse 120, 70736 Fellbach, Nemačka	"Fluid Mold Sistemi" d.o.o., Kneginje Milice 119, 35000, Jagodina	IPSTP 1516/21X	05.08.2021		po tački 3.1 priloga 13. Pravilnika
1132	Razvodna kutija tip: 8118/132-199 fab.br.: 2118174880440001, 2118174880440002	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Keying" d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 1517/21	05.08.2021		po tački 3.1 priloga 13. Pravilnika
1133	Ex PROHROMSKA RAZVODNA KUTIJA tip: 07-56D2 fab.br.: SI 027087/20	BARTEC-VARNOST d.o.o., Cesta 9. avgusta 59, Zagorje ob Savi, Slovenija	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1518/21	05.08.2021		po tački 3.1 priloga 13. Pravilnika
1134	Razvodna kutija aluminijumska tip: 07-5101 fab.br.: SI 036060/20	BARTEC VARNOST, Cesta 9, Avgusta 59, SL-1410 Zagorje ob Savi, Slovenija	„INTELUS“ d.o.o., Pigova 4/28, 32000, Čačak	IPSTP 1519/21X	05.08.2021		po tački 3.1 priloga 13. Pravilnika
1135	Razvodna kutija aluminijumska tip: SA 141410 fab.br.: 21/40084	Cortem S.p.A., Via Aquileia 10, Villesse, Italija	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1520/21	05.08.2021		po tački 3.1 priloga 13. Pravilnika
1136	Razvodna kutija aluminijumska tip: SA 302310 fab.br.: 21/41653	Cortem S.p.A., Via Aquileia 10, Villesse, Italija	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1521/21	05.08.2021		po tački 3.1 priloga 13. Pravilnika
1137	Razvodna kutija aluminijumska tip: SA 202012 fab.br.: 21/41353	Cortem S.p.A., Via Aquileia 10, Villesse, Italija	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1522/21	05.08.2021		po tački 3.1 priloga 13. Pravilnika
1138	SONDA ZA MERENJE NIVOVA tip: XMT-SI-485 fab.br.: 23833 L.3000 P201999; 13927 L.2750 P200809; 23861 L.2750 P201999.	START ITALIANA S.r.l., Via Pola, 6-20813 Bovisio Masciago (MB), ITALIJA	„KNEZ PETROL“ d.o.o., ul. Carice Jelene br 28, 11273, Batajnica	IPSTP 1523/21	05.08.2021		po tački 3.1 priloga 13. Pravilnika
1139	Elektromotor tip: RL 71A 2 (RL0004) fab.br.: 158430	RAEL srl, Via Sper Retorto 7/1, I-15077 Predosa, Italija	"KEFO " d.o.o., Bačka 1 U, 11080, Zemun, Beograd	IPSTP 1524/21X	05.08.2021		po tački 3.1 priloga 13. Pravilnika
1140	Transmiter pritiska tip: PCE-28/1/2NPT/PD fab.br.: 07212998, 07212999, 07213000, 07213001, 07213002, 07213003, 07213004, 07213005, 07213006, 07213007, 07213008, 07213009, 07213010, 07213011, 07213012, 07213013, 07213014, 07213015, 07213016, 07213017, 07213018, 07213019, 07213020, 07213021, 07213022, 07213023.	Aplisens S.A., Morelowa 7, 03-192 Warszawa, POLJSKA	" WIG" d.o.o., Bulevar Arsenija Čarnojevića br. 26, 11070 Novi Beograd, BEOGRAD	IPSTP 1526/21X	06.08.2021		po tački 3.1 priloga 13. Pravilnika
1141	SOLENOIDNI VENTIL tip: 4230 / 4280 fab.br.: C0406 (2 kom) , C0224 (4 kom)	IMI HERION / Norgreen GmbH, Stuttgarter StraÙe 12, Fellbach, NEMAČKA	"OD-JU " d.o.o., Đorđa Šundukovića bb, 22406, IRIG	IPSTP 1527/21X	06.08.2021		po tački 3.1 priloga 13. Pravilnika
1142	Ex Solenoid tip: GTCE050AGDD02-005 fab.br.: 663059 04/2021; 663067 04/2021; 569161 45/2018.	Magnet Schultz GmbH & Co KG, Allgauer Strasse 30, 87686 Memmingen, Nemačka	"OD-JU " d.o.o., Đorđa Šundukovića bb, 22406, IRIG	IPSTP 1528/21X	06.08.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 89 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
1143	KAPACITIVNI NAMUR SENZOR tip: BC10-S30-Y1X fab.br.:	HANS TURCK GmbH & Co.KG, Witzlebenstraße 7, D-45472 Mülheim an der Ruhr, Nemačka	"OD-JU " d.o.o., Đorđa Šundukovića bb, 22406, IRIG	IPSTP 1529/21X	06.08.2021		po tački 3.1 priloga 13. Pravilnika
1144	INDUKTIVNI SENZOR tip: NI10-M18-Y1X-H1141 fab.br.:	HANS TURCK GmbH & Co.KG, Witzlebenstraße 7, D-45472 Mülheim an der Ruhr, Nemačka	"OD-JU " d.o.o., Đorđa Šundukovića bb, 22406, IRIG	IPSTP 1530/21X	06.08.2021		po tački 3.1 priloga 13. Pravilnika
1145	IZOLACIONI POJAČAVAČ tip: IMX12-DI01-2S-2T-0/24VDC fab.br.:	Hans Turck GmbH & Co.KG, Witzlebenstraße 7, D-45472 Mülheim an der Ruhr, Nemačka	"OD-JU " d.o.o., Đorđa Šundukovića bb, 22 406, IRIG	IPSTP 1531/21X	06.08.2021		po tački 3.1 priloga 13. Pravilnika
1146	Kapacitivni transmitter nivoa NIVOCAP tip: CTR-311-6Ex fab.br.:	NIVELCO Process Control Co, Dugonics utca 11, Budapest H-1043, MAĐARSKA	"OD-JU " d.o.o., Đorđa Šundukovića bb 22406, Irig	IPSTP 1532/21X	06.08.2021		po tački 3.1 priloga 13. Pravilnika
1147	Transmitter temperature tip: IM34-12EX-Ri fab.br.:	Hans Turck GmbH & Co.KG, Witzlebenstraße 7, D-45472 Mülheim an der Ruhr, Nemačka	"OD-JU " d.o.o., Đorđa Šundukovića bb, 22406, IRIG	IPSTP 1533/21	06.08.2021		po tački 3.1 priloga 13. Pravilnika
1148	Termostat tip: TERMINATOR ZT-C-Ambient-WP 400V fab.br.: PRD4005273	Thermon Inc, 100 Thermon Drive San Marcos, Texas 78666, USA	"ELMARK" d.o.o., Bulevar Kralja Aleksandra 183, 11000, BEOGRAD	IPSTP 1534/21X	06.08.2021		po tački 3.1 priloga 13. Pravilnika
1149	Transmitter pritiska SITRANS P 200 tip: 7MF1565-3BA01-1AA1 fab.br.: LKKN607124010015, LKKN607124010002, LKKN607124010004, LKKN607124010001.	SIEMENS AG, Östliche Rheinbrückerstr.50, 76 187 Karlsruhe, NEMAČKA	"INDAS" d.o.o., Heroja Pinkija 95 , 21000, Novi Sad	IPSTP 1536/21	06.08.2021		po tački 3.1 priloga 13. Pravilnika
1150	Transmitter pritiska SITRANS P 220 tip: 7MF1567-3CA01-1AA1 fab.br.: LKKN521646010001, LKKN521646010003	SIEMENS AG, Östliche Rheinbrückerstr.50, 76 187 Karlsruhe, NEMAČKA	"INDAS" d.o.o., Heroja Pinkija 95 , 21000, Novi Sad	IPSTP 1537/21	06.08.2021		po tački 3.1 priloga 13. Pravilnika
1151	Transmitter pritiska SITRANS P 220 tip: 7MF1567-3DE01-1AA1 fab.br.: LKKN705029010008, LKKN705029010005	SIEMENS AG, Östliche Rheinbrückerstr.50, 76 187 Karlsruhe, NEMAČKA	"INDAS" d.o.o., Heroja Pinkija 95 , 21000, Novi Sad	IPSTP 1538/21	06.08.2021		po tački 3.1 priloga 13. Pravilnika
1152	Transmitter pritiska SITRANS P 220 tip: 7MF1567-3CA01-1AA1 fab.br.: LKKN521646010009, LKKN719303010002	SIEMENS AG, Östliche Rheinbrückerstr.50, 76 187 Karlsruhe, NEMAČKA	"INDAS" d.o.o., Heroja Pinkija 95 , 21000, Novi Sad	IPSTP 1539/21	06.08.2021		po tački 3.1 priloga 13. Pravilnika
1153	Ex Plastični kablovski uvodnik M32 x 1,5 tip: GHG 960 1955 R0025 fab.br.:	Cooper Crouse-Hinds GmbH, Neuer Weg Nord 49, 69412 Eberbach, Nemačka	SOBEL d.o.o., Ustanička 125i, 11050, Beograd	IPSTP 1540/21X	06.08.2021		po tački 3.1 priloga 13. Pravilnika
1154	Ex Plastični čep M32 x 1,5 tip: GHG 960 1952 R0114 fab.br.:	Cooper Crouse-Hinds GmbH, Neuer Weg Nord 49, 69412 Eberbach, Nemačka	SOBEL d.o.o., Ustanička 125i, 11050, Beograd	IPSTP 1541/21	06.08.2021		po tački 3.1 priloga 13. Pravilnika
1155	SPRIANO® Elektronski transmitter relativnog/apsolutnog pritiska serije SST7X tip: SST76 fab.br.: SE200579	TERRANOVA S.r.l., Via A. Gramsci 1 - 26827 Terranova Passerini (LO), Italija	NIS a.d. Rafinerija nafte Pančevo, Spoljnostarčevačka 199, 26000, Pančevo	IPSTP 1542/21X	09.08.2021		po tački 3.1 priloga 13. Pravilnika
1156	Transmittersko napajanje tip: IM33-11Ex-Hi 24vdc fab.br.:	Hans Turck GmbH & Co.KG, Witzlebenstraße 7, D-45472 Mülheim an der Ruhr, Nemačka	"OD-JU " d.o.o., Đorđa Šundukovića bb, 22 406, IRIG	IPSTP 1543/21X	09.08.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 90 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1157	Gas detektor tip: DGS510-EXP d fab.br.: od br. 9339.1/1545 do br. 9339.32/1576 (32 komada) od br. 9339.33/1583 do br. 9339.40/1590 (8 komada)	Delta Instruments Ltd, Malaševska 8, 1202 Sofija, Bugarska	" MINAL " d.o.o., Kedrova 8, 11 030, Beograd	IPSTP 1550/21X	09.08.2021		po tački 3.1 priloga 13. Pravilnika
1158	Ručni javljač požara tip: FDM223-Ex fab.br.: 599EBB6; 599EBB2; 599EBA9; 599EBAA; 599EBAC; 599EBB7.	Siemens Schweiz AG, Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies " d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 1552/21X	11.08.2021		po tački 3.1 priloga 13. Pravilnika
1159	Ex Optički javljač požara tip: SOC-E-IS(WHT) fab.br.: od 0064000203 do 0064000252, od 0064000273 do 0064000302	Hochiki EUROPE, Gillingham, Kent, ME8 0SA, UK	"Unipelektra" d.o.o., Radovana Milosevica 12, 11000, Beograd	IPSTP 1553/21X	11.08.2021		po tački 3.1 priloga 13. Pravilnika
1160	Ex PANIK FLUO SVETILJKA tip: EVFGDE-236 fab.br.: od 21/792/01.1 do 21/792/01.152	BARTEC / NUOVA ASP, Via De Gasperi, 26 I-20090 Pantiglate, Italija	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1554/21X	11.08.2021		po tački 3.1 priloga 13. Pravilnika
1161	Ex FLUO SVETILJKA tip: EVFGD-236 fab.br.: N od 21/792/02.1 do 21/792/02.248	BARTEC / NUOVA ASP, Via De Gasperi, 26 I-20090 Pantiglate, Italija	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1555/21X	11.08.2021		po tački 3.1 priloga 13. Pravilnika
1162	LED Panik svetiljka tip: CZ0264/20-LED3W-M-80-B fab.br.:	CZ Explosion-proof Electric Appliances Co.Ltd, No.1 Qixing Road, Qixing Town, Nanhu District, Jiaying, Zhejiang, 314002, NR Kina	INTELUS d.o.o., Pigoa 4/28, 32000, ČAČAK	IPSTP 1556/21X	11.08.2021		po tački 3.1 priloga 13. Pravilnika
1163	LED Panik svetiljka tip: CZ0865/1xLED30W2 YJ-FK-B fab.br.:	CZ Explosion-proof Electric Appliances Co.Ltd, No.1 Qixing Road, Qixing Town, Nanhu District, Jiaying, Zhejiang, 314002, NR Kina	INTELUS d.o.o., Pigoa 4/28, 32000, ČAČAK	IPSTP 1557/21X	11.08.2021		po tački 3.1 priloga 13. Pravilnika
1164	Priključna kutija tip: 8118/122-118-0 fab.br.: 2118177360440004, 2118177360440044, 2118177360440042, 2118177360440007, 2118177360440008, 2118177360440057, 2118177360440041, 2118177360440046, 2118177360440002, 2118177360440043.	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Keying" d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 1558/21	13.08.2021		po tački 3.1 priloga 13. Pravilnika
1165	Sprava za merenje zapremine tečnih goriva tip: Quantum 510 LPG fab.br.: D2116048	Dover Fueling Solutions UK Ltd., 3 Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RTUK, UK	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1565/21X	13.08.2021		po tački 3.1 priloga 13. Pravilnika
1166	Sprava za merenje zapremine tečnih goriva tip: Quantum 510M Adblue fab.br.: D2116098	Dover Fueling Solutions UK Ltd., 3 Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RTUK, UK	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1566/21X	13.08.2021		po tački 3.1 priloga 13. Pravilnika
1167	Sprava za merenje zapremine tečnih goriva tip: Quantum 510M fab.br.: D2116065	Dover Fueling Solutions UK Ltd., 3 Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RTUK, UK	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1567/21X	13.08.2021		po tački 3.1 priloga 13. Pravilnika
1168	Sprava za merenje zapremine tečnih goriva tip: Quantum 510M fab.br.: D2116066	Dover Fueling Solutions UK Ltd., 3 Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RTUK, UK	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1568/21X	13.08.2021		po tački 3.1 priloga 13. Pravilnika
1169	Sprava za merenje zapremine tečnih goriva tip: Quantum 510M fab.br.: D2116067	Dover Fueling Solutions UK Ltd., 3 Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RTUK, UK	"Gas Instalation" d.o.o., Šangajska 91c, 11080 Zemun, Beograd	IPSTP 1569/21X	13.08.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 91 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1170	Elektronski korektor zapremine tip: EK280 sa integrisanim radio modemom fab.br.: od 4539026 do 4539045	Elster GmbH, Steiner Strasse 19-21, 55252 Mainz –Kastel, Nemačka	"KONVEX - gasna i vodo tehnika" d.o.o., Batajnički Drum 299, sprat 1, 11080, Zemun-Beograd	IPSTP 1570/21X	13.08.2021		po tački 3.1 priloga 13. Pravilnika
1171	NAPOJNA JEDINICA tip: FE260-SVB fab.br.: od 1591431 do 1591435	ELSTER-Instromet, 55252 Mainz – Kastel, NEMAČKA	"KONVEX-gasna i vodo tehnika" d.o.o., Batajnički drum 299, sprat 1, 11080 Zemun, Beograd	IPSTP 1571/21	13.08.2021		po tački 3.1 priloga 13. Pravilnika
1172	LF impulsni davač tip: IN-S11 fab.br.: od 77121537 do 77121541,	Elster GmbH, Steinern Strasse 19-21, 55252 Mainz –Kastel, Nemačka	"KONVEX-GASNA I VODO TEHNIKA" d.o.o., Batajnički Drum 299, sprat 1, 11080 Zemun, Beograd	IPSTP 1572/21X	13.08.2021		po tački 3.1 priloga 13. Pravilnika
1173	Kablovska uvodnica tip: RAD (M25x1,5 i M32x1,5) fab.br.:	RCN s.r.l., Regione Torame, Via Crevacuore I-13011 BORGOSIA (VC), Italija	BEL ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1573/21X	13.08.2021		po tački 3.1 priloga 13. Pravilnika
1174	ELEKTROMOTOR mešača AMAGEAR 184/234ZRG tip: DKM161.4-23 fab.br.: 408775; 408776;	KSB SE & Co.KG&A, Joan Klein Strasse 9, 67227 Frankenthal, Nemačka	"DRLJA 1967" d.o.o., Kralja Petra I 36, 21400, Bačka Palanka	IPSTP 1574/21X	13.08.2021		po tački 3.1 priloga 13. Pravilnika
1175	ELEKTROMOTOR mešača AMAGEAR 46/114ZPG tip: MA16MN04-200 fab.br.: 409801; 406412; 406413; 411133;	KSB SE & Co.KG&A, Joan Klein Strasse 9, 67227 Frankenthal, Nemačka	"DRLJA 1967" d.o.o., Kralja Petra I 36, 21400, Bačka Palanka	IPSTP 1575/21X	13.08.2021		po tački 3.1 priloga 13. Pravilnika
1176	Servo motor tip: EXNMQBMF20L000 fab.br.: 20/9151	Edelweis Actutors S.r.l., Via Padergnone 21, I-24050 Zanica (BG), Italija	"DRLJA 1967" d.o.o., Kralja Petra I 36, 21400, Bačka Palanka	IPSTP 1576/21X	13.08.2021		po tački 3.1 priloga 13. Pravilnika
1177	Ex Kućište tip: ESA 4433 fab.br.: 3257/21, 3257/21, 3256/21	BARTEC-FEAM, Via Mario Pagano, 3IT-20090 Trezzano Sul Naviglio, Milano, Italija	"INTELUS" d.o.o., Pigova 4/28, 32000, Čačak	IPSTP 1577/21X	16.08.2021		po tački 3.1 priloga 13. Pravilnika
1178	Ex Kućište tip: ESA 3322 fab.br.: 3260/21, 3260/21, 3260/21, 3262/21, 3261/21, 3259/21, 3258/21	BARTEC-FEAM, Via Mario Pagano, 3IT-20090 Trezzano Sul Naviglio, Milano, Italija	"INTELUS" d.o.o., Pigova 4/28, 32000, Čačak	IPSTP 1578/21X	16.08.2021		po tački 3.1 priloga 13. Pravilnika
1179	Senzor koriolis merila protoka tip: CMF100M329N2FZEZZZ fab.br.: 21160393	MICRO MOTION Inc., 7070 Winchester Circle, Boulder, Co.80301 Etats Unis, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1579/21X	16.08.2021		po tački 3.1 priloga 13. Pravilnika
1180	Transmitter koriolis merila protoka tip:5700R12AFFAZZZ fab.br.: 19011059	MICRO MOTION Inc., 7070 Winchester Circle, Boulder, Co.80301, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, BEOGRAD	IPSTP 1580/21X	16.08.2021		po tački 3.1 priloga 13. Pravilnika
1181	Sigurnosna barijera tip: MTL7728+ fab.br.: 77211002195, 77211002217	EATON – Cooper Crouse-Hinds GmbH, Neuer Weg Nord 49, D-69412 Eberbach, NEMAČKA	"TRCpro" d.o.o., Preradovićeve 31, 21131, Petrovaradin	IPSTP 1581/21	17.08.2021		po tački 3.1 priloga 13. Pravilnika
1182	Senzor ubrzanja tip: MTN/11851C-25 fab.br.: 65445, 65446	Monitran Limited, 33 Hazelmere Road, Penn, Buckinghamshire,, Velika Britanija	"TRCpro" d.o.o., Preradovićeve 31, 21131, Petrovaradin	IPSTP 1582/21X	17.08.2021		po tački 3.1 priloga 13. Pravilnika
1183	Senzor koriolis merila protoka tip: CNG050S239NQFZEZZZ fab.br.: 15111460	Micro Motion Inc., 7070 Winchester Circle, Boulder, Co.80301 Etats Unis, USA	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1583/21X	17.08.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 92 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1184	Transmitter koriolis merila protoka tip: 2700R12AFFEZZZ fab.br.: 3905091	MICRO MOTION, 7070 Winchester Circle, Boulder, Co.80301 Etats Unis, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1584/21X	17.08.2021		po tački 3.1 priloga 13. Pravilnika
1185	Transmitter pritiska tip: 2088G4S22A2EDQ4Q15 fab.br.: 21WEPJ0665059	Rosemount Inc., 8200 Market Boulevard, Chanhsssen, MN 55317, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1585/21X	17.08.2021		po tački 3.1 priloga 13. Pravilnika
1186	Ex Priključna kutija tip: ST-26.1N fab.br.:	CORTEM Group, Via Aquileia 10, 34070 Villesse (GO), Italija	Infrastructure Development and Construction d.o.o., Bulevar Mihaila Pupina 115g, 11070 Novi Beograd, Beograd	IPSTP 1586/21	17.08.2021		po tački 3.1 priloga 13. Pravilnika
1187	Priključna kutija tip: KKVA-K90M2 fab.br.:	"ZAVOD GORELTEX" Co.Ltd., 195176, Saint Petersburg, Revolutsii road, 18, lit.A, Rusija	Infrastructure Development and Construction d.o.o., Bulevar Mihaila Pupina 115g, 11070 Novi Beograd, Beograd	IPSTP 1587/21X	17.08.2021		po tački 3.1 priloga 13. Pravilnika
1188	Ex Pozicioner tip: 8070/2-3-D-U fab.br.:	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	Infrastructure Development and Construction d.o.o., Bulevar Mihaila Pupina 115g, 11070 Novi Beograd, Beograd	IPSTP 1588/21X	17.08.2021		po tački 3.1 priloga 13. Pravilnika
1189	Ex Kućište tip: EJB-01 fab.br.:	CORTEM s.p.a., Via Aquileia, 10-34070 Villesse (Go), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1589/21	17.08.2021		po tački 3.1 priloga 13. Pravilnika
1190	Razvodna kutija tip: EAB fab.br.:	Cooper Crouse-Hinds, Wolf and 7th North Street, Syracuse, New York, 13221, USA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1590/21	17.08.2021		po tački 3.1 priloga 13. Pravilnika
1191	Ex Termostat tip: TS10 fab.br.:	Intertec-Hess GmbH, Raffineriestrasse 8, 93333 Neustadt/Donau, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1591/21X	17.08.2021		po tački 3.1 priloga 13. Pravilnika
1192	Okretni aktuator tip: Ex Max-15-SF fab.br.:	Schischek Explosionsschutz GmbH, 90579 Langenzenn, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1592/21X	17.08.2021		po tački 3.1 priloga 13. Pravilnika
1193	Priključna kutija (za sisteme za prateće grejanje Raychem serija BTV, QTVR, XTV, KTV i VPL) tip: JBS-100-EP fab.br.:	Raychem / nVent Thermal Controls LLC, 307 Constitution Drive, CA 94025 Menio Park, USA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1593/21U	17.08.2021		po tački 3.1 priloga 13. Pravilnika
1194	Ex Kućište tip: EJB-1 fab.br.:	CORTEM s.p.a., Via Aquileia, 10-34070 Villesse (Go), ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1594/21X	17.08.2021		po tački 3.1 priloga 13. Pravilnika

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
1195	Kontrolna jedinica tip: PKIVA161008 fab.br.:	"ZAVOD GORELTEX" Co.Ltd., 195176, Saint Petersburg, Revolutsii road, 18,, Rusija	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1595/21X	17.08.2021		po tački 3.1 priloga 13. Pravilnika
1196	Priključna kutija tip: KSRV 111109 fab.br.:	ZAVOD GORELTEX Co. Ltd., 195176, Saint Petersburg, Revolutsii road, 18, lit. A, Rusija	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 1596/21X	17.08.2021		po tački 3.1 priloga 13. Pravilnika
1197	Procesni gasni hromatograf tip: KC 50.310-000 fab.br.:	OOO NTF BACS, Prospekt Kirova 10, 443022 Samara, Rusija	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 1597/21	18.08.2021		po tački 3.1 priloga 13. Pravilnika
1198	Procesni analizator kiseonika tip: AnOx KC 50.260-000 fab.br.:	OOO NTF BACS, Prospekt Kirova 10, 443022 Samara, Rusija	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 1598/21	18.08.2021		po tački 3.1 priloga 13. Pravilnika
1199	Ex Aktuator tip: SAEx 07.2 – SAEx 07.6 verzija AUMATIC fab.br.:	Auma Riester GmbH & Co. KG, Aumastrasse 1, 79379 Mullheim, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 1599/21X	18.08.2021		po tački 3.1 priloga 13. Pravilnika
1200	Ex Priključna kutija ip: EJB - 2 fab.br.:	TECHNOR ITALSMEA, Via per Cenusco, 15, 20060 BUSSERO, Italija	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 1600/21X	18.08.2021		po tački 3.1 priloga 13. Pravilnika
1201	Ex Elektromotor tip: AB30r 71B 4 fab.br.:	CEMP S.r.l., Via Piemonte, 16, 20030 Senago MI, ITALIJA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 1601/21X	18.08.2021		po tački 3.1 priloga 13. Pravilnika
1202	LED svetiljka tip: FLF-211L fab.br.:	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 1602/21	18.08.2021		po tački 3.1 priloga 13. Pravilnika
1203	Svetiljka LED tip: EVML-50 fab.br.:	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 1603/21	18.08.2021		po tački 3.1 priloga 13. Pravilnika
1204	LED svetiljka tip: FLF-211LEF4 fab.br.:	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070 Novi Beograd, Beograd	IPSTP 1604/21	18.08.2021		po tački 3.1 priloga 13. Pravilnika
1205	Ex Tablet u nepropaljivom kućištu tip: Tab-Ex 02 DZ1 WiFi fab.br.: 40000104448682	Pepperl & Fuchs GmbH, Lilienthalstrasse 200, 68307 Mannheim, Nemačka	“MOMENTUM ” d.o.o., Fruškogorska 55, 22000, Sremska Mitrovica	IPSTP 1606/21X	18.08.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 94 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1206	Napojna jedinica tip: RN221N-B1 fab.br.: S707820411F; S707810411F; S707830411F; S707840411F.	Endress+Hauser Wetzler GmbH+Co.KG, Obere Wank 1, 87484 Nesselwang, Nemačka	MERIS d.o.o., Dunavska 78a, 11060, Beograd	IPSTP 1607/21	19.08.2021		po tački 3.1 priloga 13. Pravilnika
1207	Kapacitivni transmitter nivoa Liquicap M tip: FMI52-H1AB3JA3A1A fab.br.: S7009F010F1; S700A0010F1.	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, Maulburg, Nemačka	"MERIS" d.o.o., Dunavska 78a, 11060, Beograd	IPSTP 1608/21X	19.08.2021		po tački 3.1 priloga 13. Pravilnika
1208	Kontrolni uređaj – nivotester tip: FTL325N-H1A1 fab.br.: S7052001093	Endress+Hauser GmbH+Co. KG, Hauptstrasse 1, Maulburg, Nemačka	MERIS d.o.o., Dunavska 78a, 11060, Beograd	IPSTP 1609/21X	19.08.2021		po tački 3.1 priloga 13. Pravilnika
1209	Vibraciona viljuška za detekciju nivoa Liquiphant tip: FTL41-BBA8ABBAA1AJI1VBJ fab.br.: S7012F01191	Endress+Hauser SE+Co.KG, Hauptstrasse 1, 79689 Maulburg, Nemačka	"MERIS" d.o.o., Dunavska 78a, 11060, Beograd	IPSTP 1610/21X	19.08.2021		po tački 3.1 priloga 13. Pravilnika
1210	Radarsko merilo nivoa Micropilot tip: FMR52-FBACCBBPYYY+LANC fab.br.: S7018501135; S7018601135.	Endress+Hauser GmbH+Co.KG, Hauptstrasse 1, Maulburg, Nemačka	"MERIS" d.o.o., Dunavska 78a, 11060, Beograd	IPSTP 1611/21X	19.08.2021		po tački 3.1 priloga 13. Pravilnika
1211	Razvodna kutija tip: XD-JB85 fab.br.: ZP/20/2455/008 011	LIMATHERM S.A., ul.Tarnowska 1, 34-600 Limanowa, Poljska	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 1612/21U	19.08.2021		po tački 3.1 priloga 13. Pravilnika
1212	Senzor detektora gasa tip: NET224CDSNP17SH fab.br.: D 06590/21, D 06591/21, D 06592/21, D 06593/21, D 06594/21.	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 1613/21U	19.08.2021		po tački 3.1 priloga 13. Pravilnika
1213	Detektor gasa SMART 3G tip: ST / L / E3 / S2 fab.br.: N.D 06590; N.D 06591; N.D 06592; N.D 06593; N.D 06594;	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 1614/21X	19.08.2021		po tački 3.1 priloga 13. Pravilnika
1214	Razvodna kutija tip: XD-JB85 fab.br.: ZP/20/2455/008 011	LIMATHERM S.A., ul.Tarnowska 1, 34-600 Limanowa, Poljska	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 1615/21U	19.08.2021		po tački 3.1 priloga 13. Pravilnika
1215	Senzor detektora gasa tip: NET224CDSNP17SH fab.br.: D 06301/21, D 06302/21, D 06303/21 , D 06304/21, D 06305/21.	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 1616/21U	19.08.2021		po tački 3.1 priloga 13. Pravilnika
1216	Detektor gasa SMART 3G tip: ST / L / E3 / S2 fab.br.: N.D 06301; N.D 06302; N.D 06303; N.D 06304; N.D 06305;	SENSITRON S.r.l., Viale della Repubblica,48 ,Cornaredo MI, Italija	"Pacific Link " d.o.o., Španskih boraca 40/1, 11070, Novi Beograd	IPSTP 1617/21X	19.08.2021		po tački 3.1 priloga 13. Pravilnika
1217	Detektor OZONA tip: TXgard-IS+ fab.br.: 0000ZK00112217	Crowcon Detection Instruments Ltd., Abingdon, Oxfordshire, OX14 4SD, UK	"PACIFIC LINK " d.o.o., Španskih boraca 40/1, 11070 Novi Beograd, BEOGRAD	IPSTP 1618/21X	19.08.2021		po tački 3.1 priloga 13. Pravilnika
1218	Transmitter temperature TS 500 tip: 7MC7500-1JB06-8HA3-Z E03+T30+Y01+ fab.br.: N1N52060103, N1N52060104, N1N52060100, N1N52060105, N1N52060101, N1N52060102	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"GBZ Inženjering" d.o.o., Branka Radičevića br. 10, 21000, Novi Sad	IPSTP 1621/21X	20.08.2021		po tački 3.1 priloga 13. Pravilnika
1219	Transmitter relativnog pritiska SITRANS P320 tip: 7MF0300-1WF01-5DM2-Z A01+C11+E20 fab.br.: N1N71610119954, N1N71610119955	Siemens AG, 76 181 Karlsruhe, NEMAČKA	"GBZ Inženjering" d.o.o., Branka Radičevića br. 10. 21000, Novi Sad	IPSTP 1622/21X	20.08.2021		po tački 3.1 priloga 13. Pravilnika





INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 96 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1232	Digitalna barijera tip: MTL5516C fab.br.:	Measurment Technology Limited, Power Court, Luton, Bedfordshire LU1 3JJ, UK	"EURO MOTUS " d.o.o., Bulevar Mihajla Pupina 115a, 11070 Novi Beograd, Beograd	IPSTP 1636/21	23.08.2021		po tački 3.1 priloga 13. Pravilnika
1233	Elektromagnetni ventil tip : 257GD30 fab.br.:	ATAM WINDINGS, Via Archimede 7, 20041 Agrate Brianza (MI), ITALIJA	"EURO MOTUS" d.o.o., Bulevar Mihajla Pupina 115a, 11070 Novi Beograd, Beograd	IPSTP 1637/21X	23.08.2021		po tački 3.1 priloga 13. Pravilnika
1234	Ex solenoidni ventil tip: L03T18D0B fab.br.: 56658/21	NADI S.r.l., Via Risorgimento, 10-20017 Mazzo di Rho, Italija	"EURO MOTUS" d.o.o., Bulevar Mihajla Pupina 115a, Beograd	IPSTP 1638/21	23.08.2021		po tački 3.1 priloga 13. Pravilnika
1235	Ex Elektromotor serije W22X tip: 280 S/M-04 fab.br.: 1053355059	WEG Equipamentos Electricos S.A., 4471-908 Maia, Portugal	"EURO MOTUS" d.o.o., Bulevar Mihajla Pupina 115a, 11070 Novi Beograd, Beograd	IPSTP 1639/21X	23.08.2021		po tački 3.1 priloga 13. Pravilnika
1236	Ex elektromotor tip: TUBE 63 A4 (TUBE 0010) fab.br.: 148521	RAEL S.r.l., Via per Retorto 7/1 I-15077 Predosa(AL), Italija	"EURO MOTUS " d.o.o., Bulevar Mihajla Pupina 115a, 11070 Novi Beograd, Beograd	IPSTP 1640/21X	23.08.2021		po tački 3.1 priloga 13. Pravilnika
1237	Ex Elektromotor tip: AB30r 90L fab.br.: n2100011341y21	CEMP S.r.l., Via Piemonte, 16, 20030 Senago MI, ITALIJA	"EURO MOTUS " d.o.o., Bulevar Mihajla Pupina 115a, 11070 Novi Beograd, Beograd	IPSTP 1641/21X	23.08.2021		po tački 3.1 priloga 13. Pravilnika
1238	Termometar tip: TR10-H fab.br.: 07521002255/05, 07521003454/04	WIKA Alexander Wiegand SE & Co. KG, Alexander-Wiegand-Strasse 30 63911 Klingenberg, Nemačka	"EURO MOTUS " d.o.o., Bulevar Mihajla Pupina 115a, 11 070 Novi Beograd, Beograd	IPSTP 1642/21X	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1239	Sigurnosni automatski prekidač maksimalnog pritiska model: 8221-PL1-B-EXI fab.br.: WK11801.1/001, WK11801.1/002, WK11801.2/001	BARKSDALE GmbH, Dorn-Assenheimer Str.27, D-61203 Reichelsheim, Nemačka	"EURO MOTUS " d.o.o., Bulevar Mihajla Pupina 115a, 11070 Novi Beograd, Beograd	IPSTP 1643/21X	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1240	Sigurnosni automatski prekidač maksimalnog pritiska model: MT1H-H251S-A--EXI fab.br.: WK11801.3/001	BARKSDALE GmbH, Dorn-Assenheimer Str.27, D-61203 Reichelsheim, Nemačka	"EURO MOTUS " d.o.o., Bulevar Mihajla Pupina 115a, 11000, Beograd	IPSTP 1644/21X	23.08.2021		po tački 3.1 priloga 13. Pravilnika
1241	Razvodna kutija tip: SA301410/P fab.br.: 19/342574	Cortem S.p.A., Via Aquileia 10, Villesse, Italija	"EURO MOTUS " d.o.o., Bulevar Mihajla Pupina 115a, Beograd	IPSTP 1645/21	23.08.2021		po tački 3.1 priloga 13. Pravilnika
1242	Taster za nužno isključenje tip: 07-3511 fab.br.:	BARTEC GmbH, Max-Eyth-Straße16, 97980 Bas Mergentheim, Nemačka	"EURO MOTUS" d.o.o., Bulevar Mihajla Pupina 115a, Beograd	IPSTP 1646/21X	23.08.2021		po tački 3.1 priloga 13. Pravilnika
1243	Transmitter pritiska tip: IS-20-S-BBL-GD-AZGA4ZUZ1-ZZZ fab.br.: 11084VIH	WIKA GmbH, Alexander-Wiegand-Straße 30, 63911 Klingenberg am Main, Nemačka	"EURO MOTUS" d.o.o., Bulevar Mihajla Pupina 115a, Beograd	IPSTP 1647/21X	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1244	Transmitter pritiska tip: IS-3-0-2111-1ZZ fab.br.: 110FLNK8, 110FLNM2, 110DQCZS, 110D9I4B, 110DNT94, 1108OLUY, 110FFH90, 110FFH8Z	WIKA GmbH, Alexander-Wiegand-Straße 30, 63911 Klingenberg am Main, Nemačka	"EURO MOTUS" d.o.o., Bulevar Mihajla Pupina 115a, Beograd	IPSTP 1648/21X	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1245	Elektromagnetni ventil tip : 257GD30 fab.br.:	ATAM WINDINGS, Via Archimede 7, 20041 Agrate Brianza (MI), ITALIJA	"EURO MOTUS" d.o.o., Bulevar Mihajla Pupina 115a, 11070 Novi Beograd, Beograd	IPSTP 1650/21X	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1246	Senzor koriolis merila protoka tip: CNG050S239NQFZIZZ fab.br.: 15108901, 15108531	Micro Motion Inc., 7070 Winchester Circle, Boulder, Co.80301 Etats Unis, USA	"EURO MOTUS" d.o.o., Bulevar Mihajla Pupina 115a, Beograd	IPSTP 1651/21X	24.08.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 97 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
1247	Taster za nužno isključenje tip: ZBWE102 fab.br.:	Ex-tech Solution, ZA Les, FR-16430 Champniers, Francuska	"EURO MOTUS " d.o.o., Bulevar Mihajla Pupina 115a., Beograd	IPSTP 1652/21U	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1248	Transmitter pritiska model: E-10-A-BBS-HD-ZGDGXA-1Z fab.br.: 110FH2LB, 110FH2L0	WIKA Alexander Wiegand GmbH, Alexander-Wiegand-Strasse 30, 63911 Klingenberg, Nemačka	"EURO MOTUS " d.o.o., Bulevar Mihajla Pupina 115a., Beograd	IPSTP 1653/21X	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1249	TRANSMITER TEMPERATURE tip: APT A-GB/80/1/2"NPT/PT100/A/3/ATX2/ fab.br.: KR07211086	APLISENS S.A., Morelowa 7, 03-192 Warszawa, Poljska	"FADIP MERNA TEHNIKA" d.o.o., Hajduk Veljka 61, 21220, Bečej	IPSTP 1655/21X	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1250	Transmitter pritiska tip: PCE-28/ S-Mazut/ALW (ALW.PD.Exi.0:1M.4:20mA.S.S-MAZUT-1/2NPT) fab.br.: 06216096	Aplisens S.A., Morelowa 7, 03-192 Warszawa, POLJSKA	" FADIP MERNA TEHNIKA" d.o.o., Hajduk Veljka 61. 21220, Bečej	IPSTP 1656/21X	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1251	Transmitter pritiska tip: PCE-28/S-Mazut / ALW (ALW.PD.Exi.0:10M.4:20mA.S.S-MAZUT-1/2NPT) fab.br.: 06216098	Aplisens S.A., Morelowa 7, 03-192 Warszawa, POLJSKA	" FADIP MERNA TEHNIKA" d.o.o., Hajduk Veljka 61. 21220, Bečej	IPSTP 1657/21X	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1252	Dvopolni instalacijski prekidač tip: 8040/11-V30-033-B fab.br.: 2118061320440018, 2118061320440027, 2118061320440028, 2118061320440026, 2118061320440020.	R.STAHL Schaltgerate GmbH, Am Bahnhof 30, 74 Waldenburg (Wurt.), Nemačka	"Keying" d.o.o., Vuka Karadžića 79, 23300, Kikinda	IPSTP 1658/21	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1253	IC Detektor plamena tip: X3301 fab.br.:	Detector Electronic Corporation, 6901 west 110th Street, Minneapolis, MN 55438, USA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1659/21X	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1254	Alarmna sirena sa bljeskalicom tip: FL60 C D50 A EU fab.br.: 100012737	R.STAHL Schaltgerate GmbH, Am Bahnhof 30, 74 Waldenburg (Wurt.), Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1660/21X	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1255	RAZVODNA KUTIJA tip: KLIPPON TBMH 453815 S4E4 fab.br.: XA-GB-CS-010636	WEIDMULLER Interface GmbH & Co.KG, Klingerberg Strasse 16, 32758 Detmold, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1661/21	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1256	Prazno kućište tip: KLIPPON STB 2 SS fab.br.:	WEIDMULLER Interface GmbH & Co.KG, Klingerberg Strasse 16, 32758 Detmold, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1662/21U	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1257	Prazno kućište tip: SX 2.200 fab.br.: S1138742/2020	ABTECH Limited, 199 Newhall Road, Lower Don Valley, Sheffield, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1663/21U	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1258	IP Pretvarač tip: 140 fab.br.:	IMI NORGREN Ltd, Cross Chancelor Street, Leeds, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1665/21	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1259	Ex Transmitter diferencijalnog pritiska serije SITRANS P DS III tip: 7MF4433-1GA02-2PB7-Z fab.br.: N1H7019120038	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1666/21	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1260	Ex Transmitter pritiska serije SITRANS P DS III tip: 7MF4033-1EA60-2PB7-Z fab.br.: N1J7279000158; N1J7279000153; N1J7279000159; N1J5119000078; N1J5119000081	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1667/21	24.08.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 98 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1261	Ex Radarski transmitter nivoa serije SITRANS LG250 tip: LG250.AELABGHXADAX (7ML5881-0LH37-0CC9-Z) fab.br.: 44188397; 46332094; -	SIEMENS Canada Ltd., P.O.BOX 4225, Peterborough, Ontario, Kanada	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1668/21X	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1262	Ex Transmitter pritiska serije P320 tip: 7MF0320-1PF01-5DF2-Z fab.br.: N1L00510120400	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1669/21X	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1263	Ex Transmitter relativnog pritiska serije P320 tip: 7MF0300-1XF01-5DF2-Z fab.br.:	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1670/21X	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1264	Svetiljka tip: 621C/GLS/HT fab.br.: 827126; 825109; 825111; 827125	PETREL Ltd., 22 Fortnum Cl, Birmingham, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1671/21	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1265	Ex Kućište tip: SEB/L16 fab.br.: 19-7001398515	Pepperl & Fuchs GmbH, Lillienthalstrasse 200, 68307 Mannheim, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1672/21	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1266	Ex Transmitter temperature sa ugrađenim senzorom tip: transmitter: 148HNNAN0Q4XA; senzor: 0065C01D0035N0175E1XA fab.br.: transmitter: 5311003; 5310996; 5309303; 5339552; 5339551; 5305254 senzori: 5024384; 5024377; 5020502; 5075694; 5075693; 5011229	Rosemount Inc, 8200 Market Boulevard, Chanhassen, MN 55317-9685, USA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1673/21X	24.08.2021		po tački 3.1 priloga 13. Pravilnika
1267	Ex Kontroler ventila tip: ND7202HE1T fab.br.: PH19456068	Metso Flow Control Oy, Vanha Porvoontie 229, 01380 Vantaa, Finska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1674/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1268	Ex Kontroler ventila tip: ND9103HXT fab.br.: -; PH19440024	Metso Flow Control Oy, Vanha Porvoontie 229, 01380 Vantaa, Finska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1675/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1269	Elektromotor tip: d-GNRegFZE 1011/2 fab.br.: 193135	Winkelmann Elektromotoren GmbH & Co. KG, Im Neuen Felde 88-90, 29525 Uelzen, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1676/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1270	Priključna kutija elektromotora tip: IEC 132-180 fab.br.: 193135	Winkelmann Elektromotoren GmbH & Co. KG, Im Neuen Felde 88-90, 29525 Uelzen, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1677/21U	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1271	Elektromotor serije W22Xdb tip: 160M/L-02 fab.br.: 290UT2019 1051382482	WEG Equipamentos Eletricos S.A., AV.Prefeito Waldemar Grubba 3000, Jarugua do Sul, Brazil	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1678/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1272	STOP Taster tip: GHG411 fab.br.:	Cooper Crouse-Hinds GmbH, Neuer Weg Nord 49, DE - 69412, Eberbach, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1679/21	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1273	RUČNI JAVLJAČ POŽARA tip: BGE fab.br.: 216966703 30 01	Cooper MEDC Limited, Unit B, Sutton Parkway, Oddicraft Lane, Sutton-in-Ashfield, NG17 5FB, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1680/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1274	RUČNI JAVLJAČ POŽARA tip: PBE® fab.br.: 216993094 80 02; 216993094 80 01	Cooper MEDC Limited, Unit B, Sutton Parkway, Oddicraft Lane, Sutton-in-Ashfield, NG17 5FB, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1681/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 99 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1275	IC Detektor gasa (uglјovovonika) tip: PIRECLB4D1T1 fab.br.: 19NOV130082; 19NOV130086; -; -;	Detector Electronic Corporation, 6901 west 110th Street, Minneapolis, MN 55438, USA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1682/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1276	Detektor toplote tip: HD1 fab.br.: 216993094 10 03; 216993094 10 04; 216993094 10 01; 216993094 10 02.	Cooper MEDC Limited, Unit B, Sutton Parkway, Oddicraft Lane, Sutton-in-Ashfield, NG17 5FB, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1683/21	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1277	Rotacioni aktuator tip: EVO-Lite fab.br.: 19023176	HEINZMANN UK Ltd, Stanley House, Walls Road, Skippers Lane Industrial Estate, Middlesbrough, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1684/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1278	GRANIČNI PREKIDAČ serije XLS tip: 074-P04XE3431 fab.br.: 2022229;	KINETROL Ltd., Trading Estae, Farnham, Surrey, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1685/21	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1279	GRANIČNI PREKIDAČ serije XLS tip: 074-P04XE3430 fab.br.: 2036255	KINETROL Ltd., Trading Estate, Farnham, Surrey, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1686/21	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1280	GRANIČNI PREKIDAČ serije XLS tip: 054-P04XE3430 fab.br.: 1895634	KINETROL Ltd., Trading Estate, Farnham, Surrey, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1687/21	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1281	ELEKTROMAGNETNI VENTIL tip: EM-M12II fab.br.: ZP19054851; ZP19054851; ZP20008943	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1688/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1282	ELEKTROMAGNETNI VENTIL tip: EMM12II fab.br.: ZP19090529; ZP20016058; ZP19100975; ZP19100975	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1689/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1283	ELEKTROMAGNETNI VENTIL tip: EM-M12-II fab.br.: E105-13028AJ002	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1690/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1284	AKTUATOR (KUĆIŠTE) tip: CT95038/01 fab.br.: 19111352; 19111353	SIEMENS Industrial Turbomachinery Ltd, Ruston House, Wateside South, Lincoln, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1691/21	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1285	RAZVODNA KUTIJA tip: KLIPPON STB2 fab.br.: XA-GB H021582	WEIDMULLER Interface GmbH & Co.KG, Klingerberg Strasse 16, 32758 Detmold, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1692/21	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1286	GREBENASTA SKLOPKA tip: GHG 261 0005 R0005 fab.br.: 1509; 1509	EATON - COOPER CROUSE HINDS GmbH, Neuer Weg Nord 49, DE - 69412, Eberbach, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1693/21	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1287	RAZVODNI ORMAN tip: GHG 619 fab.br.:	EATON (CEAG) – Cooper Crouse-Hinds GmbH, Neuer Weg Nord 49, D-69412 Eberbach, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1694/21	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1288	ELEKTRIČNI GREJAČ tip: FP4S-CX1-6.05-59-FS3-S0 fab.br.: 201152N; 201130N; 201131N	EXHEAT Ltd., Trexton Road Industrial Estate, Watton, Thedford, Norfolk, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1695/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1289	Ex Transmitter diferencijalnog pritiska SITRANS P320 tip: 7MF0340-1DM01-5DF2-Z fab.br.: N1L00610120395; N1L00610120397; N1L00610120396; N1M73110107190	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1696/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika

REGISTAR

**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 100 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
1290	ALARMNA SIRENA tip: DB3B GD fab.br.: 216993094 100 01	Eaton MEDC Limited, Unit B, Sutton Parkway, Oddicroft Lane, Sutton-in-Ashfield, NG17 5FB, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1697/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1291	SIGNALNA BLJESKALICA tip: XB11 fab.br.: 216993094 100 01	Eaton MEDC Limited, Colliery Road, Pinxton, Nottingham, NG16 6JF, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1698/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1292	SIGNALNA BLJESKALICA (signalizacija stanja) tip: SL5/4 fab.br.:	Eaton MEDC Limited, Colliery Road, Pinxton, Nottingham, NG16 6JF, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1699/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1293	POZICIONER VENTILA tip: VALVE POSITION MONITOR fab.br.:	WESTLOCK CONTROLS Ltd., 22 Chapman Way, Thunbridge, Kent, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1700/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1294	SOLENOIDNI VENTIL tip: FP06P-77A fab.br.:	BIFOLD Fluidpower Ltd, Greenside Way, Middleton, Machester, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1701/21	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1295	STOP TASTER tip: EFD 1/8VM fab.br.: 20-17M	COELBO S.r.l., Via Santa Margherita, 83 – 20861 Brugherio (MB), Italija	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1702/21	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1296	PRIKLJUČNA KUTIJA tip: SX 1.25 EF fab.br.: S1146129; S1146131	ABTECH Limited, 199 Newhall Road, Lower Don Valley, Sheffield, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1703/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1297	STOP TASTER tip: 07-3511 fab.br.:	BARTEC GmbH, Max-Eyth-Straße16, 97980 Bas Mergentheim, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1704/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1298	SVETILJKA tip: eLLK 92036/36 fab.br.: 0048013R1; -	EATON - COOPER CROUSE HINDS GmbH, Neuer Weg Nord 49, DE - 69412, Eberbach, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1705/21	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1299	PREKIDAČ tip: GHG2732000L0012 fab.br.:	CEAG Sicherheitstechnik GmbH, 69412 Eberbach, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1706/21	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1300	Pozicioner model: DVC6200 fab.br.: F002467273	Fisher Controls International Inc, 205 South Center Street , Marshalltown , Iowa 50158, USA	GASTRANS d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1707/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1301	GREJAČ (kućište) tip: BATEC fab.br.: 114888A 2/3	VULCANIC SAS, 48 rue Louis Ampere, Zone Industrielle des Chanoux, 93330 Neuilly Sur Marne, Francuska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1708/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1302	KOMANDNI ORMAN tip: 8150/5-0600-0600-230-3321 fab.br.: 20443949-30110001;	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1709/21	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1303	NAPOJNA JEDINICA tip: 6ES7138-7EA01-0AA0 fab.br.: SVP LN056368	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1710/21	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1304	MODUL rezerve tip: 6ES7138-7AA00-0AA0 fab.br.: S VP LN194027 2019	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1711/21	25.08.2021		po tački 3.1 priloga 13. Pravilnika
1305	Ex Transmitter apsolutnog pritiska serije P320 tip: 7MF0320-1QG11-5SF2-Z fab.br.: N1LN2510118709; -; N1LN2510118710; N1LN2510118711; N1LN2510118714; N1LN2510118723; N1LN2510118702; N1LN2510118699;	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1713/21X	25.08.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 101 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1306	IC Detektor plamena tip: X3301 fab.br.: 19NOV038181; -; -;	Detector Electronic Corporation, 6901 west 110th Street, Minneapolis, MN 55438, USA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1730/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1307	Alarmna sirena sa bljeskalicom tip: FL60 C D50 A EU fab.br.:	R.STAHL Schaltgerate GmbH, Am Bahnhof 30, 74 Waldenburg (Wurt.), Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1731/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1308	RAZVODNA KUTIJA tip: KLIPPON TBMH 453815 S4E4 fab.br.: XA-GB-CS-010634	WEIDMULLER Interface GmbH & Co.KG, Klingerberg Strasse 16, 32758 Detmold, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1732/21	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1309	Prazno kućište tip: KLIPPON STB 2 SS fab.br.:	WEIDMULLER Interface GmbH & Co.KG, Klingerberg Strasse 16, 32758 Detmold, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1733/21U	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1310	Prazno kućište tip: SX 2.200 fab.br.:	ABTECH Limited, 199 Newhall Road, Lower Don Valley, Sheffield, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1734/21U	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1311	IP Pretvarač tip: 140 fab.br.:	IMI NORGREN Ltd, Cross Chancellor Street, Leeds, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1736/21	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1312	Ex Transmitter diferencijalnog pritiska serije SITRANS P DS III tip: 7MF4433-1GA02-2PB7-Z fab.br.: N1L9259120244	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1737/21	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1313	Ex Transmitter pritiska serije SITRANS P DS III tip: 7MF4033-1EA60-2PB7-Z fab.br.: N1J6229000129; N1J5119000087; N1J5119000095; N1J5119000084; N1J5119000108	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1738/21	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1314	Ex Radarski transmitter nivoa serije SITRANS LG250 tip: LG250.AELABGHXADAX (7ML5881-0LH37-0CC9-Z) fab.br.: 46541762; 46541766; 46541765	SIEMENS Canada Ltd., P.O.BOX 4225, Peterborough, Ontario, Kanada	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1739/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1315	Ex Transmitter pritiska serije P320 tip: 7MF0320-1PF01-5DF2-Z fab.br.: N1LD0610120398	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1740/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1316	Ex Transmitter relativnog pritiska serije P320 tip: 7MF0300-1XF01-5DF2-Z fab.br.: N1LD0510120250	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1741/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1317	Svetiljka tip: 621C/GLS/HT fab.br.: 827121; 825110; -; 827122	PETREL Ltd., 22 Fortnum Cl, Birmingham, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1742/21	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1318	Ex Kućište tip: SEB/L16 fab.br.: 19-7001398515	Pepperl & Fuchs GmbH, Lilienthalstrasse 200, 68307 Mannheim, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1743/21	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1319	Ex Transmitter temperature sa ugrađenim senzorom tip: transmitter: 148HNNAN0Q4XA; senzor: 0065C01D0035N0175E1XA fab.br.: transmitteri: 5309893; -; 5309299; 5339553; -; 09858272 senzori: 5022019; -; -; 5075685; 5075686; -	Rosemount Inc, 8200 Market Boulevard, Chanhassen, MN 55317-9685, USA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1744/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 102 / 125

R. Br.	NAZIV PROIZVODA	PROIZVODAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
1320	Ex Kontroler ventila tip: ND9103HXT fab.br.: PH17360190; PH16250545	Metso Flow Control Oy, Vanha Porvoontie 229, 01380 Vantaa, Finska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1745/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1321	Elektromotor serije W22Xdb tip: 160M/L-02 fab.br.: 290UT2019 1051382480	WEG Equipamentos Eletricos S.A., AV.Prefeito Waldemar Grubba 3000, Jarugua do Sul, Brazil	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1746/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1322	Priključna kutija elektromotora tip: IEC 132-180 fab.br.: 193134	Winkelmann Elektromotoren GmbH & Co. KG, Im Neuen Felde 88-90, 29525 Uelzen, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1747/21U	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1323	Elektromotor tip: d-GNRegFZE 1011/2 fab.br.: 193134	Winkelmann Elektromotoren GmbH & Co. KG, Im Neuen Felde 88-90, 29525 Uelzen, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1748/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1324	STOP Taster tip: GHG411 fab.br.:	Cooper Crouse-Hinds GmbH, Neuer Weg Nord 49 , DE - 69412, Eberbach, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1749/21	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1325	RUČNI JAVLJAČ POŽARA tip: BGE fab.br.: 216966703 10 01	Cooper MEDC Limited, Unit B , Sutton Parkway, Oddicraft Lane, Sutton-in-Ashfield , NG17 5FB, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1750/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1326	RUČNI JAVLJAČ POŽARA tip: PBE® fab.br.: 216993094 70 02; 216993094 70 01	Cooper MEDC Limited, Unit B , Sutton Parkway, Oddicraft Lane, Sutton-in-Ashfield , NG17 5FB, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1751/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1327	IC Detektor gasa (ugljovovonika) tip: PIRECLB4D1T1 fab.br.: 19NOV130081; 19NOV130084, 19NOV129661;-	Detector Electronic Corporation, 6901 west 110th Street, Minneapolis, MN 55438, USA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1752/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1328	Detektor toplote tip: HD1 fab.br.: 216993094 30 04; 216993094 30 02 ; 216993094 30 03; 216993094 30 01	Cooper MEDC Limited, Unit B , Sutton Parkway, Oddicraft Lane, Sutton-in-Ashfield , NG17 5FB, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1753/21	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1329	Rotacioni aktuator tip: EVO-Lite fab.br.:	HEINZMANN UK Ltd, Stanley House, Walls Road, Skippers Lane Industrial Estate, Middlesborough, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1754/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1330	GRANIČNI PREKIDAČ serije XLS tip: 074-P04XE3431 fab.br.: 2022228	KINETROL Ltd., Trading Estae, Farnham, Surrey, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1755/21	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1331	GRANIČNI PREKIDAČ serije XLS tip: 074-P04XE3430 fab.br.: 2012197; 2012198	KINETROL Ltd., Trading Estate, Farnham, Surrey, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1756/21	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1332	GRANIČNI PREKIDAČ serije XLS tip: 054-P04XE3430 fab.br.: 1865888	KINETROL Ltd., Trading Estate, Farnham, Surrey, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1757/21	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1333	ELEKTROMAGNETNI VENTIL tip: EM-M12II fab.br.: ZP20008943	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1758/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1334	ELEKTROMAGNETNI VENTIL tip: EMM12II fab.br.: ZP19090529; ZP19074491; ZP19076108; ZP19090529	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1759/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1335	ELEKTROMAGNETNI VENTIL tip: EM-M12-II fab.br.: E120-C01243501; E120-C01248819.1001; -;	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1760/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 103 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
1336	AKTUATOR (KUĆIŠTE) tip: CT95038/01 fab.br.:	SIEMENS Industrial Turbomachinery Ltd, Ruston House, Wateside South, Lincoln, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1761/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1337	RAZVODNA KUTIJA tip: KLIPPON STB2 fab.br.: XA-GB H013938	WEIDMULLER Interface GmbH & Co.KG, Klingerberg Strasse 16, 32758 Detmold, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1762/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1338	GREBENASTA SKLOPKA tip: GHG 261 0005 R0005 fab.br.: 1509; 1509	EATON - COOPER CROUSE HINDS GmbH, Neuer Weg Nord 49 , DE - 69412, Eberbach, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1763/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1339	RAZVODNI ORMAN tip: GHG 619 fab.br.:	EATON (CEAG) – Cooper Crouse-Hinds GmbH, Neuer Weg Nord 49, D-69412 Eberbach, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1764/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1340	ELEKTRIČNI GREJAČ tip: FP4S-CX1-6.05-59-FS3-S0 fab.br.: 201125N; 201126N; 201124N	EXHEAT Ltd., Trexton Road Industrial Estate, Watton, Thedford, Norfolk, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1765/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1341	Ex Transmitter diferencijalnog pritiska SITRANS P320 tip: 7MF0340-1DM01-5DF2-Z fab.br.: -; N1LD0610120389; N1LD0610120390; N1LD0610120391	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1766/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1342	ALARMNA SIRENA tip: DB3B GD fab.br.:	Eaton MEDC Limited, Unit B, Sutton Parkway, Oddicroft Lane, Sutton-in-Ashfield, NG17 5FB, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1767/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1343	SIGNALNA BLJESKALICA tip: XB11 fab.br.: 216993094 100 03	Eaton MEDC Limited, Colliery Road, Pinxton, Nottingham, NG16 6JF, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1768/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1344	SIGNALNA BLJESKALICA (signalizacija stanja) tip: SL5/4 fab.br.:	Eaton MEDC Limited, Colliery Road, Pinxton, Nottingham, NG16 6JF, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1769/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1345	POZICIONER VENTILA tip: VALVE POSITION MONITOR fab.br.:	WESTLOCK CONTROLS Ltd., 22 Chapman Way, Thunbridge, Kent, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1770/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1346	SOLENOIDNI VENTIL tip: FP06P-77A fab.br.:	BIFOLD Fluidpower Ltd, Greenside Way, Middleton, Manchester, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1771/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1347	STOP TASTER tip: EFD 1/8VM fab.br.:	COELBO S.r.l., Via Santa Margherita, 83 – 20861 Brugherio (MB), Italija	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1772/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1348	PRIKLJUČNA KUTIJA tip: SX 1.25 EF fab.br.: S1146128; S1146133	ABTECH Limited, 199 Newhall Road, Lower Don Valley, Sheffield, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1773/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1349	STOP TASTER tip: 07-3511 fab.br.:	BARTEC GmbH, Max-Eyth-Straße16, 97980 Bas Mergentheim, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1774/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1350	SVETILJKA tip: eLLK 92036/36 fab.br.: 0048005R1; -	EATON - COOPER CROUSE HINDS GmbH, Neuer Weg Nord 49, DE - 69412, Eberbach, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1775/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1351	PREKIDAČ tip: GHG2732000L0012 fab.br.:	CEAG Sicherheitstechnik GmbH, 69412 Eberbach, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1776/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 104 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1352	GREJAČ (kućište) tip: BATEC fab.br.: 114888A 3/3	VULCANIC SAS, 48 rue Louis Ampere, Zone Industrielle des Chanoux, 93330 Neuilly Sur Marne, Francuska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1777/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1353	KOMANDNI ORMAN tip: 8150/5-0600-0600-230-3321 fab.br.: 20443949-10110001	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1778/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1354	KOMANDNI ORMAN tip: 8150/5-0400-0400-150-3321 fab.br.: 219443874-10110004	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1779/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1355	NAPOJNA JEDINICA tip: 6ES7138-7EA01-0AA0 fab.br.: SVP LN056194	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1780/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1356	MODUL rezerve tip: 6ES7138-7AA00-0AA0 fab.br.: SVP LN147666 2019	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1781/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1357	Ex Transmitter apsolutnog pritiska serije P320 tip: 7MF0320-1QG11-5SF2-Z fab.br.: N1LN2510118705; N1LN2510118715; N1LN2510118716; -;N1LN2510118703; N1LN2510118704; N1LN2510118712; N1LN2510118721; N1LN2510118700, -;	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1782/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1358	Ex Kontroler ventila tip: ND7202HE1T fab.br.: PH19338C00	Metso Flow Control Oy, Vanha Porvoontie 229, 01380 Vantaa, Finska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1783/21X	26.08.2021		po tački 3.1 priloga 13. Pravilnika
1359	Pozicioner model: DVC6200 fab.br.:	Fisher Controls International Inc, 205 South Center Street , Marshalltown , Iowa 50158, USA	GASTRANS d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1791/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1360	IC Detektor plamena tip: X3301 fab.br.: 19NOV038174; 19NOV038177; -;	Detector Electronic Corporation, 6901 west 110th Street, Minneapolis, MN 55438, USA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1799/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1361	Alarmna sirena sa bljeskalicom tip: FL60 C D50 A EU fab.br.: 1000 1984812057	R.STAHL Schaltgerate GmbH, Am Bahnhof 30, 74 Waldenburg (Wurt.), Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1800/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1362	RAZVODNA KUTIJA tip: KLIPPON TBMH 453815 S4E4 fab.br.: XA-GB-CS-010635	WEIDMULLER Interface GmbH & Co.KG, Klingerberg Strasse 16, 32758 Detmold, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1801/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1363	Prazno kućište tip: KLIPPON STB 2 SS fab.br.:	WEIDMULLER Interface GmbH & Co.KG, Klingerberg Strasse 16, 32758 Detmold, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1802/21U	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1364	Prazno kućište tip: SX 2.200 fab.br.:	ABTECH Limited, 199 Newhall Road, Lower Don Valley, Sheffield, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1803/21U	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1365	IP Pretvarač tip: 140 fab.br.:	IMI NORGREN Ltd, Cross Chancellor Street, Leeds, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1805/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 105 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1366	Ex Transmitter diferencijalnog pritiska serije SITRANS P DS III tip: 7MF4433-1GA02-2PB7-Z fab.br.: N1J7049120020	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1806/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1367	Ex Transmitter pritiska serije SITRANS P DS III tip: 7MF4033-1EA60-2PB7-Z fab.br.: N1J7269000585; N1J7279000057; N1J5119000097; N1J6229000126; N1J5119000083	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1807/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1368	Ex Radarski transmitter nivoa serije SITRANS LG250 tip: LG250.AELABGHXADAX (7ML5881-0LH37-0CC9-Z) fab.br.: 46332096; 46541764; 46541763	SIEMENS Canada Ltd., P.O.BOX 4225, Peterborough, Ontario, Kanada	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1808/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1369	Ex Transmitter pritiska serije P320 tip: 7MF0320-1PF01-5DF2-Z fab.br.: N1LD0610120399	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1809/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1370	Ex Transmitter relativnog pritiska serije P320 tip: 7MF0300-1XF01-5DF2-Z fab.br.: N1LD0510120251	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1810/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1371	Svetiljka tip: 621C/GLS/HT fab.br.: 827124; 825114; 825113; 827123	PETREL Ltd., 22 Fortnum Cl, Birmingham, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1811/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1372	Ex Kućište tip: SEB/L16 fab.br.: 19-7001398515	Pepperl & Fuchs GmbH, Lillienthalstrasse 200, 68307 Mannheim, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1812/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1373	Ex Transmitter temperature sa ugrađenim senzorom tip: transmitter: 148HNNAN0Q4XA; senzor: 0065C01D0035N0175E1XA fab.br.: transmiteri: 5339556; 5303738; 5303736; 5309300; -; 5309625 senzori: 5075692; 5007762; 5007760; 5020499; 5075681; 5021461	Rosemount Inc, 8200 Market Boulevard, Chanhassen, MN 55317-9685, USA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1813/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1374	Ex Kontroler ventila tip: ND7202HE1T fab.br.: PH19406010	Metso Flow Control Oy, Vanha Porvoontie 229, 01380 Vantaa, Finska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1814/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1375	Ex Kontroler ventila tip: ND9103HXT fab.br.: PH19140044; PH19140047	Metso Flow Control Oy, Vanha Porvoontie 229, 01380 Vantaa, Finska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1815/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1376	Elektromotor serije W22Xdb tip: 160M/L-02 fab.br.: 290UT2019 1051382481	WEG Equipamentos Eletricos S.A., AV.Prefeito Waldemar Grubba 3000, Jarugua do Sul, Brazil	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1816/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1377	Priključna kutija elektromotora tip: IEC 132-180 fab.br.: 193136	Winkelmann Elektromotoren GmbH & Co. KG, Im Neuen Felde 88-90, 29525 Uelzen, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1817/21U	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1378	Sistem sekvencijalnog paljenja (kućište) tip: HEUF/110 fab.br.:	MEGGITT (UK) Ltd., Unics 2-5 Tichfield Park, 20-26 Barnes Wallis Road, Fareham, Hants, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1818/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1379	Sistem sekvencijalnog paljenja (kućište) tip: HEUF/110 fab.br.: F0664 N19	MEGGITT (UK) Ltd., Unics 2-5 Tichfield Park, 20-26 Barnes Wallis Road, Fareham, Hants, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1819/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 106 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1380	Elektromotor tip: d-GNRegFZE 1011/2 fab.br.: 193136	Winkelmann Elektromotoren GmbH & Co. KG, Im Neuen Felde 88-90, 29525 Uelzen, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1820/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1381	STOP Taster tip: GHG411 fab.br.:	Cooper Crouse-Hinds GmbH, Neuer Weg Nord 49 , DE - 69412, Eberbach, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1821/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1382	RUČNI JAVLJAČ POŽARA tip: BGE fab.br.: 216966703 20 01	Cooper MEDC Limited, Unit B , Sutton Parkway, Oddicraft Lane, Sutton-in-Ashfield , NG17 5FB, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1822/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1383	RUČNI JAVLJAČ POŽARA tip: PBE® fab.br.: 216993094 90 01; 216993094 90 02	Cooper MEDC Limited, Unit B , Sutton Parkway, Oddicraft Lane, Sutton-in-Ashfield , NG17 5FB, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1823/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1384	IC Detektor gasa (ugljovovonika) tip: PIRECLB4D1T1 fab.br.: 19NOV130083; 19NOV130085; 19NOV129662; 19DEC130924	Detector Electronic Corporation, 6901 west 110th Street, Minneapolis, MN 55438, USA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1824/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1385	Detektor toplote tip: HD1 fab.br.: 216993094 20 03; 216993094 20 04; 216993094 20 02; 216993094 20 01	Cooper MEDC Limited, Unit B , Sutton Parkway, Oddicraft Lane, Sutton-in-Ashfield , NG17 5FB, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1825/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1386	Rotacioni aktuator tip: EVO-Lite fab.br.:	HEINZMANN UK Ltd, Stanley House, Walls Road, Skippers Lane Industrial Estate, Middlesbrough, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1826/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1387	GRANIČNI PREKIDAČ serije XLS tip: 074-P04XE3431 fab.br.: 1910540	KINETROL Ltd., Trading Estae, Farnham, Surrey, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1827/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1388	GRANIČNI PREKIDAČ serije XLS tip: 074-P04XE3430 fab.br.: 2017759; 2017756	KINETROL Ltd., Trading Estate, Farnham, Surrey, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1828/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1389	GRANIČNI PREKIDAČ serije XLS tip: 054-P04XE3430 fab.br.: 1865885	KINETROL Ltd., Trading Estate, Farnham, Surrey, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1829/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1390	ELEKTROMAGNETNI VENTIL tip: EM-M12II fab.br.: ZP20008943	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1830/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1391	ELEKTROMAGNETNI VENTIL tip: EMM12II fab.br.: ZP19074491; ZP19074491; ZP19076108; ZP18060990	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1831/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1392	ELEKTROMAGNETNI VENTIL tip: EM-M12-II fab.br.: E105-61697PD; -, E120-CO1248819:1001	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1832/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1393	AKTUATOR (KUĆIŠTE) tip: CT95038/01 fab.br.:	SIEMENS Industrial Turbomachinery Ltd, Ruston House, Wateside South, Lincoln, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1833/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1394	RAZVODNA KUTIJA tip: KLIPPON STB2 fab.br.: 19101346	WEIDMULLER Interface GmbH & Co.KG, Klingenberg Strasse 16, 32758 Detmold, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1834/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 107 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
1395	GREBENASTA SKLOPKA tip: GHG 261 0005 R0005 fab.br.: 1479; 1509	EATON - COOPER CROUSE HINDS GmbH, Neuer Weg Nord 49 , DE - 69412, Eberbach, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1836/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1396	RAZVODNI ORMAN tip: GHG 619 fab.br.:	EATON (CEAG) – Cooper Crouse-Hinds GmbH, Neuer Weg Nord 49, D-69412 Eberbach, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1837/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1397	ELEKTRIČNI GREJAČ tip: FP4S-CX1-6.05-59-FS3-S0 fab.br.: 201127N; 201129N; 201128N	EXHEAT Ltd., Trexton Road Industrial Estate, Watton, Thedford, Norfolk, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1838/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1398	Ex Transmitter diferencijalnog pritiska SITRANS P320 tip: 7MF0340-1DM01-5DF2-Z fab.br.: N1M52010146563; N1LD0610120392; N1LD0610120393; N1LD0610120394	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1839/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1399	ALARMNA SIRENA tip: DB3B GD fab.br.: 216993094 100 02	Eaton MEDC Limited, Unit B, Sutton Parkway, Oddicroft Lane, Sutton-in-Ashfield, NG17 5FB, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1840/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1400	SIGNALNA BLJESKALICA (signalizacija stanja) tip: SL5/4 fab.br.:	Eaton MEDC Limited, Colliery Road, Pinxton, Nottingham, NG16 6JF, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1841/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1401	POZICIONER VENTILA tip: VALVE POSITION MONITOR fab.br.:	WESTLOCK CONTROLS Ltd., 22 Chapman Way, Thunbridge, Kent, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1842/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1402	SOLENOIDNI VENTIL tip: FP06P-77A fab.br.:	BIFOLD Fluidpower Ltd, Greenside Way, Middleton, Machester, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1843/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1403	STOP TASTER tip: EFD 1/8VM fab.br.: 16-17M	COELBO S.r.l., Via Santa Margherita, 83 – 20861 Brugherio (MB), Italija	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1844/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1404	PRIKLJUČNA KUTIJA tip: SX 1.25 EF fab.br.: S1146130; S1146135	ABTECH Limited, 199 Newhall Road, Lower Don Valley, Sheffield, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1845/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1405	STOP TASTER tip: 07-3511 fab.br.:	BARTEC GmbH, Max-Eyth-Straße16, 97980 Bas Mergentheim, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1846/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1406	SVETILJKA tip: eLLK 92036/36 fab.br.: 0049370R1; 0048009R1	EATON - COOPER CROUSE HINDS GmbH, Neuer Weg Nord 49, DE - 69412, Eberbach, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1847/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1407	PREKIDAČ tip: GHG2732000L0012 fab.br.:	CEAG Sicherheitstechnik GmbH, 69412 Eberbach, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1848/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1408	GREJAČ (kućiste) tip: BATEC fab.br.: 114888A 1/3	VULCANIC SAS, 48 rue Louis Ampere, Zone Industrielle des Chanoux, 93330 Neuilly Sur Marne, Francuska	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1849/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1409	KOMANDNI ORMAN tip: 8150/5-0600-0600-230-3321 fab.br.: 20443949-10110001	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1850/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1410	KOMANDNI ORMAN tip: 8150/5-0400-0400-150-3321 fab.br.: 19443874-2011000	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1851/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 108 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	POD NOSILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1411	NAPOJNA JEDINICA tip: 6ES7138-7EA01-0AA0 fab.br.: SVP LN056366	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1852/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1412	MODUL rezerve tip: 6ES7138-7AA00-0AA0 fab.br.: SVP LN147713 2019	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1853/21	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1413	Ex Transmitter apsolutnog pritiska serije P320 tip: 7MF0320-1QG11-5SF2-Z fab.br.: N1LN2510118706; N1LN2510118717; N1LN2510118718; N1LN2510118708; N1LN2510118707; N1LN2510118713; N1LN2510118722; N1LN2510118701; N1LN2510118698	SIEMENS AG, 76 181 Karlsruhe, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1854/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1414	Pozicioner model: DVC6200 fab.br.:	Fisher Controls International Inc, 205 South Center Street , Marshalltown , Iowa 50158, USA	GASTRANS d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1870/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1415	Sistem sekvencijalnog paljenja (kućište) tip: HEUF/110 fab.br.: F0665 N19	MEGGITT (UK) Ltd., Unics 2-5 Tichfield Park, 20-26 Barnes Wallis Road, Fareham, Hants, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1871/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1416	SIGNALNA BLJESKALICA tip: XB11 fab.br.: 216993094 100 02	Eaton MEDC Limited, Colliery Road, Pinxton, Nottingham, NG16 6JF, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1872/21X	27.08.2021		po tački 3.1 priloga 13. Pravilnika
1417	Ex Elektromotor tip: 2/8 A1/506 ex fab.br.: 252-10-137353 030/11 (2 kom.); 8101720 (1 kom.);	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1874/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1418	Ex Upravljačka jedinica (viseća) tip: SWH 5302-063 ex fab.br.: 8101720	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1875/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1419	Ex Pozicioner tip: 8070/2-3-D-U60 fab.br.:	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1876/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1420	Priključna kutija tip: 8146/1S71 fab.br.:	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1877/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1421	Granični prekidač tip: GE-SG 125.02 ex fab.br.: 8101720	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1878/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1422	Ex Elektromotor tip: 2/12 A6/511 ex fab.br.: 8101720	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1879/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 109 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1423	Priključna kutija tip: AK-366 c ex fab.br.: 9011289	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1880/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1424	Upravljački panel tip: 8264/5000 fab.br.: 2117801290350008	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1881/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1425	Razvodni orman tip: GK-326 c ex IIC fab.br.: 9011286	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1882/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1426	Razvodna kutija tip: SA302310/P fab.br.: 20/21574	Cortem S.p.A., Via Aquileia 10, Villesse, Italija	"EURO MOTUS " d.o.o., Bulevar Mihajla Pupina 115a, Beograd	IPSTP 1883/21	31.08.2021		po tački 3.1 priloga 13. Pravilnika
1427	KOMANDNI ORMAN tip: 8150/5-0400-0400-150-3321 fab.br.: 19443874-30110000	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, NEMAČKA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1885/21	31.08.2021		po tački 3.1 priloga 13. Pravilnika
1428	Kutija sa krajnjim prekidačima/Limit switch box tip: TXP-M2CGNMM fab.br.: 201005114517, 201005135057	TOPWORX Inc., 3300 Fern Valley Road, Louisville, Kentucky 402013, USA	"Fasek Engineering and production" d.o.o., Mileševska 1a, 21000, NOVI SAD	IPSTP 1889/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1429	Elektromagnetni ventil tip: FEB 106/10 A fab.br.: 30804, 30806, 30009, 30940	Dr. Breit GmbH., Carl-Zeiss-Str. 25, 42579 Heiligenhaus, Nemačka	"Fasek Engineering and production" d.o.o., Mileševska 1a, 21000, NOVI SAD	IPSTP 1890/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1430	Transmiter pritiska tip: DX9-DMP 331 fab.br.: 2243797, 2243795	BD SENSORS GmbH, BD Sensors Straße 1, 95199 Thierstein, Nemačka	"Fasek Engineering and production" d.o.o., Mileševska 1a, 21000, NOVI SAD	IPSTP 1891/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1431	Ex Elektromotor tip: 2/8 A1/506 ex fab.br.: 252-10-137353 030/13; 8101719; 252-10-137353 030/12	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1893/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1432	Ex Upravljačka jedinica (viseća) tip: SWH 5302-063 ex fab.br.: 8101719	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1894/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1433	Ex Pozicioner tip: 8070/2-3-D-U60 fab.br.:	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1895/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1434	Priključna kutija tip: 8146/1S71 fab.br.:	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1896/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 110 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	POD NOSILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1435	Granični prekidač tip: GE-SG 125.02 ex fab.br.: 8101719	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1897/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1436	Ex Elektromotor tip: 2/12 A6/511 ex fab.br.: 8101719	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1898/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1437	Priključna kutija tip: AK-366 c ex fab.br.: 9011288	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1899/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1438	Upravljački panel tip: 8264/5000 fab.br.: 2117801290350004	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1900/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1439	Razvodni orman tip: GK-326 c ex IIC fab.br.: 9011285	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1901/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1440	Ex Elektromotor tip: 2/8 A1/506 ex fab.br.: 252-10-137353 030/16; 8101718; 252-10-137353 030/14	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1902/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1441	Ex Upravljačka jedinica (viseća) tip: SWH 5302-063 ex fab.br.: 8101718	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1903/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1442	Ex Pozicioner tip: 8070/2-3-D-U60 fab.br.:	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1904/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1443	Priključna kutija tip: 8146/1S71 fab.br.: 252 10-137353 040	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1905/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1444	Granični prekidač tip: GE-SG 125.02 ex fab.br.: 8101718	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1906/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 111 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1445	Ex Elektromotor tip: 2/12 A6/511 ex fab.br.: 8101718	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1907/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1446	Priključna kutija tip: AK-366 c ex fab.br.: 9011287	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1908/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1447	Upravljački panel tip: 8264/5000 fab.br.: 2117801290350002	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1909/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1448	Razvodni orman tip: GK-326 c ex IIC fab.br.: 9011284	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1910/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1449	Ex Elektromotor tip: 2/8 A05/505 ex fab.br.: 25210137353450/11, 25210137353450/12, 5901358	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1911/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1450	Ex Upravljačka jedinica (viseća) tip: SWH 5302-063 ex fab.br.: 5901358	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1912/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1451	Ex Pozicioner tip: 8070/2-3-D-U60 fab.br.:	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1913/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1452	Priključna kutija tip: 8146/1S71 fab.br.:	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1914/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1453	Granični prekidač tip: GE-SG 125.02 ex fab.br.: 5901358	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1915/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1454	Ex Elektromotor tip: 2/12 A2/500 ex fab.br.: 5901358	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1916/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 112 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1455	Priključna kutija tip: AK-366 c ex fab.br.: 9011341	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1917/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1456	Upravljački panel tip: 8264/5000 fab.br.: 2117801290350010	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1918/21X	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1457	Razvodni orman tip: GK-326 c ex IIC fab.br.: 9011340	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1919/21	30.08.2021		po tački 3.1 priloga 13. Pravilnika
1458	Razvodni orman tip: CB-P11/21069/QP-0255-0250-1204/698399 fab.br.: 113061, 113069, 113050, 113057, 113075, 113066, 113049, 113051, 113060, 113056, 113076, 113070, 113045, 113048, 113059, 113081, 113080, 113067, 113042, 113055, 113044, 113065, 113053, 113054, 113074, 113064, 113063, 113046	Quintex GmbH, I-PARK TAUBERFRANKEN 13, 97922 Lauda-Königshofen, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1921/21	31.08.2021		po tački 3.1 priloga 13. Pravilnika
1459	Solenoidni ventil tip: ICO3S fab.br.: 72965/8, 72965/8, 72965/8, 72965/5, 72965/5, 72965/2, 72965/6, 72965/8, 72965/8, 72965/8, 72965/2, 72965/5, 72965/5, 72965/8, 72965/6, 72965/2, 72965/2, 72965/5, 72965/5, 73888/1, 73888/1	Thompson Valves, 17 Balena Close, Creekmoor, Poole, Dorset, BH17 7EF, UK	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1922/21X	31.08.2021		po tački 3.1 priloga 13. Pravilnika
1460	Dijagnostički kontroler ventila tip: IDC24-F-2042S11B-A0 fab.br.: 2020-0216, 2020-0212, 2020-0227, 2020-0207, 2020-0225, 2020-0197, 2020-0221, 2020-0201, 2020-0194, 2020-0205, 2020-0226, 2020-0209, 2020-0199, 2020-0219, 2020-0198, 2020-0230, 2020-0195, 2020-0211, 2020-0193, 2020-0200, 2020-0203, 2020-0192, 2020-0224, 2020-0223, 2020-0191, 2020-0210, 2020-....., 2020-0196	Val Controls A/S, Sallingsundvej 5, DK-6715 Esbjerg N, DANSKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1923/21X	31.08.2021		po tački 3.1 priloga 13. Pravilnika
1461	Solenoid operator tip: FP01-77A fab.br.: CMC0720-0025, CMC0720-0023, CMC0720-0024	Bifold Fluidpower Limited, Greenside Way, Middleton, Manchester, M24 ISW, UK	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1924/21	31.08.2021		po tački 3.1 priloga 13. Pravilnika
1462	Razvodna kutija tip: 8150/2-0176-0176-091-3311 fab.br.: 19443064/20110001, 19442846/10110000, 20444371-10110000, 20444444-60110001	R.Stahl Schaltgerrate GmbH, Am Bahnhof 30, 74638 Waldenburg, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1925/21	31.08.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 113 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1463	Elektropneumatski pozicioner tip: EDP 300 A1H1S2A fab.br.: 3K650000602331, 3K650000602332, 3K650000602330	ABB Automation Products GmbH, Schillerstraße 72, D- 32425 Minden, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1926/21X	31.08.2021		po tački 3.1 priloga 13. Pravilnika
1464	Ex Elektromehanički aktuator tip: SAEX 10.2-F10/-a4a1 fab.br.: 2720MD31933, 2720MD31934	AUMA Riester GmbH&Co.KG, Aumastrasse 1 Muellheim, 79379, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1927/21X	31.08.2021		po tački 3.1 priloga 13. Pravilnika
1465	Ex Elektromehanički aktuator tip: SAEX 14.2-F14/-a4a1 fab.br.: 2720MD31816, 2720MD31811, 2720MD31824, 2720MD31810, 2720MD31818, 2720MD31819, 2720MD31821, 2720MD31812, 2720MD31809, 2720MD31814, 2720MD31823, 2720MD31822, 2720MD31825, 2720MD31826, 2720MD31808, 2720MD31815, 2720MD31813, 2720MD31820, 2720MD31817, 3720MD52227, 2720MD33748	AUMA Riester GmbH&Co.KG, Aumastrasse 1 Muellheim, 79379, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1928/21X	31.08.2021		po tački 3.1 priloga 13. Pravilnika
1466	Ex Elektromehanički aktuator tip: SAEX 14.6-F14/-a4a1 fab.br.: 2720MD33752, 3020MD38198, 3020MD38197, 3020MD38200, 3020MD38204, 3020MD38199, 3020MD38202, 3020MD38203, 3020MD38201	AUMA Riester GmbH&Co.KG, Aumastrasse 1 Muellheim, 79379, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1929/21X	31.08.2021		po tački 3.1 priloga 13. Pravilnika
1467	Ex Elektromehanički aktuator tip: SQEX 07.2-F10/-a4a1 fab.br.: 2620NS14621, 2620NS14622, 2620NS14623, 2620NS14624, 2620NS14625, 2620NS14626	AUMA Riester GmbH&Co.KG, Aumastrasse 1 Muellheim, 79379, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1930/21X	31.08.2021		po tački 3.1 priloga 13. Pravilnika
1468	Diferencijalni presostat tip: AT-102NA-ADPS-03-2-N-W2VS012 fab.br.: 29210531; 29210530; 29210538; 29210533; 29210529; 29210536; 29210532; 29210537; 29210539; 29210534; 29210535; 29210540	Comhas S.r.l, Via Matteotti,66; Cinisello Balsamo (MI) I-20092, Italija	"ALFACO INŽENJERING" d.o.o., Milutina Mandića bb, 32102, Čačak	IPSTP 1931/21X	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1469	Elektromotorni pogon ventila (aktuator) tip: ExRun-25.50-Y fab.br.: 090.4050 21304004; 090.4050 21304008; 090.4050 21304003;	Schischek GmbH, Muhlsteig 45 Gewerbegebiet Süd 5, 90579 Langenzenn, Nemačka	"ALFACO INŽENJERING" d.o.o., Milutina Mandića bb, 32102, Čačak	IPSTP 1932/21	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1470	Senzor temperature i vlažnosti tip: TGC3.Ex/8 fab.br.: 244420; 244421; 244419	MELA Sensortechnik GmbH, Raasdorfer Str. 18, 07987 Mohlsdorf-Teichwolframsdorf, Nemačka	"ALFACO INŽENJERING" d.o.o., Milutina Mandića bb, 32102, Čačak	IPSTP 1933/21	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1471	Senzor nivoa VEGAFLEX 81 tip: FX81.ACEACLHXAMKX fab.br.: 53957953	VEGA Grieshaber KG, Am Hohenstein 113, 77761 Schitach, Nemačka	"Ogranak Yokogawa Europe Branches" d.o.o., Bulevar Mihajla Pupina 115V, 11070, Novi Beograd	IPSTP 1934/21X	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1472	Ex Grejač tip: EHR 5H20 fab.br.: 31282.31283,31284,31285,31286,31287,31288	SCHRAMM GmbH, Finschstrasse 18a, 60338 Frankfurt am Main, Nemačka	"Spare Parts International" d.o.o., Kralja Milutina 28, Beograd	IPSTP 1935/21	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1473	Ex Kutija razvodna tip: RK 01/544 E fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000. Čačak	IPSTP 1936/21X	01.09.2021		po tački 3.1 priloga 13. Pravilnika



REGISTAR

**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 114 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
1474	Ex sigurnosna led svetiljka tip: FLXE 118 LED-N 2 / . fab.br.:	TEP-Ex d.o.o., Medarska 69, Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1937/21	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1475	Upravljačka kombinacija tip: SKX 12/22 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1938/21X	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1476	Upravljačka kombinacija tip: SKX 12/23 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1939/21X	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1477	Upravljačka kombinacija tip: SKX 13-14/MSRU fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, Hrvatska	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1940/21X	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1478	Ex LED Svetiljka tip: PSF 28 LED - E fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1941/21	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1479	Ex LED Svetiljka tip: PSF 28 LED / 1 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1942/21	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1480	Ex LED Svetiljka tip: PSF 52 LED / 1 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1943/21	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1481	Svetiljka fluo tip: PSF 218 fab.br.:	TEP-Ex, Medarska 69, Zagreb, Hrvatska	„BEL-ELEKTRO“ d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1944/21	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1482	Svetiljka fluo tip: PSF 236 fab.br.:	TEP-Ex, Medarska 69, Zagreb, Hrvatska	„BEL-ELEKTRO“ d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1945/21	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1483	Ex Priključna kutija tip: SKX 18 I - 2 / E fab.br.:	TEP Ex d.o.o., Medarska 69 , 10090 Zagreb, HRVATSKA	BEL-ELEKTRO d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1946/21	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1484	Ex Kutija razvodna tip: RK 01/514 fab.br.:	TEP Ex d.o.o., Medarska 69, 10090 Zagreb, HRVATSKA	"BEL-ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1947/21X	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1485	Utikačka naprava tip : PCX utikač PRE316PB fab.br.:	ATX S.A., 29.avenue de Babigny 93136 NOISY LE SEC, Francuska	"BEL ELEKTRO" d.o.o., Hajduk Veljkova 7/2, 32000, Čačak	IPSTP 1948/21	01.09.2021		po tački 3.1 priloga 13. Pravilnika
1486	Priključna kutija tip: ExBox-BF-TR fab.br.: 11656003, 11656072	Schischek Explosionsschutz GmbH, 90579 Langenzenn, Nemačka	"Termogama" d.o.o., Krste Hegedušića br. 5, 34000, Kragujevac	IPSTP 1949/21	02.09.2021		po tački 3.1 priloga 13. Pravilnika
1487	Okretni aktuator tip: Ex Max-15-BF-TR fab.br.: 090 106821084016, 090 106821084019.	Schischek Explosionsschutz GmbH, 90579 Langenzenn, Nemačka	"Termogama" d.o.o., Krste Hegedušića br. 5, 34000, Kragujevac	IPSTP 1950/21X	02.09.2021		po tački 3.1 priloga 13. Pravilnika
1488	Ex Kućište tip: EJB - 73 fab.br.: 3239/21, 3551/21, 3552/21	BARTEC-FEAM, Via Mario Pagano, 3IT-20090 Trezzano Sul Naviglio, Milano, Italija	"INTELUS" d.o.o., Pigova 4/28, 32000, Čačak	IPSTP 1952/21X	03.09.2021		po tački 3.1 priloga 13. Pravilnika
1489	TERMOSTAT KTE-d tip: 27-6B11-5201/BZ000001 fab.br.: 20-06294/20	BARTEC GmbH, Max-Eyth-Strasse 16, D-97980 Bad Mergentheim, Nemačka	"INTELUS" d.o.o., Pigova 4/28, 32000, Čačak	IPSTP 1953/21X	03.09.2021		po tački 3.1 priloga 13. Pravilnika
1490	GREJAČ HCM 250-T3-3 tip: 27-2162-5725Z300 fab.br.: 20-20819	BARTEC GmbH, Max-Eyth-Strasse 16, D-97980 Bad Mergentheim, Nemačka	"INTELUS" d.o.o., Pigova 4/28, 32000, Čačak	IPSTP 1954/21X	03.09.2021		po tački 3.1 priloga 13. Pravilnika
1491	Razvodna kutija tip : JBEP2021150 fab.br.: 1521C46869	ATX S.A. APPLETON GROUP, Espace Industriel Nord, 35, rue Andre Durouchez, CS 98017, 80084 Amiens Cedex 2, Francuska	"MLS EXING" d.o.o., Trstenjakova br. 3, 11000, Beograd	IPSTP 1955/21X	03.09.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 115 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1492	ELEKTRIČNI GREJAČ tip: FP4-CS1-1.5-24-FS4 fab.br.: 203482N; 203484N; 203481N; 203480N; 203483N; 203479N	EXHEAT Ltd., Trexton Road Industrial Estate, Watton, Thedford, Norfolk, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1956/21X	06.09.2021		po tački 3.1 priloga 13. Pravilnika
1493	Vibro prekidač tip: 3171 fab.br.: 20049.003; 20049.001, 20049.005; 20049.004, 20049.009; 20049.010	Fire Fighting Enterprises Ltd., 9 Hunting Gate, Hitchin, Hertfordshire SG5 0TJ, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1957/21X	06.09.2021		po tački 3.1 priloga 13. Pravilnika
1494	STOP TASTER tip: 07-3511 588588 fab.br.:	BARTEC GmbH, Max-Eyth-Straße 16, 97980 Bas Mergentheim, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1958/21X	06.09.2021		po tački 3.1 priloga 13. Pravilnika
1495	ELEKTRIČNI GREJAČ tip: FP4-CS1-3-48-FS4 fab.br.: 203476N, 203477N, 203478N	EXHEAT Ltd., Trexton Road Industrial Estate, Watton, Thedford, Norfolk, UK	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1959/21X	06.09.2021		po tački 3.1 priloga 13. Pravilnika
1496	UKO-UTO priključnica tip: 8571/11-506 fab.br.: 1000 2059755044, 1000 2059749044, 1000 2059746044,	R.STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1964/21	06.09.2021		po tački 3.1 priloga 13. Pravilnika
1497	Priključna kutija sistema za gašenje tip: KLIPPON TB MH303015 fab.br.: XA/GB/ML/0003289, XA/GB/ML/0003292, XA/GB/ML/0003293	WEIDMULLER Interface GmbH & Co.KG, Klingerberg Strasse 16, 32758 Detmold, Nemačka	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1965/21	06.09.2021		po tački 3.1 priloga 13. Pravilnika
1498	Transmitter koriolis merila protoka tip: 3500P1A05B1BGZZZ fab.br.: 26146905, 26146909	MICRO MOTION, 7070 Winchester Circle, Boulder, Co.80301 Etats Unis, USA	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1966/21X	06.09.2021		po tački 3.1 priloga 13. Pravilnika
1499	Transmitter radarskog merila nivoa tip: 5301FA2N0N0NN0000NAI1 fab.br.: 557361, 557362	Rosemount Tank Radar AB, Layoutvägen 1, 43533 Mölnlycke, Švedska	IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1967/21X	06.09.2021		po tački 3.1 priloga 13. Pravilnika
1500	Transmitter radarskog merila nivoa tip: 5302HA1P1N4AM00150RAI1M1Q4N2P4 fab.br.: 554834	Rosemount Tank Radar AB, Layoutvägen 1, 43533 Mölnlycke, Švedska	IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1968/21X	06.09.2021		po tački 3.1 priloga 13. Pravilnika
1501	Zener barijera tip: MTL5532 fab.br.: 21295532+++110046794	Eaton Electric Limited, Graet Marlings, Butterfield, Luton, Bedfordshire, LU2 8DL, UK	"IvDam Process Control" d.o.o., Koste Abraševića 15, 11000, Beograd	IPSTP 1969/21	07.09.2021		po tački 3.1 priloga 13. Pravilnika
1502	Granični prekidač nivoa (vibraciona viljuška) tip: 2120D0DV1E1XM0250 fab.br.: 21GOBE0012864	Mobrey Ltd, 158 Edinburgh Avenue, Slough, Berkshire SL1 4UE, UK	IvDam Process Control d.o.o., Koste Abraševića 15, 11050, Beograd	IPSTP 1970/21X	07.09.2021		po tački 3.1 priloga 13. Pravilnika
1503	Granični prekidač nivoa (vibraciona viljuška) tip: 2130NA2MS1NNGM060011IQT fab.br.: JBE1305220	Solartron Mobrey Ltd, 158 Edinburgh Avenue, Slough, Berkshire SL1 4UE, UK	"IvDam Process Control " d.o.o., Koste Abraševića 15, 11050, BEOGRAD	IPSTP 1971/21X	07.09.2021		po tački 3.1 priloga 13. Pravilnika
1504	Termometar tip: TR11-GBACBSXCS00A fab.br.: S7059F142FD, S7059E142FD	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Dunavska 78 a, 11000, Beograd	IPSTP 1972/21X	07.09.2021		po tački 3.1 priloga 13. Pravilnika
1505	Termometar tip: TR88-GB4E1X2CS0A0 fab.br.: S705B514158, S705B814158, S705B614158, S705B714158	Endress+Hauser Wetzer GmbH, Obere Wank 1, 87484 Nesselwang, Nemačka	"MERIS" d.o.o., Dunavska 78 a, 11000, Beograd	IPSTP 1973/21X	07.09.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 116 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
1506	Razvodna kutija tip: 07-5103 fab.br.: SI 036083/17	BARTEC Varnost d.o.o., Cesta 9.Avgusta 59, 1410 Zagorje ob Savi, SLOVENIJA	"INTELUS" d.o.o., Pigova 4/28, 32 000, Čačak	IPSTP 1974/21X	07.09.2021		po tački 3.1 priloga 13. Pravilnika
1507	Transmitter nivoa Levelflex tip: FMP51-BBACCALAA4AEJ+LA fab.br.: S7035A0112C	Endress+Hauser SE-Co.KG, Hauptstrasse 1, Maulburg, Nemačka	MERIS d.o.o., Dunavska 78 a, 11000, Beograd	IPSTP 1976/21X	07.09.2021		po tački 3.1 priloga 13. Pravilnika
1508	Razvodna kutija aluminijumska tip: SA 302310 fab.br.: 21/41652; 21/41652; 21/41652; 21/41653; 21/41652; 21/41653; 21/41653; 21/41652; 21/41652; 21/41652; 21/41652; 21/41652; 21/41652; 21/41653; 21/41653; 21/41652	Cortem S.p.A., Via Aquileia 10, Villesse, Italija	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1977/21	08.09.2021		po tački 3.1 priloga 13. Pravilnika
1509	Vortex merač protoka model: OPTISWIRL 4200 C - Ex fab.br.: D210000001090993, D210000001090994	KROHNE Messtechnik GmbH, Ludwig-Krohne-Strasse 5, 47058 Duisburg, NEMAČKA	"WIG" d.o.o., Bulevar Arsenija Čarnojevića br. 26, 11070, Novi Beograd	IPSTP 1978/21X	08.09.2021		po tački 3.1 priloga 13. Pravilnika
1510	Elektromagnetno merilo protoka tip: OPTIFLUX 2300 C fab.br.: A21009870, A21009871, A21035654	KROHNE Altometer, Kerkeplaat 12, 3313 LC Dordrecht, Holandija	„WIG “ d.o.o., Bulevar Arsenija Čarnojevića br. 26, 11070, Novi Beograd, Beograd	IPSTP 1979/21X	08.09.2021		po tački 3.1 priloga 13. Pravilnika
1511	Maseno merilo protoka tip: OPTIMASS 6400C S25 VE744S0MD000100R0U03000 fab.br.: G210000007404650	KROHNE Ltd., Rutherford Drive, Park Farm South Ind. Est., Wellingborough, Northants NN8 6AE, UK	"WIG" d.o.o., Bulevar Arsenija Čarnojevića br. 26 11070 Novi Beograd, Beograd	IPSTP 1980/21X	08.09.2021		po tački 3.1 priloga 13. Pravilnika
1512	Elektromotor ventilatora tip: MK 106-6DB.14.Y fab.br.: 32982115	Ziehl-Abegg AG, Heinc-Ziehl-Straße, 74653 Kunzelsau, NEMAČKA	" Systemair " d.o.o., Bul. Zorana Đinđića 95/I/2, 11070, Beograd	IPSTP 1981/21	08.09.2021		po tački 3.1 priloga 13. Pravilnika
1513	LED svetiljka tip: EVL-060030 fab.br.: 21/41716 (10 kom)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (GO), Italija	“Perfecta inženjering” d.o.o., Ul. 15 bb (Beljina), 32000, ČAČAK	IPSTP 1982/21X	08.09.2021		po tački 3.1 priloga 13. Pravilnika
1514	LED svetiljka tip: FLF-222L fab.br.: 21/ 36204 (1 kom)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	“Perfecta inženjering” d.o.o., Ul. 15 bb (Beljina), 32000, ČAČAK	IPSTP 1983/21	08.09.2021		po tački 3.1 priloga 13. Pravilnika
1515	LED svetiljka tip: FLF-222L fab.br.: 21/ 37966 (40 kom)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (Go), Italija	“Perfecta inženjering” d.o.o., Ul. 15 bb (Beljina), 32000, ČAČAK	IPSTP 1984/21	08.09.2021		po tački 3.1 priloga 13. Pravilnika
1516	Prazno kućište tip: CCA-03E fab.br.: 21/41715 (1kom)	CORTEM S.p.A., Via Aquileia , 10-34070 Villesse (GO), Italija	“Perfecta inženjering” d.o.o., Ul. 15 bb (Beljina), 32000, ČAČAK	IPSTP 1985/21U	08.09.2021		po tački 3.1 priloga 13. Pravilnika
1517	Multisenzorski detektor požara tip: FDOOT241-A9-Ex fab.br.: 5B4FEFF	Siemens Switzerland Ltd., Building Technologies Division, Gubelstrasse 22 CH-6301 Zug, Švajcarska	"Smart Building Technologies" d.o.o., Radoja Dakića 7, 11080, Zemun, BEOGRAD	IPSTP 1986/21X	08.09.2021		po tački 3.1 priloga 13. Pravilnika
1518	Pozicioner SIPART PS2 HART tip: 6DR5220-0EM00-0AAA4 fab.br.: N1N1267505799, N1N1267505800	SIEMENS AG Industry Sector, Industry Automation Division, 76181 Karlsruhe, Nemačka	" Siemens Energy " d.o.o., Omladinskih brigade 90v, 11070, Novi Beograd	IPSTP 1987/21X	08.09.2021		po tački 3.1 priloga 13. Pravilnika
1519	Ex Motor cirkulacione pumpe tip: BD 80M2-2 fab.br.: 81040068; 81040070; 81040069; 81040072; 81040073; 81040071	ATB Nordenham GmbH, HELGOLANDER DAMM 75, D-26954 Nordenham, Nemačka	"ALFACO INŽENJERING" d.o.o., Milutina Mandića bb, 32102, Čačak	IPSTP 1988/21X	09.09.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 117 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1520	Dijagnostički kontroler ventila tip: IDC24-F-2042S11B-A0 fab.br.: 2020-0229	Val Controls A/S, Sallingsundvej 5, DK-6715 Esbjerg N, DANSKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1989/21X	10.09.2021		po tački 3.1 priloga 13. Pravilnika
1521	Elektropneumatski pozicioner tip: EDP 300 fab.br.: 3K650000603720	ABB Automation Products GmbH, Schillerstraße 72, D- 32425 Minden, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1990/21X	10.09.2021		po tački 3.1 priloga 13. Pravilnika
1522	ELEKTROMAGNETNI VENTIL tip: EM-M12-II fab.br.: J200002871 (2 komada), J200002985 (2 komada), J200001848 (2 komada)	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1991/21X	10.09.2021		po tački 3.1 priloga 13. Pravilnika
1523	Ex Zaštitni prekidač tip: GHG 263 2301 R0001 fab.br.: 2101	Cooper Crouse-Hinds GmbH, Neuer Weg-Nord 49, 69412 Eberbach, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1992/21X	10.09.2021		po tački 3.1 priloga 13. Pravilnika
1524	Ex Proximitor senzor tip: 3300 fab.br.:	Bently Nevada Inc, 1631 Bentley Parkway South , Minden NV, USA	"GASTRANS" d.o.o., Narodnog fronta 12, 21102, Novi Sad	IPSTP 1993/21	10.09.2021		po tački 3.1 priloga 13. Pravilnika
1525	Smart Pozicioner tip: YT-3400 fab.br.:	Young Tech Co.,Ltd, 81., Hwanggeum-ro 89, beon-gil, Yangchon-eup., Gimpo -sl. Gyeonggi-do, Koreja	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1994/21X	10.09.2021		po tački 3.1 priloga 13. Pravilnika
1526	Senzor temperature tip: 4.48 fab.br.:	Dittmer Temperaturfühler GmbH & Co.KG, Carl Zeiss-Strasse 19, 47475 Kamp-Lintfort, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1995/21X	10.09.2021		po tački 3.1 priloga 13. Pravilnika
1527	Razvodni orman tip: CB-P11/21069/QP-0255-0250-1204/698399 fab.br.: 113071	Quintex GmbH, I-PARK TAUBERFRANKEN 13, 97922 Lauda-Königshofen, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1996/21	10.09.2021		po tački 3.1 priloga 13. Pravilnika
1528	Kućište tip: BHD91-D/M25x1,5 fab.br.: 19124953, 19124953, 19124953, 19124953, 19124953, 19124953, 19124953, 19124953, 19124953, 19124953 ; 19124953.	Warom Group Co, Ltd, No.555 Baoqian Road, Jiading, Shanghai 201808, NR KINA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1997/21X	10.09.2021		po tački 3.1 priloga 13. Pravilnika
1529	GRANIČNI PREKIDAČ serije XLS tip: 074-P04XE3430 fab.br.: 2054174, 2060421, 2040779	KINETROL Ltd., Trading Estate, Farnham, Surrey, UK	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1998/21X	10.09.2021		po tački 3.1 priloga 13. Pravilnika
1530	GRANIČNI PREKIDAČ serije XLS tip: 054-P04XE3430 fab.br.: 2054174, 2060421, 2040779	KINETROL Ltd., Trading Estate, Farnham, Surrey, UK	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 1999/21X	10.09.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 118 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1531	Induktivni prekidač položaja (HF impulsni davač tip A1S) tip: N95000 fab.br.: 77072124; 77072125	ifm electronic GmbH, Friedrichstraße 1 , 45128 Essen, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2000/21	10.09.2021		po tački 3.1 priloga 13. Pravilnika
1532	Solenoidni ventil tip: ICO3S fab.br.: 72965/4	Thompson Valves, 17 Balena Close, Creekmoor, Poole, Dorset, BH17 7EF, UK	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2001/21X	10.09.2021		po tački 3.1 priloga 13. Pravilnika
1533	Ex Sigurnosni prekidač (grebenasta sklopka) tip: GHG2622301R0001 fab.br.: 2161	Cooper Crouse-Hinds GmbH, Neuer Weg-Nord 49, 69412 Eberbach, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2002/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1534	Ex Upravljačka jedinica (viseća) tip: SWH 5302 - 063 ex fab.br.: 7902250	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2003/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1535	Ex Elektromotor tip: SFB23 230 503 ex (2/8 A05/505 ex) fab.br.: 25210137353520 /11, 25210137353520 /12	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2004/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1536	Ex Elektromotor tip: 2/12A4/512ex fab.br.: 7902250	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2005/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1537	Granični prekidač tip: GE-SG 125.02 ex fab.br.: 7902250	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2006/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1538	Razvodni orman tip: GK-326 c ex IIC fab.br.: 9011338	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2007/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1539	Priključna kutija tip: AK-366 c ex fab.br.: 9011339	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2008/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1540	Upravljački panel tip: 8264/5000 fab.br.: 22795175	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2009/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 119 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	POD NOSILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1541	Ex Elektromotor tip: SF25 832 113 ex (2/8 A1/506 ex) fab.br.: 7902250	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2010/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1542	Ex Pozicioner tip: 8070/2-3-D-U60 fab.br.:	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2011/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1543	Ex Sigurnosni prekidač (grebenasta sklopka) tip: GHG2622301R0001 fab.br.: 2161	Cooper Crouse-Hinds GmbH, Neuer Weg-Nord 49, 69412 Eberbach, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2012/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1544	Ex Upravljačka jedinica (viseća) tip: SWH 5302 - 063 ex fab.br.: 7902249	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2013/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1545	Ex Elektromotor tip: SFB23 230 503 ex fab.br.: 25210137353310 /11, 25210137353310 /12	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2014/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1546	Ex Elektromotor tip: 2/12A4/512ex fab.br.: 7902249	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2015/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1547	Granični prekidač tip: GE-SG 125.02 ex fab.br.: 7902249	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2016/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1548	Razvodni orman tip: GK-326 c ex IIC fab.br.: 9011346	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2017/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1549	Priključna kutija tip: AK-366 c ex fab.br.: 9011347	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2018/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1550	Upravljački panel tip: 8264/5000 fab.br.: 22795165	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2019/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : **120** / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	POD NOSILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
1551	Ex Elektromotor tip: SF25 832 113 ex fab.br.: 7902249	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2020/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1552	Ex Pozicioner tip: 8070/2-3-D-U60 fab.br.:	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2021/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1553	Priključna kutija tip: 8146/1S71 fab.br.:	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2022/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1554	Ex Sigurnosni prekidač (grebenasta sklopka) tip: GHG2622301R0001 fab.br.: 2161	Cooper Crouse-Hinds GmbH, Neuer Weg-Nord 49, 69412 Eberbach, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2023/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1555	Ex Upravljačka jedinica (viseća) tip: SWH 5302 - 063 ex fab.br.: 7101364	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2024/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1556	Ex Elektromotor tip: SFB14 227 503 ex fab.br.: 25210137353240 /11, 25210137353240 /12	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2025/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1557	Ex Elektromotor tip: 2/12A4/512ex fab.br.: 7101364	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2026/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1558	Granični prekidač tip: GE-SG 125.02 ex fab.br.: 7101364	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2027/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1559	Razvodni orman tip: GK-326 c ex IIC fab.br.: 9011362	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2028/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1560	Priključna kutija tip: AK-366 c ex fab.br.: 9011363	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2029/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 121 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	POD NOSILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1561	Upravljački panel tip: 8264/5000 fab.br.: 22795156	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2030/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1562	Ex Elektromotor tip: SF17 219 503 ex fab.br.: 7101364	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2031/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1563	Ex Pozicioner tip: 8070/2-3-D-U60 fab.br.:	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2032/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1564	Priključna kutija tip: 8146/1S71 fab.br.:	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2033/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1565	Ex Sigurnosni prekidač (grebenasta sklopka) tip: GHG2622301R0001 fab.br.: 2161	Cooper Crouse-Hinds GmbH, Neuer Weg-Nord 49, 69412 Eberbach, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2034/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1566	Ex Upravljačka jedinica (viseća) tip: SWH 5302 - 063 ex fab.br.: 7101365	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2035/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1567	Ex Elektromotor tip: SFB14 227 503 ex fab.br.: 25210137353380 /11, 25210137353380 /12	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2036/21X	17.01.2021		po tački 3.1 priloga 13. Pravilnika
1568	Ex Elektromotor tip: 2/12A4/512ex fab.br.: 7101365	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2037/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1569	Granični prekidač tip: GE-SG 125.02 ex fab.br.: 7101365	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2038/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1570	Razvodni orman tip: GK-326 c ex IIC fab.br.: 9011342	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2039/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 122 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
1571	Priključna kutija tip: AK-366 c ex fab.br.: 9011343	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2040/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1572	Upravljački panel tip: 8264/5000 fab.br.: 22795169	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2041/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1573	Ex Elektromotor tip: SF17 219 503 ex fab.br.: 7101365	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2042/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1574	Ex Pozicioner tip: 8070/2-3-D-U60 fab.br.:	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2043/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1575	Priključna kutija tip: 8146/1S71 fab.br.:	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2044/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1576	Ex Sigurnosni prekidač (grebenasta sklopka) tip: GHG2622301R0001 fab.br.: 2161	Cooper Crouse-Hinds GmbH, Neuer Weg-Nord 49, 69412 Eberbach, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2045/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1577	Ex Upravljačka jedinica (viseća) tip: SWH 5302 - 063 ex fab.br.: 7902248	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2046/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1578	Ex Elektromotor tip: SFB32 836 113 fab.br.: 25210137353100 /11, 25210137353100 /12	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2047/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1579	Ex Elektromotor tip: 2/12A4/512ex fab.br.: 7902247	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2048/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1580	Granični prekidač tip: GE-SG 125.02 ex fab.br.: 7902247	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2049/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika



**Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)**

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 123 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ CERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST CERTIFIKATA	NAPOMENA (sistem sertifikata)
1581	Razvodni orman tip: GK-326 c ex IIC fab.br.: 9011357	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2050/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1582	Priključna kutija tip: AK-366 c ex fab.br.: 9011358	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2051/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1583	Upravljački panel tip: 8264/5000 fab.br.: 22795138	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2052/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1584	Ex Elektromotor tip: SF25 832 113 ex fab.br.: 7902247	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2053/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1585	Ex Pozicioner tip: 8070/2-3-D-U60 fab.br.:	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2054/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1586	Priključna kutija tip: 8146/1S71 fab.br.:	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2055/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1587	Ex Sigurnosni prekidač (grebenasta sklopka) tip: GHG2622301R0001 fab.br.: 2161	Cooper Crouse-Hinds GmbH, Neuer Weg-Nord 49, 69412 Eberbach, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2056/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1588	Ex Upravljačka jedinica (viseća) tip: SWH 5302 - 063 ex fab.br.: 7902247	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2057/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1589	Ex Elektromotor tip: SFB32 836 113 fab.br.: 25210137353170 /11, 25210137353170 /12	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2058/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1590	Ex Elektromotor tip: 2/12A4/512ex fab.br.: 7902248	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2059/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 124 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1591	Granični prekidač tip: GE-SG 125.02 ex fab.br.: 7902248	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2060/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1592	Razvodni orman tip: GK-326 c ex IIC fab.br.: 9011360	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2061/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1593	Priključna kutija tip: AK-366 c ex fab.br.: 9011361	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2062/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1594	Upravljački panel tip: 8264/5000 fab.br.: 22795153	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2063/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1595	Ex Elektromotor tip: SF25 832 113 ex fab.br.: 7902248	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2064/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1596	Ex Pozicioner tip: 8070/2-3-D-U60 fab.br.:	STAHL CraneSystems GmbH, Daimlerstraße 6, 74653 Künzelsau, NEMAČKA	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2065/21X	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1597	Priključna kutija tip: 8146/1S71 fab.br.:	R. STAHL Schaltgeräte GmbH, Am Bahnhof 30, 74638 Waldenburg, Nemačka	"Infrastructure Development and Construction" d.o.o., Bulevar Mihaila Pupina 115 g, 11070, Novi Beograd	IPSTP 2066/21	13.09.2021		po tački 3.1 priloga 13. Pravilnika
1598	Transmiter pritiska SITRANS P 210 tip: 7MF1566-9AA01-1AA1 fab.br.: SLKKN810049010001, SLKKN810049010002	SIEMENS AG, Östliche Rheinbrückerstr.50, 76 187 Karlsruhe, NEMAČKA	"INDAS" d.o.o., Heroja Pinkija 95, 21000, Novi Sad	IPSTP 2077/21	14.09.2021		po tački 3.1 priloga 13. Pravilnika
1599	Davač impulsa tip: MPL fab.br.: 2021DG24318	Dover Fueling Solutions(TOKHEIM) UK Ltd., West Pittkerro Industrial Estate, Dundee, Velika Britanija	"TEHNOPETROL" d.o.o., Topionički put bb, 18 000, NIŠ	IPSTP 2078/21X	14.09.2021		po tački 3.1 priloga 13. Pravilnika
1600	Elektromagnetni ventil tip: EM5X fab.br.: ZP21101911	ASCO Joucomatic sp.z.o.o., Kurczaki 130, 93331 Lodz, Poljska	"TEHNOPETROL" d.o.o., Topionički put bb, 18 000, NIŠ	IPSTP 2079/21X	14.09.2021		po tački 3.1 priloga 13. Pravilnika
1601	Elektromotor tip: ADPE V80 TC4PR fab.br.: 673651	RAEL Motori Elettrici S.r.l., Via per Retorto 7/1 I-15077 Predosa(AL), Italija	"TEHNOPETROL" d.o.o., Topionički put bb, 18 000, NIŠ	IPSTP 2080/21X	14.09.2021		po tački 3.1 priloga 13. Pravilnika
1602	Reset prekidač tip: 07-2211-2320 fab.br.:	BARTEC GmbH, Max-Eyth-Strasse 16, 97980 Bad Mergentheim, Nemačka	"TEHNOPETROL" d.o.o., Topionički put bb, 18000, NIŠ	IPSTP 2081/21X	14.09.2021		po tački 3.1 priloga 13. Pravilnika
1603	Sprava za merenje zapremine tečnih goriva tip: Quantum 210 fab.br.: D2131054	Dover Fueling Solutions UK Ltd., 3 Baker Rd, West Pitkerro Industrial Estate, Dundee DD5 3RTUK, UK	"TEHNOPETROL" d.o.o., Topionički put bb, 18000, NIŠ	IPSTP 2082/21X	14.09.2021		po tački 3.1 priloga 13. Pravilnika



INSTITUT ZA PREVENTIVU
ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.
21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573
www.izp.rs institut@izp.rs

REGISTAR

Sertifikovanih proizvoda i podnosioca zahteva u skladu sa
Pravilnikom o opremi i zaštitnim sistemima namenjenim za
upotrebu u potencijalno eksplozivnim atmosferama ("Službeni
glasnik RS", broj 10/17)

OZNAKA: IPST 04 09

VERZIJA: 3

Strana : 125 / 125

R. Br.	NAZIV PROIZVODA	PROIZVOĐAČ	PODNOŠILAC ZAHTEVA / KLIJENT	BROJ SERTIFIKATA	DATUM IZDAVANJA SERT.	VAŽNOST SERTIFIKATA	NAPOMENA (sistem sertifikata)
1604	Transmitter temperature tip: IM34-12Ex-Ri fab.br.:	Hans Turck GmbH & Co.KG, Witzlebenstraße 7, D-45472 Mülheim an der Ruhr, Nemačka	"GasTeh" d.o.o., Kralja Petra I b.b., 22320, Indija	IPSTP 2083/21	14.09.2021		po tački 3.1 priloga 13. Pravilnika
1605	Elektromotor tip: H7AT 100LA-4ET/T4 fab.br.: 975984, 975989	KONČAR-MES d.d., Fallerovo šetalište 22 ,10 000 Zagreb, Hrvatska	Elektro Motorni Pogoni d.o.o., ul. Đorđa Stanojevića 11g/16, Belville - Ruža, 11070, Novi Beograd	IPSTP 2084/21X	14.09.2021		po tački 3.1 priloga 13. Pravilnika